

**NN06060086EP**

FIBERGLASS TANK





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |  |  |                                                                                                                   |  |  |  |                                         |  |                          |  |            |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-------------------------------------------------------------------------------------------------------------------|--|--|--|-----------------------------------------|--|--------------------------|--|------------|--|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |  |  |                                                                                                                   |  |  |  |                                         |  | 2019                     |  |            |  |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                 |  |  |  |  <b>GRANBY</b><br>COMPOSITES |  |  |  | Revision description                    |  |                          |  |            |  |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                |  |  |  | Drawn by<br><b>O. Marin</b>                                                                                       |  |  |  | Format<br><b>B</b>                      |  | Part no.<br>NN06060086EP |  | REV<br>02. |  |
| Weight :<br><b>1173 Lb</b>                                                                                                                                       |  |  |  | Approved by :                                                                                                     |  |  |  | Title<br><br>6' Dia. TANK - 2276 US gal |  |                          |  |            |  |
| Client                                                                                                                                                           |  |  |  | # Project                                                                                                         |  |  |  | Sheet<br>1 / 4                          |  |                          |  |            |  |

| Item | Part Number          | Qty | Description                                        | Check List |
|------|----------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001           | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADPGILP001           | 2   | LIFTING LUGS                                       |            |
| 3    | ENSCOUR6             | 2   | ANCHORING KIT                                      |            |
| 4    | EV480                | 1   | 4" SCH. 80 VENT KIT WITH SST BIRD SCREEN           |            |
| 5    | GMHE30-COVER01       | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 6    | MH-30 (6"L.)         | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 7    | MHE-30 (54"L.)       | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 8    | PFV01414             | 1   | 0.5" x 13.5" x 13.5" ANTI-VORTEX PLATE             |            |
| 9    | TP80400G01 (4.25"L.) | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 10   | TP80400G01 (36"L.)   | 2   | 4" SCH.80 GREY PVC PIPE                            |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



Optional anchoring depending on the tank's environment


- Technical informations**
- Burrial depth: According to the geotechnical installation conditions
  - Inside Diameter : 72
  - (If required) Quantity of fiberglass anchoring straps : 2
  - (If required) Quantity of reinforced concrete deadman anchors : 4
  - Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
  - The weight on the drawing does not include kits of belts and concrete blocks.
  - HS-20 rated for burial depth from 36 to 84 inches
  - Manufactured according to ANSI-AWWA D120 requirements
  - Manufactured according to NSF-61 requirements for drinking water
  - Airtightness test performed at the factory at 35 kPa

The tank must be installed in accordance with the manufacturer's instructions.

SECTION ELEVATION VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                   |  |                            |                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|----------------------------|--------------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  |                            | 2019                     |
| TOLERANCES (LINEAR)<br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"<br><br>0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                            |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description       |                          |
|                                                                                                                                                                  |  |                                                                                                                   |  | Format<br><b>B</b>         | Part no.<br>NN06060086EP |
| TOLERANCES (ANGULAR)<br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.<br><br>0.00 -> ± 0.1 DEG.                                                                             |  | Drawn by<br><b>O. Marin</b>                                                                                       |  | 19/12/2023                 |                          |
| Weight :<br><b>1173 Lb</b>                                                                                                                                       |  | Approved by :                                                                                                     |  | Title                      |                          |
| Client                                                                                                                                                           |  | # Projet                                                                                                          |  | 6' Dia. TANK - 2276 US gal |                          |
|                                                                                                                                                                  |  |                                                                                                                   |  | Sheet<br>2 / 4             |                          |



PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                   |  |                                                            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  |                                                            | 2019 |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"<br><br>0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                     |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description                                       |      |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.<br>0.00 -> ± 0.1 DEG.                                                                          |  | Drawn by<br><b>O. Marin</b>                                                                                       |  | Format <b>B</b> Part no. <b>NN06060086EP</b> REV <b>02</b> |      |
| Weight :<br><b>1173 Lb</b>                                                                                                                                       |  | Approved by :                                                                                                     |  | Title                                                      |      |
| Client                                                                                                                                                           |  | # Projet                                                                                                          |  | 6' Dia. TANK - 2276 US gal                                 |      |
|                                                                                                                                                                  |  |                                                                                                                   |  | Sheet <b>3 / 4</b>                                         |      |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |  |                                                                                       |  |                                         |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|-----------------------------------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                       |  |                                         | 2019 |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |  | Revision description                    |      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                       |  | Format B    Part no. ENSCOUR6    REV A. |      |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin    04/10/2018                                                    |  | Title                                   |      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.    0.00 -> ± 0.1 DEG.                                                                                                         |  |                                                                                       |  | ANCHORING KIT                           |      |
| Weight :                                                                                                                                                         |  | Approved by :                                                                         |  |                                         |      |
| Client                                                                                                                                                           |  | # Projet                                                                              |  | Sheet 4 / 4                             |      |



CAPACITY CHART FOR NN06060086 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 74                | 12             | 220               | 18             | 412               | 24             | 637               | 30             | 883               | 36             | 1138              | 42             | 1394              | 48             | 1640              | 54             | 1864              | 60             | 2057              |
| 1/8            | 1                 | 6 1/8          | 76                | 12 1/8         | 223               | 18 1/8         | 417               | 24 1/8         | 642               | 30 1/8         | 888               | 36 1/8         | 1144              | 42 1/8         | 1399              | 48 1/8         | 1644              | 54 1/8         | 1869              | 60 1/8         | 2060              |
| 1/4            | 1                 | 6 1/4          | 79                | 12 1/4         | 227               | 18 1/4         | 421               | 24 1/4         | 647               | 30 1/4         | 893               | 36 1/4         | 1149              | 42 1/4         | 1404              | 48 1/4         | 1649              | 54 1/4         | 1873              | 60 1/4         | 2064              |
| 3/8            | 1                 | 6 3/8          | 81                | 12 3/8         | 231               | 18 3/8         | 425               | 24 3/8         | 652               | 30 3/8         | 898               | 36 3/8         | 1154              | 42 3/8         | 1410              | 48 3/8         | 1654              | 54 3/8         | 1877              | 60 3/8         | 2067              |
| 1/2            | 2                 | 6 1/2          | 84                | 12 1/2         | 234               | 18 1/2         | 430               | 24 1/2         | 657               | 30 1/2         | 904               | 36 1/2         | 1160              | 42 1/2         | 1415              | 48 1/2         | 1659              | 54 1/2         | 1882              | 60 1/2         | 2071              |
| 5/8            | 3                 | 6 5/8          | 87                | 12 5/8         | 238               | 18 5/8         | 434               | 24 5/8         | 662               | 30 5/8         | 909               | 36 5/8         | 1165              | 42 5/8         | 1420              | 48 5/8         | 1664              | 54 5/8         | 1886              | 60 5/8         | 2074              |
| 3/4            | 3                 | 6 3/4          | 89                | 12 3/4         | 242               | 18 3/4         | 439               | 24 3/4         | 667               | 30 3/4         | 914               | 36 3/4         | 1170              | 42 3/4         | 1425              | 48 3/4         | 1669              | 54 3/4         | 1890              | 60 3/4         | 2078              |
| 7/8            | 4                 | 6 7/8          | 92                | 12 7/8         | 245               | 18 7/8         | 443               | 24 7/8         | 672               | 30 7/8         | 919               | 36 7/8         | 1176              | 42 7/8         | 1431              | 48 7/8         | 1674              | 54 7/8         | 1895              | 60 7/8         | 2081              |
| 1              | 5                 | 7              | 94                | 13             | 249               | 19             | 448               | 25             | 677               | 31             | 925               | 37             | 1181              | 43             | 1436              | 49             | 1679              | 55             | 1899              | 61             | 2085              |
| 1 1/8          | 6                 | 7 1/8          | 97                | 13 1/8         | 253               | 19 1/8         | 452               | 25 1/8         | 682               | 31 1/8         | 930               | 37 1/8         | 1187              | 43 1/8         | 1441              | 49 1/8         | 1684              | 55 1/8         | 1903              | 61 1/8         | 2088              |
| 1 1/4          | 7                 | 7 1/4          | 100               | 13 1/4         | 257               | 19 1/4         | 457               | 25 1/4         | 687               | 31 1/4         | 935               | 37 1/4         | 1192              | 43 1/4         | 1446              | 49 1/4         | 1688              | 55 1/4         | 1908              | 61 1/4         | 2091              |
| 1 3/8          | 8                 | 7 3/8          | 102               | 13 3/8         | 260               | 19 3/8         | 461               | 25 3/8         | 692               | 31 3/8         | 941               | 37 3/8         | 1197              | 43 3/8         | 1452              | 49 3/8         | 1693              | 55 3/8         | 1912              | 61 3/8         | 2095              |
| 1 1/2          | 9                 | 7 1/2          | 105               | 13 1/2         | 264               | 19 1/2         | 466               | 25 1/2         | 697               | 31 1/2         | 946               | 37 1/2         | 1203              | 43 1/2         | 1457              | 49 1/2         | 1698              | 55 1/2         | 1916              | 61 1/2         | 2098              |
| 1 5/8          | 10                | 7 5/8          | 108               | 13 5/8         | 268               | 19 5/8         | 470               | 25 5/8         | 702               | 31 5/8         | 951               | 37 5/8         | 1208              | 43 5/8         | 1462              | 49 5/8         | 1703              | 55 5/8         | 1920              | 61 5/8         | 2102              |
| 1 3/4          | 11                | 7 3/4          | 111               | 13 3/4         | 272               | 19 3/4         | 475               | 25 3/4         | 707               | 31 3/4         | 957               | 37 3/4         | 1213              | 43 3/4         | 1467              | 49 3/4         | 1708              | 55 3/4         | 1924              | 61 3/4         | 2105              |
| 1 7/8          | 12                | 7 7/8          | 113               | 13 7/8         | 276               | 19 7/8         | 479               | 25 7/8         | 712               | 31 7/8         | 962               | 37 7/8         | 1219              | 43 7/8         | 1472              | 49 7/8         | 1713              | 55 7/8         | 1929              | 61 7/8         | 2108              |
| 2              | 14                | 8              | 116               | 14             | 280               | 20             | 484               | 26             | 717               | 32             | 967               | 38             | 1224              | 44             | 1477              | 50             | 1717              | 56             | 1933              | 62             | 2111              |
| 2 1/8          | 15                | 8 1/8          | 119               | 14 1/8         | 283               | 20 1/8         | 489               | 26 1/8         | 722               | 32 1/8         | 972               | 38 1/8         | 1229              | 44 1/8         | 1483              | 50 1/8         | 1722              | 56 1/8         | 1937              | 62 1/8         | 2115              |
| 2 1/4          | 16                | 8 1/4          | 122               | 14 1/4         | 287               | 20 1/4         | 493               | 26 1/4         | 727               | 32 1/4         | 978               | 38 1/4         | 1235              | 44 1/4         | 1488              | 50 1/4         | 1727              | 56 1/4         | 1941              | 62 1/4         | 2118              |
| 2 3/8          | 18                | 8 3/8          | 125               | 14 3/8         | 291               | 20 3/8         | 498               | 26 3/8         | 732               | 32 3/8         | 983               | 38 3/8         | 1240              | 44 3/8         | 1493              | 50 3/8         | 1732              | 56 3/8         | 1945              | 62 3/8         | 2121              |
| 2 1/2          | 19                | 8 1/2          | 128               | 14 1/2         | 295               | 20 1/2         | 503               | 26 1/2         | 737               | 32 1/2         | 988               | 38 1/2         | 1245              | 44 1/2         | 1498              | 50 1/2         | 1736              | 56 1/2         | 1949              | 62 1/2         | 2124              |
| 2 5/8          | 20                | 8 5/8          | 131               | 14 5/8         | 299               | 20 5/8         | 507               | 26 5/8         | 742               | 32 5/8         | 994               | 38 5/8         | 1251              | 44 5/8         | 1503              | 50 5/8         | 1741              | 56 5/8         | 1953              | 62 5/8         | 2127              |
| 2 3/4          | 22                | 8 3/4          | 134               | 14 3/4         | 303               | 20 3/4         | 512               | 26 3/4         | 748               | 32 3/4         | 999               | 38 3/4         | 1256              | 44 3/4         | 1508              | 50 3/4         | 1746              | 56 3/4         | 1957              | 62 3/4         | 2130              |
| 2 7/8          | 24                | 8 7/8          | 137               | 14 7/8         | 307               | 20 7/8         | 517               | 26 7/8         | 753               | 32 7/8         | 1004              | 38 7/8         | 1261              | 44 7/8         | 1514              | 50 7/8         | 1751              | 56 7/8         | 1961              | 62 7/8         | 2133              |
| 3              | 25                | 9              | 140               | 15             | 311               | 21             | 521               | 27             | 758               | 33             | 1010              | 39             | 1267              | 45             | 1519              | 51             | 1755              | 57             | 1965              | 63             | 2137              |
| 3 1/8          | 27                | 9 1/8          | 143               | 15 1/8         | 315               | 21 1/8         | 526               | 27 1/8         | 763               | 33 1/8         | 1015              | 39 1/8         | 1272              | 45 1/8         | 1524              | 51 1/8         | 1760              | 57 1/8         | 1969              | 63 1/8         | 2140              |
| 3 1/4          | 28                | 9 1/4          | 146               | 15 1/4         | 319               | 21 1/4         | 531               | 27 1/4         | 768               | 33 1/4         | 1020              | 39 1/4         | 1277              | 45 1/4         | 1529              | 51 1/4         | 1765              | 57 1/4         | 1973              | 63 1/4         | 2143              |
| 3 3/8          | 30                | 9 3/8          | 149               | 15 3/8         | 323               | 21 3/8         | 535               | 27 3/8         | 773               | 33 3/8         | 1026              | 39 3/8         | 1283              | 45 3/8         | 1534              | 51 3/8         | 1769              | 57 3/8         | 1977              | 63 3/8         | 2146              |
| 3 1/2          | 32                | 9 1/2          | 152               | 15 1/2         | 327               | 21 1/2         | 540               | 27 1/2         | 778               | 33 1/2         | 1031              | 39 1/2         | 1288              | 45 1/2         | 1539              | 51 1/2         | 1774              | 57 1/2         | 1981              | 63 1/2         | 2149              |
| 3 5/8          | 34                | 9 5/8          | 156               | 15 5/8         | 331               | 21 5/8         | 545               | 27 5/8         | 784               | 33 5/8         | 1036              | 39 5/8         | 1293              | 45 5/8         | 1544              | 51 5/8         | 1779              | 57 5/8         | 1985              | 63 5/8         | 2151              |
| 3 3/4          | 36                | 9 3/4          | 159               | 15 3/4         | 336               | 21 3/4         | 550               | 27 3/4         | 789               | 33 3/4         | 1042              | 39 3/4         | 1299              | 45 3/4         | 1549              | 51 3/4         | 1783              | 57 3/4         | 1989              | 63 3/4         | 2154              |
| 3 7/8          | 37                | 9 7/8          | 162               | 15 7/8         | 340               | 21 7/8         | 554               | 27 7/8         | 794               | 33 7/8         | 1047              | 39 7/8         | 1304              | 45 7/8         | 1554              | 51 7/8         | 1788              | 57 7/8         | 1993              | 63 7/8         | 2157              |
| 4              | 39                | 10             | 165               | 16             | 344               | 22             | 559               | 28             | 799               | 34             | 1053              | 40             | 1309              | 46             | 1559              | 52             | 1792              | 58             | 1997              | 64             | 2160              |
| 4 1/8          | 41                | 10 1/8         | 168               | 16 1/8         | 348               | 22 1/8         | 564               | 28 1/8         | 804               | 34 1/8         | 1058              | 40 1/8         | 1315              | 46 1/8         | 1565              | 52 1/8         | 1797              | 58 1/8         | 2001              | 64 1/8         | 2163              |
| 4 1/4          | 43                | 10 1/4         | 172               | 16 1/4         | 352               | 22 1/4         | 569               | 28 1/4         | 809               | 34 1/4         | 1063              | 40 1/4         | 1320              | 46 1/4         | 1570              | 52 1/4         | 1802              | 58 1/4         | 2005              | 64 1/4         | 2166              |
| 4 3/8          | 45                | 10 3/8         | 175               | 16 3/8         | 356               | 22 3/8         | 574               | 28 3/8         | 815               | 34 3/8         | 1069              | 40 3/8         | 1325              | 46 3/8         | 1575              | 52 3/8         | 1806              | 58 3/8         | 2009              | 64 3/8         | 2169              |
| 4 1/2          | 47                | 10 1/2         | 178               | 16 1/2         | 361               | 22 1/2         | 578               | 28 1/2         | 820               | 34 1/2         | 1074              | 40 1/2         | 1331              | 46 1/2         | 1580              | 52 1/2         | 1811              | 58 1/2         | 2012              | 64 1/2         | 2171              |
| 4 5/8          | 49                | 10 5/8         | 182               | 16 5/8         | 365               | 22 5/8         | 583               | 28 5/8         | 825               | 34 5/8         | 1079              | 40 5/8         | 1336              | 46 5/8         | 1585              | 52 5/8         | 1815              | 58 5/8         | 2016              | 64 5/8         | 2174              |
| 4 3/4          | 51                | 10 3/4         | 185               | 16 3/4         | 369               | 22 3/4         | 588               | 28 3/4         | 830               | 34 3/4         | 1085              | 40 3/4         | 1341              | 46 3/4         | 1590              | 52 3/4         | 1820              | 58 3/4         | 2020              | 64 3/4         | 2177              |
| 4 7/8          | 53                | 10 7/8         | 188               | 16 7/8         | 373               | 22 7/8         | 593               | 28 7/8         | 835               | 34 7/8         | 1090              | 40 7/8         | 1347              | 46 7/8         | 1595              | 52 7/8         | 1824              | 58 7/8         | 2024              | 64 7/8         | 2180              |
| 5              | 56                | 11             | 192               | 17             | 378               | 23             | 598               | 29             | 841               | 35             | 1095              | 41             | 1352              | 47             | 1600              | 53             | 1829              | 59             | 2027              | 65             | 2182              |
| 5 1/8          | 58                | 11 1/8         | 195               | 17 1/8         | 382               | 23 1/8         | 603               | 29 1/8         | 846               | 35 1/8         | 1101              | 41 1/8         | 1357              | 47 1/8         | 1605              | 53 1/8         | 1833              | 59 1/8         | 2031              | 65 1/8         | 2185              |
| 5 1/4          | 60                | 11 1/4         | 199               | 17 1/4         | 386               | 23 1/4         | 607               | 29 1/4         | 851               | 35 1/4         | 1106              | 41 1/4         | 1362              | 47 1/4         | 1610              | 53 1/4         | 1838              | 59 1/4         | 2035              | 65 1/4         | 2187              |
| 5 3/8          | 62                | 11 3/8         | 202               | 17 3/8         | 390               | 23 3/8         | 612               | 29 3/8         | 856               | 35 3/8         | 1111              | 41 3/8         | 1368              | 47 3/8         | 1615              | 53 3/8         | 1842              | 59 3/8         | 2039              | 65 3/8         | 2190              |
| 5 1/2          | 65                | 11 1/2         | 206               | 17 1/2         | 395               | 23 1/2         | 617               | 29 1/2         | 862               | 35 1/2         | 1117              | 41 1/2         | 1373              | 47 1/2         | 1620              | 53 1/2         | 1847              | 59 1/2         | 2042              | 65 1/2         | 2193              |
| 5 5/8          | 67                | 11 5/8         | 209               | 17 5/8         | 399               | 23 5/8         | 622               | 29 5/8         | 867               | 35 5/8         | 1122              | 41 5/8         | 1378              | 47 5/8         | 1625              | 53 5/8         | 1851              | 59 5/8         | 2046              | 65 5/8         | 2195              |
| 5 3/4          | 69                | 11 3/4         | 213               | 17 3/4         | 403               | 23 3/4         | 627               | 29 3/4         | 872               | 35 3/4         | 1128              | 41 3/4         | 1383              | 47 3/4         | 1630              | 53 3/4         | 1856              | 59 3/4         | 2050              | 65 3/4         | 2198              |
| 5 7/8          | 72                | 11 7/8         | 216               | 17 7/8         | 408               | 23 7/8         | 632               | 29 7/8         | 877               | 35 7/8         | 1133              | 41 7/8         | 1389              | 47 7/8         | 1635              | 53 7/8         | 1860              | 59 7/8         | 2053              | 65 7/8         | 2200              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06060086 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 2202              | 67             | 2221              | 68             | 2237              | 69             | 2251              | 70             | 2263              | 71             | 2272              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 2205              | 67 1/8         | 2223              | 68 1/8         | 2239              | 69 1/8         | 2253              | 70 1/8         | 2264              | 71 1/8         | 2272              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 2207              | 67 1/4         | 2225              | 68 1/4         | 2241              | 69 1/4         | 2254              | 70 1/4         | 2265              | 71 1/4         | 2273              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 2210              | 67 3/8         | 2227              | 68 3/8         | 2243              | 69 3/8         | 2256              | 70 3/8         | 2267              | 71 3/8         | 2274              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 2212              | 67 1/2         | 2229              | 68 1/2         | 2245              | 69 1/2         | 2257              | 70 1/2         | 2268              | 71 1/2         | 2274              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 2214              | 67 5/8         | 2231              | 68 5/8         | 2246              | 69 5/8         | 2259              | 70 5/8         | 2269              | 71 5/8         | 2275              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 2216              | 67 3/4         | 2233              | 68 3/4         | 2248              | 69 3/4         | 2260              | 70 3/4         | 2270              | 71 3/4         | 2275              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 2219              | 67 7/8         | 2235              | 68 7/8         | 2250              | 69 7/8         | 2262              | 70 7/8         | 2271              | 71 7/8         | 2276              |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%