


**NN06100125FP**

FIBERGLASS TANK  
 TOTAL CAPACITY : 3342 US gal  
 NET CAPACITY : 3226 US gal





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                               |  |                            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------|--|----------------------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                               |  |                            | 2019 |
| TOLERANCES (LINEAR)                                                                                                                                              |  | <div> <b>GRANBY</b><br/>COMPOSITES</div> |  | Revision description       |      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                               |  | Format <b>B</b>            |      |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  | Part no. NN06100125FP                                                                                                         |  | REV 02.                    |      |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by <b>O. Marin</b>                                                                                                      |  | 15/01/2024                 |      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  | Approved by :                                                                                                                 |  | Title                      |      |
| Weight :<br><b>1615 Lb</b>                                                                                                                                       |  |                                                                                                                               |  | 6' Dia. TANK - 3342 US gal |      |
| Client                                                                                                                                                           |  | # Project                                                                                                                     |  | Sheet <b>1 / 4</b>         |      |

| Item | Part Number            | Qty | Description                                        | Check List |
|------|------------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001             | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADPGILP001             | 2   | LIFTING LUGS                                       |            |
| 3    | ENSCOUR6               | 2   | ANCHORING KIT                                      |            |
| 4    | EV480J                 | 1   | 4" SCH. 80 VENT KIT WITH GAUGE AND SST BIRD SCREEN |            |
| 5    | FPU0600401             | 1   | 6" F X 6" F - SCH.40 - COUPLING GRAY               |            |
| 6    | GMHE30-COVER01         | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 7    | KB-BNH0600090          | 1   | 6"NH 90° - FIRE HYDRANT KIT                        |            |
| 8    | MH-30 (6"L.)           | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 9    | MHE-30 (54"L.)         | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 10   | PFV01313               | 1   | 0.5" x 13.25" x 13.25" - ANTI-VORTEX PLATE         |            |
| 11   | TP80400G01 (4.25"L.)   | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 12   | TP80600G01 (65.203"L.) | 1   | 6" SCH.80 GREY PVC PIPE                            |            |

BACKFILL PROPERTIES

N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



Optional anchoring depending on the tank's environment

Technical informations


- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72
- (If required) Quantity of fiberglass anchoring straps : 2
- (If required) Quantity of reinforced concrete deadman anchors : 4
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 5psig

The tank must be installed in accordance with the manufacturer's instructions.

SECTION ELEVATION VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST


|                                                                                                                                                                  |  |                                                                                       |            |                      |                            |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|------------|----------------------|----------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                       |            |                      | 2019                       |            |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |            | Revision description |                            |            |
| FEET DIM. -> ±1%<br>0.0 -> ±0.5"                                                                                                                                 |  |                                                                                       |            | Format<br>B          | Part no.<br>NN06100125FP   | REV<br>02. |
| 0.000 -> ±0.125"                                                                                                                                                 |  |                                                                                       |            | Title                |                            |            |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                  | 15/01/2024 |                      | 6' Dia. TANK - 3342 US gal |            |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0,5 DEG.                                                                                                                               |  | Approved by :                                                                         |            |                      |                            |            |
| Weight :<br>1615 Lb                                                                                                                                              |  |                                                                                       |            |                      |                            |            |
| Client                                                                                                                                                           |  | # Project                                                                             |            | Sheet<br>2 / 4       |                            |            |



PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |           |                                                                                       |                            |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------|----------------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |           |                                                                                       |                            |                          | 2019       |
| TOLERANCES (LINEAR)                                                                                                                                              |           |  | Revision description       |                          |            |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |           |                                                                                       | Format<br>B                | Part no.<br>NN06100125FP | REV<br>02. |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |           |                                                                                       |                            |                          |            |
| TOLERANCES (ANGULAR)                                                                                                                                             |           | Title                                                                                 |                            |                          |            |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |           | Drawn by<br>O. Marin                                                                  | 15/01/2024                 |                          |            |
| Weight :<br>1615 Lb                                                                                                                                              |           | Approved by :                                                                         | 6' Dia. TANK - 3342 US gal |                          |            |
| Client                                                                                                                                                           | # Project | Sheet<br>3 / 4                                                                        |                            |                          |            |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |  |           |                                                                                       |  |  |       |                      |       |                             |      |                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|---------------------------------------------------------------------------------------|--|--|-------|----------------------|-------|-----------------------------|------|------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |           |                                                                                       |  |  |       |                      |       |                             | 2019 |                  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |           |  |  |  |       | Revision description |       |                             |      |                  |
| FEET DIM. -> ± 1%                                                                                                                                                |  |           |                                                                                       |  |  |       |                      |       |                             |      |                  |
| 0.0 -> ± 0.5"                                                                                                                                                    |  |           | 0.00 -> ± 0.25"                                                                       |  |  |       | 0.000 -> ± 0.125"    |       |                             |      |                  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  |           | Drawn by<br><b>O. Marin</b>                                                           |  |  |       | Format<br><b>B</b>   |       | Part no.<br><b>ENSCOUR6</b> |      | REV<br><b>A.</b> |
| 0 -> ± 2 DEG.                                                                                                                                                    |  |           |                                                                                       |  |  |       | 04/10/2018           |       |                             |      |                  |
| 0.0 -> ± 0.5 DEG.                                                                                                                                                |  |           | 0.00 -> ± 0.1 DEG.                                                                    |  |  |       | Title                |       |                             |      |                  |
| Weight :                                                                                                                                                         |  |           | Approved by :                                                                         |  |  |       | ANCHORING KIT        |       |                             |      |                  |
| Client                                                                                                                                                           |  | # Project |                                                                                       |  |  | Sheet |                      | 4 / 4 |                             |      |                  |



CAPACITY CHART FOR NN06100125 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 116               | 12             | 337               | 18             | 621               | 24             | 948               | 30             | 1303              | 36             | 1671              | 42             | 2040              | 48             | 2395              | 54             | 2722              | 60             | 3006              |
| 1/8            | 1                 | 6 1/8          | 120               | 12 1/8         | 342               | 18 1/8         | 627               | 24 1/8         | 955               | 30 1/8         | 1311              | 36 1/8         | 1679              | 42 1/8         | 2047              | 48 1/8         | 2402              | 54 1/8         | 2729              | 60 1/8         | 3012              |
| 1/4            | 1                 | 6 1/4          | 124               | 12 1/4         | 347               | 18 1/4         | 634               | 24 1/4         | 962               | 30 1/4         | 1318              | 36 1/4         | 1687              | 42 1/4         | 2055              | 48 1/4         | 2409              | 54 1/4         | 2735              | 60 1/4         | 3017              |
| 3/8            | 2                 | 6 3/8          | 128               | 12 3/8         | 353               | 18 3/8         | 640               | 24 3/8         | 970               | 30 3/8         | 1326              | 36 3/8         | 1695              | 42 3/8         | 2062              | 48 3/8         | 2416              | 54 3/8         | 2741              | 60 3/8         | 3022              |
| 1/2            | 3                 | 6 1/2          | 132               | 12 1/2         | 358               | 18 1/2         | 646               | 24 1/2         | 977               | 30 1/2         | 1333              | 36 1/2         | 1702              | 42 1/2         | 2070              | 48 1/2         | 2423              | 54 1/2         | 2748              | 60 1/2         | 3027              |
| 5/8            | 4                 | 6 5/8          | 136               | 12 5/8         | 364               | 18 5/8         | 653               | 24 5/8         | 984               | 30 5/8         | 1341              | 36 5/8         | 1710              | 42 5/8         | 2078              | 48 5/8         | 2430              | 54 5/8         | 2754              | 60 5/8         | 3033              |
| 3/4            | 5                 | 6 3/4          | 140               | 12 3/4         | 369               | 18 3/4         | 660               | 24 3/4         | 991               | 30 3/4         | 1349              | 36 3/4         | 1718              | 42 3/4         | 2085              | 48 3/4         | 2437              | 54 3/4         | 2760              | 60 3/4         | 3038              |
| 7/8            | 7                 | 6 7/8          | 144               | 12 7/8         | 375               | 18 7/8         | 666               | 24 7/8         | 998               | 30 7/8         | 1356              | 36 7/8         | 1725              | 42 7/8         | 2093              | 48 7/8         | 2445              | 54 7/8         | 2767              | 60 7/8         | 3043              |
| 1              | 8                 | 7              | 148               | 13             | 380               | 19             | 673               | 25             | 1006              | 31             | 1364              | 37             | 1733              | 43             | 2100              | 49             | 2452              | 55             | 2773              | 61             | 3048              |
| 1 1/8          | 9                 | 7 1/8          | 152               | 13 1/8         | 386               | 19 1/8         | 679               | 25 1/8         | 1013              | 31 1/8         | 1372              | 37 1/8         | 1741              | 43 1/8         | 2108              | 49 1/8         | 2459              | 55 1/8         | 2779              | 61 1/8         | 3053              |
| 1 1/4          | 11                | 7 1/4          | 156               | 13 1/4         | 391               | 19 1/4         | 686               | 25 1/4         | 1020              | 31 1/4         | 1379              | 37 1/4         | 1749              | 43 1/4         | 2115              | 49 1/4         | 2466              | 55 1/4         | 2786              | 61 1/4         | 3058              |
| 1 3/8          | 13                | 7 3/8          | 160               | 13 3/8         | 397               | 19 3/8         | 692               | 25 3/8         | 1028              | 31 3/8         | 1387              | 37 3/8         | 1756              | 43 3/8         | 2123              | 49 3/8         | 2473              | 55 3/8         | 2792              | 61 3/8         | 3063              |
| 1 1/2          | 14                | 7 1/2          | 164               | 13 1/2         | 403               | 19 1/2         | 699               | 25 1/2         | 1035              | 31 1/2         | 1394              | 37 1/2         | 1764              | 43 1/2         | 2130              | 49 1/2         | 2480              | 55 1/2         | 2798              | 61 1/2         | 3068              |
| 1 5/8          | 16                | 7 5/8          | 168               | 13 5/8         | 408               | 19 5/8         | 706               | 25 5/8         | 1042              | 31 5/8         | 1402              | 37 5/8         | 1772              | 43 5/8         | 2138              | 49 5/8         | 2487              | 55 5/8         | 2804              | 61 5/8         | 3073              |
| 1 3/4          | 18                | 7 3/4          | 172               | 13 3/4         | 414               | 19 3/4         | 712               | 25 3/4         | 1049              | 31 3/4         | 1410              | 37 3/4         | 1779              | 43 3/4         | 2145              | 49 3/4         | 2494              | 55 3/4         | 2810              | 61 3/4         | 3078              |
| 1 7/8          | 20                | 7 7/8          | 177               | 13 7/8         | 420               | 19 7/8         | 719               | 25 7/8         | 1057              | 31 7/8         | 1417              | 37 7/8         | 1787              | 43 7/8         | 2153              | 49 7/8         | 2501              | 55 7/8         | 2816              | 61 7/8         | 3083              |
| 2              | 22                | 8              | 181               | 14             | 425               | 20             | 726               | 26             | 1064              | 32             | 1425              | 38             | 1795              | 44             | 2160              | 50             | 2508              | 56             | 2823              | 62             | 3088              |
| 2 1/8          | 24                | 8 1/8          | 185               | 14 1/8         | 431               | 20 1/8         | 733               | 26 1/8         | 1071              | 32 1/8         | 1433              | 38 1/8         | 1803              | 44 1/8         | 2168              | 50 1/8         | 2515              | 56 1/8         | 2829              | 62 1/8         | 3093              |
| 2 1/4          | 26                | 8 1/4          | 190               | 14 1/4         | 437               | 20 1/4         | 739               | 26 1/4         | 1079              | 32 1/4         | 1440              | 38 1/4         | 1810              | 44 1/4         | 2175              | 50 1/4         | 2522              | 56 1/4         | 2835              | 62 1/4         | 3098              |
| 2 3/8          | 28                | 8 3/8          | 194               | 14 3/8         | 443               | 20 3/8         | 746               | 26 3/8         | 1086              | 32 3/8         | 1448              | 38 3/8         | 1818              | 44 3/8         | 2183              | 50 3/8         | 2528              | 56 3/8         | 2841              | 62 3/8         | 3102              |
| 2 1/2          | 31                | 8 1/2          | 199               | 14 1/2         | 449               | 20 1/2         | 753               | 26 1/2         | 1093              | 32 1/2         | 1456              | 38 1/2         | 1826              | 44 1/2         | 2190              | 50 1/2         | 2535              | 56 1/2         | 2847              | 62 1/2         | 3107              |
| 2 5/8          | 33                | 8 5/8          | 203               | 14 5/8         | 454               | 20 5/8         | 760               | 26 5/8         | 1101              | 32 5/8         | 1463              | 38 5/8         | 1833              | 44 5/8         | 2198              | 50 5/8         | 2542              | 56 5/8         | 2853              | 62 5/8         | 3112              |
| 2 3/4          | 35                | 8 3/4          | 208               | 14 3/4         | 460               | 20 3/4         | 766               | 26 3/4         | 1108              | 32 3/4         | 1471              | 38 3/4         | 1841              | 44 3/4         | 2205              | 50 3/4         | 2549              | 56 3/4         | 2859              | 62 3/4         | 3117              |
| 2 7/8          | 38                | 8 7/8          | 212               | 14 7/8         | 466               | 20 7/8         | 773               | 26 7/8         | 1116              | 32 7/8         | 1479              | 38 7/8         | 1849              | 44 7/8         | 2212              | 50 7/8         | 2556              | 56 7/8         | 2865              | 62 7/8         | 3121              |
| 3              | 40                | 9              | 217               | 15             | 472               | 21             | 780               | 27             | 1123              | 33             | 1486              | 39             | 1856              | 45             | 2220              | 51             | 2563              | 57             | 2871              | 63             | 3126              |
| 3 1/8          | 43                | 9 1/8          | 222               | 15 1/8         | 478               | 21 1/8         | 787               | 27 1/8         | 1130              | 33 1/8         | 1494              | 39 1/8         | 1864              | 45 1/8         | 2227              | 51 1/8         | 2570              | 57 1/8         | 2877              | 63 1/8         | 3131              |
| 3 1/4          | 46                | 9 1/4          | 226               | 15 1/4         | 484               | 21 1/4         | 794               | 27 1/4         | 1138              | 33 1/4         | 1502              | 39 1/4         | 1872              | 45 1/4         | 2235              | 51 1/4         | 2576              | 57 1/4         | 2883              | 63 1/4         | 3135              |
| 3 3/8          | 48                | 9 3/8          | 231               | 15 3/8         | 490               | 21 3/8         | 801               | 27 3/8         | 1145              | 33 3/8         | 1509              | 39 3/8         | 1879              | 45 3/8         | 2242              | 51 3/8         | 2583              | 57 3/8         | 2888              | 63 3/8         | 3140              |
| 3 1/2          | 51                | 9 1/2          | 236               | 15 1/2         | 496               | 21 1/2         | 807               | 27 1/2         | 1153              | 33 1/2         | 1517              | 39 1/2         | 1887              | 45 1/2         | 2249              | 51 1/2         | 2590              | 57 1/2         | 2894              | 63 1/2         | 3144              |
| 3 5/8          | 54                | 9 5/8          | 240               | 15 5/8         | 502               | 21 5/8         | 814               | 27 5/8         | 1160              | 33 5/8         | 1525              | 39 5/8         | 1895              | 45 5/8         | 2257              | 51 5/8         | 2597              | 57 5/8         | 2900              | 63 5/8         | 3149              |
| 3 3/4          | 57                | 9 3/4          | 245               | 15 3/4         | 508               | 21 3/4         | 821               | 27 3/4         | 1168              | 33 3/4         | 1533              | 39 3/4         | 1902              | 45 3/4         | 2264              | 51 3/4         | 2604              | 57 3/4         | 2906              | 63 3/4         | 3153              |
| 3 7/8          | 60                | 9 7/8          | 250               | 15 7/8         | 514               | 21 7/8         | 828               | 27 7/8         | 1175              | 33 7/8         | 1540              | 39 7/8         | 1910              | 45 7/8         | 2271              | 51 7/8         | 2610              | 57 7/8         | 2912              | 63 7/8         | 3157              |
| 4              | 63                | 10             | 255               | 16             | 520               | 22             | 835               | 28             | 1183              | 34             | 1548              | 40             | 1918              | 46             | 2279              | 52             | 2617              | 58             | 2918              | 64             | 3162              |
| 4 1/8          | 66                | 10 1/8         | 260               | 16 1/8         | 526               | 22 1/8         | 842               | 28 1/8         | 1190              | 34 1/8         | 1556              | 40 1/8         | 1925              | 46 1/8         | 2286              | 52 1/8         | 2624              | 58 1/8         | 2923              | 64 1/8         | 3166              |
| 4 1/4          | 69                | 10 1/4         | 265               | 16 1/4         | 533               | 22 1/4         | 849               | 28 1/4         | 1198              | 34 1/4         | 1563              | 40 1/4         | 1933              | 46 1/4         | 2293              | 52 1/4         | 2630              | 58 1/4         | 2929              | 64 1/4         | 3170              |
| 4 3/8          | 72                | 10 3/8         | 270               | 16 3/8         | 539               | 22 3/8         | 856               | 28 3/8         | 1205              | 34 3/8         | 1571              | 40 3/8         | 1941              | 46 3/8         | 2301              | 52 3/8         | 2637              | 58 3/8         | 2935              | 64 3/8         | 3175              |
| 4 1/2          | 75                | 10 1/2         | 275               | 16 1/2         | 545               | 22 1/2         | 863               | 28 1/2         | 1213              | 34 1/2         | 1579              | 40 1/2         | 1948              | 46 1/2         | 2308              | 52 1/2         | 2644              | 58 1/2         | 2940              | 64 1/2         | 3179              |
| 4 5/8          | 78                | 10 5/8         | 280               | 16 5/8         | 551               | 22 5/8         | 870               | 28 5/8         | 1220              | 34 5/8         | 1587              | 40 5/8         | 1956              | 46 5/8         | 2315              | 52 5/8         | 2650              | 58 5/8         | 2946              | 64 5/8         | 3183              |
| 4 3/4          | 81                | 10 3/4         | 285               | 16 3/4         | 557               | 22 3/4         | 877               | 28 3/4         | 1228              | 34 3/4         | 1594              | 40 3/4         | 1964              | 46 3/4         | 2323              | 52 3/4         | 2657              | 58 3/4         | 2952              | 64 3/4         | 3187              |
| 4 7/8          | 85                | 10 7/8         | 290               | 16 7/8         | 564               | 22 7/8         | 884               | 28 7/8         | 1235              | 34 7/8         | 1602              | 40 7/8         | 1971              | 46 7/8         | 2330              | 52 7/8         | 2664              | 58 7/8         | 2957              | 64 7/8         | 3191              |
| 5              | 88                | 11             | 295               | 17             | 570               | 23             | 891               | 29             | 1243              | 35             | 1610              | 41             | 1979              | 47             | 2337              | 53             | 2670              | 59             | 2963              | 65             | 3195              |
| 5 1/8          | 91                | 11 1/8         | 300               | 17 1/8         | 576               | 23 1/8         | 898               | 29 1/8         | 1250              | 35 1/8         | 1617              | 41 1/8         | 1987              | 47 1/8         | 2344              | 53 1/8         | 2677              | 59 1/8         | 2968              | 65 1/8         | 3199              |
| 5 1/4          | 95                | 11 1/4         | 305               | 17 1/4         | 582               | 23 1/4         | 905               | 29 1/4         | 1258              | 35 1/4         | 1625              | 41 1/4         | 1994              | 47 1/4         | 2352              | 53 1/4         | 2683              | 59 1/4         | 2974              | 65 1/4         | 3203              |
| 5 3/8          | 98                | 11 3/8         | 310               | 17 3/8         | 589               | 23 3/8         | 912               | 29 3/8         | 1265              | 35 3/8         | 1633              | 41 3/8         | 2002              | 47 3/8         | 2359              | 53 3/8         | 2690              | 59 3/8         | 2979              | 65 3/8         | 3207              |
| 5 1/2          | 102               | 11 1/2         | 315               | 17 1/2         | 595               | 23 1/2         | 920               | 29 1/2         | 1273              | 35 1/2         | 1641              | 41 1/2         | 2009              | 47 1/2         | 2366              | 53 1/2         | 2696              | 59 1/2         | 2985              | 65 1/2         | 3211              |
| 5 5/8          | 106               | 11 5/8         | 321               | 17 5/8         | 601               | 23 5/8         | 927               | 29 5/8         | 1280              | 35 5/8         | 1648              | 41 5/8         | 2017              | 47 5/8         | 2373              | 53 5/8         | 2703              | 59 5/8         | 2990              | 65 5/8         | 3215              |
| 5 3/4          | 109               | 11 3/4         | 326               | 17 3/4         | 608               | 23 3/4         | 934               | 29 3/4         | 1288              | 35 3/4         | 1656              | 41 3/4         | 2025              | 47 3/4         | 2380              | 53 3/4         | 2709              | 59 3/4         | 2996              | 65 3/4         | 3219              |
| 5 7/8          | 113               | 11 7/8         | 331               | 17 7/8         | 614               | 23 7/8         | 941               | 29 7/8         | 1295              | 35 7/8         | 1664              | 41 7/8         | 2032              | 47 7/8         | 2388              | 53 7/8         | 2716              | 59 7/8         | 3001              | 65 7/8         | 3223              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06100125 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 3226              | 67             | 3255              | 68             | 3280              | 69             | 3302              | 70             | 3321              | 71             | 3335              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 3230              | 67 1/8         | 3258              | 68 1/8         | 3283              | 69 1/8         | 3305              | 70 1/8         | 3323              | 71 1/8         | 3336              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 3234              | 67 1/4         | 3261              | 68 1/4         | 3286              | 69 1/4         | 3307              | 70 1/4         | 3325              | 71 1/4         | 3338              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 3237              | 67 3/8         | 3265              | 68 3/8         | 3289              | 69 3/8         | 3310              | 70 3/8         | 3327              | 71 3/8         | 3339              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 3241              | 67 1/2         | 3268              | 68 1/2         | 3292              | 69 1/2         | 3312              | 70 1/2         | 3329              | 71 1/2         | 3340              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 3244              | 67 5/8         | 3271              | 68 5/8         | 3295              | 69 5/8         | 3315              | 70 5/8         | 3330              | 71 5/8         | 3341              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 3248              | 67 3/4         | 3274              | 68 3/4         | 3297              | 69 3/4         | 3317              | 70 3/4         | 3332              | 71 3/4         | 3341              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 3251              | 67 7/8         | 3277              | 68 7/8         | 3300              | 69 7/8         | 3319              | 70 7/8         | 3333              | 71 7/8         | 3342              |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%