


**NN06140165EU**  
 FIBERGLASS TANK



NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |          |                                                                                       |                            |              |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|----------------------------|--------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |          |                                                                                       |                            |              | 2019 |
| TOLERANCES (LINEAR)                                                                                                                                              |          |  | Revision description       |              |      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |          |                                                                                       | Format                     | Part no.     | REV  |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |          |                                                                                       | B                          | NN06140165EU | 02.  |
| TOLERANCES (ANGULAR)                                                                                                                                             |          | Drawn by                                                                              | 20/12/2023                 |              |      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |          | O. Marin                                                                              |                            |              |      |
| Weight :<br>1915 Lb                                                                                                                                              |          | Approved by :                                                                         | 6' Dia. TANK - 4409 US gal |              |      |
|                                                                                                                                                                  |          |                                                                                       |                            |              |      |
| Client                                                                                                                                                           | # Projet | Sheet                                                                                 | 1 / 4                      |              |      |





|                                                                                                                                                                  |  |                                                                                                                   |  |                      |                                 |                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|----------------------|---------------------------------|------------------------------------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  |                      |                                 | 2019                                           |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%                      0.00 -> ± 0.25"<br>0.0 -> ± 0.5"                              0.000 -> ± 0.125"             |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description |                                 |                                                |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                      0.00 -> ± 0.1 DEG.                                                        |  |                                                                                                                   |  | Format<br><b>B</b>   | Part no.<br><b>NN06140165EU</b> | REV<br><b>02</b>                               |
| Weight :<br><b>1915 Lb</b>                                                                                                                                       |  | Drawn by<br><b>O. Marin</b>                                                                                       |  | 20/12/2023           |                                 | Title<br><br><b>6' Dia. TANK - 4409 US gal</b> |
| Approved by :                                                                                                                                                    |  |                                                                                                                   |  |                      |                                 |                                                |
| Client                                                                                                                                                           |  | # Projct                                                                                                          |  | Sheet <b>3 / 4</b>   |                                 |                                                |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |  |                                                                                                                   |  |                               |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|-------------------------------|----------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  |                               | 2019                 |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                             |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description          |                      |
|                                                                                                                                                                  |  |                                                                                                                   |  | Format<br><b>B</b>            | Part no.<br>ENSCOUR6 |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.0.00 -> ± 0.1 DEG.                                                                              |  | Drawn by<br><b>O. Marin</b>                                                                                       |  | 04/10/2018                    |                      |
| Weight :                                                                                                                                                         |  | Approved by :                                                                                                     |  | REV<br><b>A .</b>             |                      |
| Client                                                                                                                                                           |  | # Projet                                                                                                          |  | Title<br><b>ANCHORING KIT</b> |                      |
|                                                                                                                                                                  |  |                                                                                                                   |  | Sheet<br><b>4 / 4</b>         |                      |



CAPACITY CHART FOR NN06140165 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 159               | 12             | 453               | 18             | 829               | 24             | 1259              | 30             | 1724              | 36             | 2205              | 42             | 2686              | 48             | 3150              | 54             | 3580              | 60             | 3956              |
| 1/8            | 1                 | 6 1/8          | 164               | 12 1/8         | 461               | 18 1/8         | 838               | 24 1/8         | 1269              | 30 1/8         | 1734              | 36 1/8         | 2215              | 42 1/8         | 2695              | 48 1/8         | 3159              | 54 1/8         | 3589              | 60 1/8         | 3963              |
| 1/4            | 2                 | 6 1/4          | 169               | 12 1/4         | 468               | 18 1/4         | 846               | 24 1/4         | 1278              | 30 1/4         | 1743              | 36 1/4         | 2225              | 42 1/4         | 2705              | 48 1/4         | 3169              | 54 1/4         | 3597              | 60 1/4         | 3970              |
| 3/8            | 3                 | 6 3/8          | 174               | 12 3/8         | 475               | 18 3/8         | 855               | 24 3/8         | 1287              | 30 3/8         | 1753              | 36 3/8         | 2235              | 42 3/8         | 2715              | 48 3/8         | 3178              | 54 3/8         | 3605              | 60 3/8         | 3977              |
| 1/2            | 4                 | 6 1/2          | 179               | 12 1/2         | 482               | 18 1/2         | 863               | 24 1/2         | 1297              | 30 1/2         | 1763              | 36 1/2         | 2245              | 42 1/2         | 2725              | 48 1/2         | 3187              | 54 1/2         | 3614              | 60 1/2         | 3984              |
| 5/8            | 6                 | 6 5/8          | 185               | 12 5/8         | 489               | 18 5/8         | 872               | 24 5/8         | 1306              | 30 5/8         | 1773              | 36 5/8         | 2255              | 42 5/8         | 2735              | 48 5/8         | 3197              | 54 5/8         | 3622              | 60 5/8         | 3991              |
| 3/4            | 7                 | 6 3/4          | 190               | 12 3/4         | 497               | 18 3/4         | 880               | 24 3/4         | 1316              | 30 3/4         | 1783              | 36 3/4         | 2265              | 42 3/4         | 2745              | 48 3/4         | 3206              | 54 3/4         | 3630              | 60 3/4         | 3998              |
| 7/8            | 9                 | 6 7/8          | 195               | 12 7/8         | 504               | 18 7/8         | 889               | 24 7/8         | 1325              | 30 7/8         | 1793              | 36 7/8         | 2275              | 42 7/8         | 2755              | 48 7/8         | 3215              | 54 7/8         | 3639              | 60 7/8         | 4005              |
| 1              | 11                | 7              | 201               | 13             | 511               | 19             | 898               | 25             | 1335              | 31             | 1803              | 37             | 2285              | 43             | 2765              | 49             | 3225              | 55             | 3647              | 61             | 4011              |
| 1 1/8          | 13                | 7 1/8          | 206               | 13 1/8         | 519               | 19 1/8         | 906               | 25 1/8         | 1344              | 31 1/8         | 1813              | 37 1/8         | 2295              | 43 1/8         | 2774              | 49 1/8         | 3234              | 55 1/8         | 3655              | 61 1/8         | 4018              |
| 1 1/4          | 15                | 7 1/4          | 212               | 13 1/4         | 526               | 19 1/4         | 915               | 25 1/4         | 1354              | 31 1/4         | 1823              | 37 1/4         | 2305              | 43 1/4         | 2784              | 49 1/4         | 3243              | 55 1/4         | 3664              | 61 1/4         | 4025              |
| 1 3/8          | 17                | 7 3/8          | 217               | 13 3/8         | 533               | 19 3/8         | 924               | 25 3/8         | 1363              | 31 3/8         | 1833              | 37 3/8         | 2315              | 43 3/8         | 2794              | 49 3/8         | 3252              | 55 3/8         | 3672              | 61 3/8         | 4032              |
| 1 1/2          | 20                | 7 1/2          | 223               | 13 1/2         | 541               | 19 1/2         | 932               | 25 1/2         | 1373              | 31 1/2         | 1843              | 37 1/2         | 2325              | 43 1/2         | 2804              | 49 1/2         | 3261              | 55 1/2         | 3680              | 61 1/2         | 4038              |
| 1 5/8          | 22                | 7 5/8          | 229               | 13 5/8         | 548               | 19 5/8         | 941               | 25 5/8         | 1382              | 31 5/8         | 1853              | 37 5/8         | 2336              | 43 5/8         | 2814              | 49 5/8         | 3271              | 55 5/8         | 3688              | 61 5/8         | 4045              |
| 1 3/4          | 25                | 7 3/4          | 234               | 13 3/4         | 556               | 19 3/4         | 950               | 25 3/4         | 1392              | 31 3/4         | 1863              | 37 3/4         | 2346              | 43 3/4         | 2823              | 49 3/4         | 3280              | 55 3/4         | 3696              | 61 3/4         | 4052              |
| 1 7/8          | 27                | 7 7/8          | 240               | 13 7/8         | 564               | 19 7/8         | 959               | 25 7/8         | 1402              | 31 7/8         | 1873              | 37 7/8         | 2356              | 43 7/8         | 2833              | 49 7/8         | 3289              | 55 7/8         | 3704              | 61 7/8         | 4058              |
| 2              | 30                | 8              | 246               | 14             | 571               | 20             | 968               | 26             | 1411              | 32             | 1883              | 38             | 2366              | 44             | 2843              | 50             | 3298              | 56             | 3712              | 62             | 4065              |
| 2 1/8          | 33                | 8 1/8          | 252               | 14 1/8         | 579               | 20 1/8         | 976               | 26 1/8         | 1421              | 32 1/8         | 1893              | 38 1/8         | 2376              | 44 1/8         | 2853              | 50 1/8         | 3307              | 56 1/8         | 3721              | 62 1/8         | 4071              |
| 2 1/4          | 36                | 8 1/4          | 258               | 14 1/4         | 586               | 20 1/4         | 985               | 26 1/4         | 1430              | 32 1/4         | 1903              | 38 1/4         | 2386              | 44 1/4         | 2863              | 50 1/4         | 3316              | 56 1/4         | 3729              | 62 1/4         | 4078              |
| 2 3/8          | 39                | 8 3/8          | 264               | 14 3/8         | 594               | 20 3/8         | 994               | 26 3/8         | 1440              | 32 3/8         | 1913              | 38 3/8         | 2396              | 44 3/8         | 2872              | 50 3/8         | 3325              | 56 3/8         | 3737              | 62 3/8         | 4084              |
| 2 1/2          | 42                | 8 1/2          | 270               | 14 1/2         | 602               | 20 1/2         | 1003              | 26 1/2         | 1450              | 32 1/2         | 1923              | 38 1/2         | 2406              | 44 1/2         | 2882              | 50 1/2         | 3334              | 56 1/2         | 3745              | 62 1/2         | 4090              |
| 2 5/8          | 45                | 8 5/8          | 276               | 14 5/8         | 610               | 20 5/8         | 1012              | 26 5/8         | 1459              | 32 5/8         | 1933              | 38 5/8         | 2416              | 44 5/8         | 2892              | 50 5/8         | 3343              | 56 5/8         | 3753              | 62 5/8         | 4097              |
| 2 3/4          | 49                | 8 3/4          | 282               | 14 3/4         | 617               | 20 3/4         | 1021              | 26 3/4         | 1469              | 32 3/4         | 1943              | 38 3/4         | 2426              | 44 3/4         | 2901              | 50 3/4         | 3352              | 56 3/4         | 3760              | 62 3/4         | 4103              |
| 2 7/8          | 52                | 8 7/8          | 288               | 14 7/8         | 625               | 20 7/8         | 1030              | 26 7/8         | 1479              | 32 7/8         | 1953              | 38 7/8         | 2436              | 44 7/8         | 2911              | 50 7/8         | 3361              | 56 7/8         | 3768              | 62 7/8         | 4109              |
| 3              | 56                | 9              | 294               | 15             | 633               | 21             | 1039              | 27             | 1488              | 33             | 1963              | 39             | 2446              | 45             | 2921              | 51             | 3370              | 57             | 3776              | 63             | 4115              |
| 3 1/8          | 59                | 9 1/8          | 300               | 15 1/8         | 641               | 21 1/8         | 1048              | 27 1/8         | 1498              | 33 1/8         | 1973              | 39 1/8         | 2456              | 45 1/8         | 2931              | 51 1/8         | 3379              | 57 1/8         | 3784              | 63 1/8         | 4121              |
| 3 1/4          | 63                | 9 1/4          | 306               | 15 1/4         | 649               | 21 1/4         | 1057              | 27 1/4         | 1508              | 33 1/4         | 1983              | 39 1/4         | 2466              | 45 1/4         | 2940              | 51 1/4         | 3388              | 57 1/4         | 3792              | 63 1/4         | 4128              |
| 3 3/8          | 66                | 9 3/8          | 313               | 15 3/8         | 657               | 21 3/8         | 1066              | 27 3/8         | 1517              | 33 3/8         | 1993              | 39 3/8         | 2476              | 45 3/8         | 2950              | 51 3/8         | 3397              | 57 3/8         | 3800              | 63 3/8         | 4134              |
| 3 1/2          | 70                | 9 1/2          | 319               | 15 1/2         | 665               | 21 1/2         | 1075              | 27 1/2         | 1527              | 33 1/2         | 2003              | 39 1/2         | 2486              | 45 1/2         | 2960              | 51 1/2         | 3406              | 57 1/2         | 3807              | 63 1/2         | 4140              |
| 3 5/8          | 74                | 9 5/8          | 325               | 15 5/8         | 673               | 21 5/8         | 1084              | 27 5/8         | 1537              | 33 5/8         | 2013              | 39 5/8         | 2496              | 45 5/8         | 2969              | 51 5/8         | 3415              | 57 5/8         | 3815              | 63 5/8         | 4146              |
| 3 3/4          | 78                | 9 3/4          | 332               | 15 3/4         | 681               | 21 3/4         | 1093              | 27 3/4         | 1547              | 33 3/4         | 2023              | 39 3/4         | 2506              | 45 3/4         | 2979              | 51 3/4         | 3424              | 57 3/4         | 3823              | 63 3/4         | 4152              |
| 3 7/8          | 82                | 9 7/8          | 338               | 15 7/8         | 689               | 21 7/8         | 1102              | 27 7/8         | 1556              | 33 7/8         | 2033              | 39 7/8         | 2516              | 45 7/8         | 2988              | 51 7/8         | 3433              | 57 7/8         | 3830              | 63 7/8         | 4157              |
| 4              | 86                | 10             | 345               | 16             | 697               | 22             | 1111              | 28             | 1566              | 34             | 2043              | 40             | 2526              | 46             | 2998              | 52             | 3442              | 58             | 3838              | 64             | 4163              |
| 4 1/8          | 90                | 10 1/8         | 351               | 16 1/8         | 705               | 22 1/8         | 1120              | 28 1/8         | 1576              | 34 1/8         | 2054              | 40 1/8         | 2536              | 46 1/8         | 3008              | 52 1/8         | 3450              | 58 1/8         | 3846              | 64 1/8         | 4169              |
| 4 1/4          | 94                | 10 1/4         | 358               | 16 1/4         | 713               | 22 1/4         | 1129              | 28 1/4         | 1586              | 34 1/4         | 2064              | 40 1/4         | 2546              | 46 1/4         | 3017              | 52 1/4         | 3459              | 58 1/4         | 3853              | 64 1/4         | 4175              |
| 4 3/8          | 98                | 10 3/8         | 364               | 16 3/8         | 721               | 22 3/8         | 1139              | 28 3/8         | 1596              | 34 3/8         | 2074              | 40 3/8         | 2556              | 46 3/8         | 3027              | 52 3/8         | 3468              | 58 3/8         | 3861              | 64 3/8         | 4181              |
| 4 1/2          | 103               | 10 1/2         | 371               | 16 1/2         | 729               | 22 1/2         | 1148              | 28 1/2         | 1605              | 34 1/2         | 2084              | 40 1/2         | 2566              | 46 1/2         | 3036              | 52 1/2         | 3477              | 58 1/2         | 3868              | 64 1/2         | 4186              |
| 4 5/8          | 107               | 10 5/8         | 378               | 16 5/8         | 737               | 22 5/8         | 1157              | 28 5/8         | 1615              | 34 5/8         | 2094              | 40 5/8         | 2576              | 46 5/8         | 3046              | 52 5/8         | 3486              | 58 5/8         | 3876              | 64 5/8         | 4192              |
| 4 3/4          | 111               | 10 3/4         | 384               | 16 3/4         | 746               | 22 3/4         | 1166              | 28 3/4         | 1625              | 34 3/4         | 2104              | 40 3/4         | 2586              | 46 3/4         | 3055              | 52 3/4         | 3494              | 58 3/4         | 3883              | 64 3/4         | 4197              |
| 4 7/8          | 116               | 10 7/8         | 391               | 16 7/8         | 754               | 22 7/8         | 1175              | 28 7/8         | 1635              | 34 7/8         | 2114              | 40 7/8         | 2596              | 46 7/8         | 3065              | 52 7/8         | 3503              | 58 7/8         | 3891              | 64 7/8         | 4203              |
| 5              | 121               | 11             | 398               | 17             | 762               | 23             | 1185              | 29             | 1645              | 35             | 2124              | 41             | 2606              | 47             | 3074              | 53             | 3512              | 59             | 3898              | 65             | 4208              |
| 5 1/8          | 125               | 11 1/8         | 405               | 17 1/8         | 770               | 23 1/8         | 1194              | 29 1/8         | 1654              | 35 1/8         | 2134              | 41 1/8         | 2616              | 47 1/8         | 3084              | 53 1/8         | 3520              | 59 1/8         | 3905              | 65 1/8         | 4214              |
| 5 1/4          | 130               | 11 1/4         | 411               | 17 1/4         | 779               | 23 1/4         | 1203              | 29 1/4         | 1664              | 35 1/4         | 2144              | 41 1/4         | 2626              | 47 1/4         | 3093              | 53 1/4         | 3529              | 59 1/4         | 3913              | 65 1/4         | 4219              |
| 5 3/8          | 134               | 11 3/8         | 418               | 17 3/8         | 787               | 23 3/8         | 1213              | 29 3/8         | 1674              | 35 3/8         | 2154              | 41 3/8         | 2636              | 47 3/8         | 3103              | 53 3/8         | 3537              | 59 3/8         | 3920              | 65 3/8         | 4224              |
| 5 1/2          | 139               | 11 1/2         | 425               | 17 1/2         | 795               | 23 1/2         | 1222              | 29 1/2         | 1684              | 35 1/2         | 2164              | 41 1/2         | 2646              | 47 1/2         | 3112              | 53 1/2         | 3546              | 59 1/2         | 3927              | 65 1/2         | 4230              |
| 5 5/8          | 144               | 11 5/8         | 432               | 17 5/8         | 804               | 23 5/8         | 1231              | 29 5/8         | 1694              | 35 5/8         | 2174              | 41 5/8         | 2656              | 47 5/8         | 3122              | 53 5/8         | 3555              | 59 5/8         | 3934              | 65 5/8         | 4235              |
| 5 3/4          | 149               | 11 3/4         | 439               | 17 3/4         | 812               | 23 3/4         | 1241              | 29 3/4         | 1704              | 35 3/4         | 2184              | 41 3/4         | 2666              | 47 3/4         | 3131              | 53 3/4         | 3563              | 59 3/4         | 3942              | 65 3/4         | 4240              |
| 5 7/8          | 154               | 11 7/8         | 446               | 17 7/8         | 821               | 23 7/8         | 1250              | 29 7/8         | 1714              | 35 7/8         | 2195              | 41 7/8         | 2676              | 47 7/8         | 3141              | 53 7/8         | 3572              | 59 7/8         | 3949              | 65 7/8         | 4245              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06140165 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 4250              | 67             | 4289              | 68             | 4323              | 69             | 4354              | 70             | 4379              | 71             | 4398              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 4255              | 67 1/8         | 4293              | 68 1/8         | 4327              | 69 1/8         | 4357              | 70 1/8         | 4382              | 71 1/8         | 4400              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 4260              | 67 1/4         | 4298              | 68 1/4         | 4331              | 69 1/4         | 4360              | 70 1/4         | 4384              | 71 1/4         | 4402              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 4265              | 67 3/8         | 4302              | 68 3/8         | 4335              | 69 3/8         | 4364              | 70 3/8         | 4387              | 71 3/8         | 4404              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 4270              | 67 1/2         | 4306              | 68 1/2         | 4339              | 69 1/2         | 4367              | 70 1/2         | 4390              | 71 1/2         | 4405              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 4275              | 67 5/8         | 4311              | 68 5/8         | 4343              | 69 5/8         | 4370              | 70 5/8         | 4392              | 71 5/8         | 4406              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 4279              | 67 3/4         | 4315              | 68 3/4         | 4346              | 69 3/4         | 4373              | 70 3/4         | 4394              | 71 3/4         | 4407              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 4284              | 67 7/8         | 4319              | 68 7/8         | 4350              | 69 7/8         | 4376              | 70 7/8         | 4396              | 71 7/8         | 4408              |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%