


**NN06260287FP**

FIBERGLASS TANK  
 TOTAL CAPACITY : 7608 US gal  
 NET CAPACITY : 7322 US gal





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |  |  |                                                                                                                               |  |  |  |                                      |  |      |  |                          |  |  |  |           |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|-------------------------------------------------------------------------------------------------------------------------------|--|--|--|--------------------------------------|--|------|--|--------------------------|--|--|--|-----------|--|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |  |  |                                                                                                                               |  |  |  |                                      |  | 2019 |  |                          |  |  |  |           |  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |  | <div> <b>GRANBY</b><br/>COMPOSITES</div> |  |  |  | Revision description                 |  |      |  |                          |  |  |  |           |  |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |  |  |                                                                                                                               |  |  |  | 0.00 -> ± 0.25"<br>0.000 -> ± 0.125" |  |      |  |                          |  |  |  |           |  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  |  |  | Drawn by<br><b>O. Marin</b>                                                                                                   |  |  |  | Format<br><b>B</b>                   |  |      |  | Part no.<br>NN06260287FP |  |  |  | REV<br>02 |  |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |  |  |                                                                                                                               |  |  |  | 0.00 -> ± 0.1 DEG.                   |  |      |  | Title                    |  |  |  |           |  |
| Weight :<br><b>3099 Lb</b>                                                                                                                                       |  |  |  | Approved by :                                                                                                                 |  |  |  | 6' Dia. TANK - 7608 US gal           |  |      |  |                          |  |  |  |           |  |
| Client                                                                                                                                                           |  |  |  | # Project                                                                                                                     |  |  |  |                                      |  |      |  |                          |  |  |  |           |  |
|                                                                                                                                                                  |  |  |  | Sheet<br>1 / 4                                                                                                                |  |  |  |                                      |  |      |  |                          |  |  |  |           |  |

| Item | Part Number            | Qty | Description                                        | Check List |
|------|------------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001             | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001             | 2   | LIFTING LUG                                        |            |
| 3    | ENSCOUR6               | 5   | ANCHORING KIT                                      |            |
| 4    | EV480J                 | 1   | 4" SCH. 80 VENT KIT WITH GAUGE AND SST BIRD SCREEN |            |
| 5    | FPU0600401             | 1   | 6" F X 6" F - SCH.40 - COUPLING GRAY               |            |
| 6    | GMHE30-COVER01         | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 7    | KB-BNH0600090          | 1   | 6"NH 90° - FIRE HYDRANT KIT                        |            |
| 8    | MH-30 (6"L.)           | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 9    | MHE-30 (54"L.)         | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 10   | PFV01313               | 1   | 0.5" x 13.25" x 13.25" - ANTI-VORTEX PLATE         |            |
| 11   | TP80400G01 (4.25"L.)   | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 12   | TP80600G01 (65.203"L.) | 1   | 6" SCH.80 GREY PVC PIPE                            |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



Optional anchoring depending on the tank's environment

**Technical informations**


- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72
- (If required) Quantity of fiberglass anchoring straps : 5
- (If required) Quantity of reinforced concrete deadman anchors : 10
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 5psig

The tank must be installed in accordance with the manufacturer's instructions.

SECTION ELEVATION VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST



|                                                                                                                                                                  |  |                                                                                                                        |  |                            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|----------------------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                        |  |                            | 2019 |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  <div>GRANBY<br/>COMPOSITES</div> |  | Revision description       |      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                        |  |                            |      |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                        |  |                            |      |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br><b>O. Marin</b>                                                                                            |  | Format                     |      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                                                        |  | Part no.                   |      |
| 0.00 -> ± 0.1 DEG.                                                                                                                                               |  | 15/01/2024                                                                                                             |  | REV<br>02.                 |      |
| Weight :                                                                                                                                                         |  | Approved by :                                                                                                          |  | Title                      |      |
| <b>3099 Lb</b>                                                                                                                                                   |  |                                                                                                                        |  | 6' Dia. TANK - 7608 US gal |      |
| Client                                                                                                                                                           |  | # Project                                                                                                              |  | Sheet                      |      |
|                                                                                                                                                                  |  |                                                                                                                        |  | 2 / 4                      |      |




PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |  |                                                                                                                        |  |  |                |                                      |                                         |  |             |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------------------------------------------------------------------------------------------------------------------|--|--|----------------|--------------------------------------|-----------------------------------------|--|-------------|--|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |  |                                                                                                                        |  |  |                |                                      |                                         |  | 2019        |  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |  <div>GRANBY<br/>COMPOSITES</div> |  |  |                | Revision description                 |                                         |  |             |  |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |  |                                                                                                                        |  |  |                | 0.00 -> ± 0.25"<br>0.000 -> ± 0.125" |                                         |  | Format<br>B |  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  |  | Drawn by<br>O. Marin                                                                                                   |  |  | 15/01/2024     |                                      | Title<br><br>6' Dia. TANK - 7608 US gal |  |             |  |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |  | 0.00 -> ± 0.1 DEG.                                                                                                     |  |  | Approved by :  |                                      |                                         |  |             |  |
| Weight :<br>3099 Lb                                                                                                                                              |  |  |                                                                                                                        |  |  |                |                                      |                                         |  |             |  |
| Client                                                                                                                                                           |  |  | # Project                                                                                                              |  |  | Sheet<br>3 / 4 |                                      |                                         |  |             |  |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |  |                                                                                       |  |                      |  |                            |           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|----------------------|--|----------------------------|-----------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                       |  |                      |  | 2019                       |           |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |  | Revision description |  |                            |           |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                       |  | Format<br>B          |  | Part no.<br>ENSCOUR6       | REV<br>A. |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                       |  |                      |  |                            |           |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                  |  | 04/10/2018           |  | Title<br><br>ANCHORING KIT |           |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  | Approved by :                                                                         |  |                      |  |                            |           |
| Weight :                                                                                                                                                         |  |                                                                                       |  |                      |  |                            |           |
| Client                                                                                                                                                           |  | # Project                                                                             |  | Sheet<br>4 / 4       |  |                            |           |



CAPACITY CHART FOR NN06260287 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 286               | 12             | 804               | 18             | 1455              | 24             | 2193              | 30             | 2985              | 36             | 3804              | 42             | 4623              | 48             | 5416              | 54             | 6154              | 60             | 6804              |
| 1/8            | 1                 | 6 1/8          | 295               | 12 1/8         | 816               | 18 1/8         | 1469              | 24 1/8         | 2209              | 30 1/8         | 3002              | 36 1/8         | 3821              | 42 1/8         | 4640              | 48 1/8         | 5432              | 54 1/8         | 6168              | 60 1/8         | 6817              |
| 1/4            | 3                 | 6 1/4          | 304               | 12 1/4         | 829               | 18 1/4         | 1484              | 24 1/4         | 2225              | 30 1/4         | 3019              | 36 1/4         | 3838              | 42 1/4         | 4657              | 48 1/4         | 5448              | 54 1/4         | 6183              | 60 1/4         | 6829              |
| 3/8            | 5                 | 6 3/8          | 313               | 12 3/8         | 841               | 18 3/8         | 1498              | 24 3/8         | 2241              | 30 3/8         | 3036              | 36 3/8         | 3856              | 42 3/8         | 4674              | 48 3/8         | 5464              | 54 3/8         | 6197              | 60 3/8         | 6841              |
| 1/2            | 7                 | 6 1/2          | 323               | 12 1/2         | 854               | 18 1/2         | 1513              | 24 1/2         | 2257              | 30 1/2         | 3053              | 36 1/2         | 3873              | 42 1/2         | 4690              | 48 1/2         | 5480              | 54 1/2         | 6212              | 60 1/2         | 6853              |
| 5/8            | 10                | 6 5/8          | 332               | 12 5/8         | 866               | 18 5/8         | 1528              | 24 5/8         | 2273              | 30 5/8         | 3070              | 36 5/8         | 3890              | 42 5/8         | 4707              | 48 5/8         | 5495              | 54 5/8         | 6226              | 60 5/8         | 6865              |
| 3/4            | 13                | 6 3/4          | 341               | 12 3/4         | 879               | 18 3/4         | 1543              | 24 3/4         | 2289              | 30 3/4         | 3087              | 36 3/4         | 3907              | 42 3/4         | 4724              | 48 3/4         | 5511              | 54 3/4         | 6241              | 60 3/4         | 6878              |
| 7/8            | 16                | 6 7/8          | 351               | 12 7/8         | 892               | 18 7/8         | 1558              | 24 7/8         | 2306              | 30 7/8         | 3104              | 36 7/8         | 3924              | 42 7/8         | 4741              | 48 7/8         | 5527              | 54 7/8         | 6255              | 60 7/8         | 6889              |
| 1              | 20                | 7              | 361               | 13             | 905               | 19             | 1572              | 25             | 2322              | 31             | 3121              | 37             | 3941              | 43             | 4758              | 49             | 5543              | 55             | 6269              | 61             | 6901              |
| 1 1/8          | 23                | 7 1/8          | 370               | 13 1/8         | 917               | 19 1/8         | 1587              | 25 1/8         | 2338              | 31 1/8         | 3138              | 37 1/8         | 3958              | 43 1/8         | 4774              | 49 1/8         | 5559              | 55 1/8         | 6284              | 61 1/8         | 6913              |
| 1 1/4          | 27                | 7 1/4          | 380               | 13 1/4         | 930               | 19 1/4         | 1602              | 25 1/4         | 2354              | 31 1/4         | 3155              | 37 1/4         | 3976              | 43 1/4         | 4791              | 49 1/4         | 5575              | 55 1/4         | 6298              | 61 1/4         | 6925              |
| 1 3/8          | 32                | 7 3/8          | 390               | 13 3/8         | 943               | 19 3/8         | 1617              | 25 3/8         | 2371              | 31 3/8         | 3172              | 37 3/8         | 3993              | 43 3/8         | 4808              | 49 3/8         | 5591              | 55 3/8         | 6312              | 61 3/8         | 6937              |
| 1 1/2          | 36                | 7 1/2          | 400               | 13 1/2         | 956               | 19 1/2         | 1632              | 25 1/2         | 2387              | 31 1/2         | 3189              | 37 1/2         | 4010              | 43 1/2         | 4825              | 49 1/2         | 5606              | 55 1/2         | 6326              | 61 1/2         | 6949              |
| 1 5/8          | 40                | 7 5/8          | 410               | 13 5/8         | 969               | 19 5/8         | 1647              | 25 5/8         | 2403              | 31 5/8         | 3206              | 37 5/8         | 4027              | 43 5/8         | 4841              | 49 5/8         | 5622              | 55 5/8         | 6340              | 61 5/8         | 6960              |
| 1 3/4          | 45                | 7 3/4          | 420               | 13 3/4         | 982               | 19 3/4         | 1662              | 25 3/4         | 2420              | 31 3/4         | 3223              | 37 3/4         | 4044              | 43 3/4         | 4858              | 49 3/4         | 5638              | 55 3/4         | 6354              | 61 3/4         | 6972              |
| 1 7/8          | 50                | 7 7/8          | 430               | 13 7/8         | 995               | 19 7/8         | 1677              | 25 7/8         | 2436              | 31 7/8         | 3240              | 37 7/8         | 4061              | 43 7/8         | 4875              | 49 7/8         | 5653              | 55 7/8         | 6368              | 61 7/8         | 6983              |
| 2              | 55                | 8              | 440               | 14             | 1009              | 20             | 1693              | 26             | 2452              | 32             | 3257              | 38             | 4078              | 44             | 4891              | 50             | 5669              | 56             | 6382              | 62             | 6995              |
| 2 1/8          | 60                | 8 1/8          | 450               | 14 1/8         | 1022              | 20 1/8         | 1708              | 26 1/8         | 2469              | 32 1/8         | 3274              | 38 1/8         | 4095              | 44 1/8         | 4908              | 50 1/8         | 5685              | 56 1/8         | 6396              | 62 1/8         | 7006              |
| 2 1/4          | 66                | 8 1/4          | 461               | 14 1/4         | 1035              | 20 1/4         | 1723              | 26 1/4         | 2485              | 32 1/4         | 3291              | 38 1/4         | 4113              | 44 1/4         | 4925              | 50 1/4         | 5700              | 56 1/4         | 6410              | 62 1/4         | 7017              |
| 2 3/8          | 71                | 8 3/8          | 471               | 14 3/8         | 1048              | 20 3/8         | 1738              | 26 3/8         | 2502              | 32 3/8         | 3308              | 38 3/8         | 4130              | 44 3/8         | 4941              | 50 3/8         | 5716              | 56 3/8         | 6424              | 62 3/8         | 7028              |
| 2 1/2          | 77                | 8 1/2          | 482               | 14 1/2         | 1062              | 20 1/2         | 1754              | 26 1/2         | 2518              | 32 1/2         | 3325              | 38 1/2         | 4147              | 44 1/2         | 4958              | 50 1/2         | 5731              | 56 1/2         | 6438              | 62 1/2         | 7040              |
| 2 5/8          | 83                | 8 5/8          | 492               | 14 5/8         | 1075              | 20 5/8         | 1769              | 26 5/8         | 2534              | 32 5/8         | 3342              | 38 5/8         | 4164              | 44 5/8         | 4975              | 50 5/8         | 5747              | 56 5/8         | 6451              | 62 5/8         | 7051              |
| 2 3/4          | 89                | 8 3/4          | 503               | 14 3/4         | 1089              | 20 3/4         | 1784              | 26 3/4         | 2551              | 32 3/4         | 3359              | 38 3/4         | 4181              | 44 3/4         | 4991              | 50 3/4         | 5762              | 56 3/4         | 6465              | 62 3/4         | 7062              |
| 2 7/8          | 95                | 8 7/8          | 514               | 14 7/8         | 1102              | 20 7/8         | 1800              | 26 7/8         | 2567              | 32 7/8         | 3376              | 38 7/8         | 4198              | 44 7/8         | 5008              | 50 7/8         | 5778              | 56 7/8         | 6479              | 62 7/8         | 7073              |
| 3              | 101               | 9              | 525               | 15             | 1116              | 21             | 1815              | 27             | 2584              | 33             | 3393              | 39             | 4215              | 45             | 5024              | 51             | 5793              | 57             | 6492              | 63             | 7084              |
| 3 1/8          | 108               | 9 1/8          | 536               | 15 1/8         | 1129              | 21 1/8         | 1830              | 27 1/8         | 2601              | 33 1/8         | 3410              | 39 1/8         | 4232              | 45 1/8         | 5041              | 51 1/8         | 5809              | 57 1/8         | 6506              | 63 1/8         | 7094              |
| 3 1/4          | 114               | 9 1/4          | 546               | 15 1/4         | 1143              | 21 1/4         | 1846              | 27 1/4         | 2617              | 33 1/4         | 3427              | 39 1/4         | 4249              | 45 1/4         | 5057              | 51 1/4         | 5824              | 57 1/4         | 6519              | 63 1/4         | 7105              |
| 3 3/8          | 121               | 9 3/8          | 558               | 15 3/8         | 1157              | 21 3/8         | 1861              | 27 3/8         | 2634              | 33 3/8         | 3444              | 39 3/8         | 4266              | 45 3/8         | 5074              | 51 3/8         | 5839              | 57 3/8         | 6533              | 63 3/8         | 7116              |
| 3 1/2          | 128               | 9 1/2          | 569               | 15 1/2         | 1171              | 21 1/2         | 1877              | 27 1/2         | 2650              | 33 1/2         | 3461              | 39 1/2         | 4283              | 45 1/2         | 5090              | 51 1/2         | 5855              | 57 1/2         | 6546              | 63 1/2         | 7126              |
| 3 5/8          | 134               | 9 5/8          | 580               | 15 5/8         | 1184              | 21 5/8         | 1892              | 27 5/8         | 2667              | 33 5/8         | 3479              | 39 5/8         | 4300              | 45 5/8         | 5107              | 51 5/8         | 5870              | 57 5/8         | 6560              | 63 5/8         | 7137              |
| 3 3/4          | 141               | 9 3/4          | 591               | 15 3/4         | 1198              | 21 3/4         | 1908              | 27 3/4         | 2684              | 33 3/4         | 3496              | 39 3/4         | 4318              | 45 3/4         | 5123              | 51 3/4         | 5885              | 57 3/4         | 6573              | 63 3/4         | 7147              |
| 3 7/8          | 149               | 9 7/8          | 602               | 15 7/8         | 1212              | 21 7/8         | 1923              | 27 7/8         | 2700              | 33 7/8         | 3513              | 39 7/8         | 4335              | 45 7/8         | 5140              | 51 7/8         | 5900              | 57 7/8         | 6586              | 63 7/8         | 7158              |
| 4              | 156               | 10             | 614               | 16             | 1226              | 22             | 1939              | 28             | 2717              | 34             | 3530              | 40             | 4352              | 46             | 5156              | 52             | 5916              | 58             | 6600              | 64             | 7168              |
| 4 1/8          | 163               | 10 1/8         | 625               | 16 1/8         | 1240              | 22 1/8         | 1955              | 28 1/8         | 2734              | 34 1/8         | 3547              | 40 1/8         | 4369              | 46 1/8         | 5172              | 52 1/8         | 5931              | 58 1/8         | 6613              | 64 1/8         | 7178              |
| 4 1/4          | 171               | 10 1/4         | 637               | 16 1/4         | 1254              | 22 1/4         | 1970              | 28 1/4         | 2750              | 34 1/4         | 3564              | 40 1/4         | 4386              | 46 1/4         | 5189              | 52 1/4         | 5946              | 58 1/4         | 6626              | 64 1/4         | 7188              |
| 4 3/8          | 178               | 10 3/8         | 648               | 16 3/8         | 1268              | 22 3/8         | 1986              | 28 3/8         | 2767              | 34 3/8         | 3581              | 40 3/8         | 4403              | 46 3/8         | 5205              | 52 3/8         | 5961              | 58 3/8         | 6639              | 64 3/8         | 7199              |
| 4 1/2          | 186               | 10 1/2         | 660               | 16 1/2         | 1282              | 22 1/2         | 2002              | 28 1/2         | 2784              | 34 1/2         | 3598              | 40 1/2         | 4420              | 46 1/2         | 5221              | 52 1/2         | 5976              | 58 1/2         | 6652              | 64 1/2         | 7209              |
| 4 5/8          | 194               | 10 5/8         | 671               | 16 5/8         | 1296              | 22 5/8         | 2018              | 28 5/8         | 2800              | 34 5/8         | 3616              | 40 5/8         | 4437              | 46 5/8         | 5238              | 52 5/8         | 5991              | 58 5/8         | 6665              | 64 5/8         | 7218              |
| 4 3/4          | 202               | 10 3/4         | 683               | 16 3/4         | 1310              | 22 3/4         | 2033              | 28 3/4         | 2817              | 34 3/4         | 3633              | 40 3/4         | 4454              | 46 3/4         | 5254              | 52 3/4         | 6006              | 58 3/4         | 6678              | 64 3/4         | 7228              |
| 4 7/8          | 210               | 10 7/8         | 695               | 16 7/8         | 1325              | 22 7/8         | 2049              | 28 7/8         | 2834              | 34 7/8         | 3650              | 40 7/8         | 4471              | 46 7/8         | 5270              | 52 7/8         | 6021              | 58 7/8         | 6691              | 64 7/8         | 7238              |
| 5              | 218               | 11             | 707               | 17             | 1339              | 23             | 2065              | 29             | 2851              | 35             | 3667              | 41             | 4488              | 47             | 5286              | 53             | 6036              | 59             | 6704              | 65             | 7248              |
| 5 1/8          | 226               | 11 1/8         | 719               | 17 1/8         | 1353              | 23 1/8         | 2081              | 29 1/8         | 2867              | 35 1/8         | 3684              | 41 1/8         | 4505              | 47 1/8         | 5303              | 53 1/8         | 6051              | 59 1/8         | 6716              | 65 1/8         | 7257              |
| 5 1/4          | 234               | 11 1/4         | 731               | 17 1/4         | 1368              | 23 1/4         | 2097              | 29 1/4         | 2884              | 35 1/4         | 3701              | 41 1/4         | 4521              | 47 1/4         | 5319              | 53 1/4         | 6065              | 59 1/4         | 6729              | 65 1/4         | 7267              |
| 5 3/8          | 243               | 11 3/8         | 743               | 17 3/8         | 1382              | 23 3/8         | 2113              | 29 3/8         | 2901              | 35 3/8         | 3718              | 41 3/8         | 4538              | 47 3/8         | 5335              | 53 3/8         | 6080              | 59 3/8         | 6742              | 65 3/8         | 7276              |
| 5 1/2          | 251               | 11 1/2         | 755               | 17 1/2         | 1396              | 23 1/2         | 2129              | 29 1/2         | 2918              | 35 1/2         | 3736              | 41 1/2         | 4555              | 47 1/2         | 5351              | 53 1/2         | 6095              | 59 1/2         | 6754              | 65 1/2         | 7286              |
| 5 5/8          | 260               | 11 5/8         | 767               | 17 5/8         | 1411              | 23 5/8         | 2145              | 29 5/8         | 2935              | 35 5/8         | 3753              | 41 5/8         | 4572              | 47 5/8         | 5367              | 53 5/8         | 6110              | 59 5/8         | 6767              | 65 5/8         | 7295              |
| 5 3/4          | 269               | 11 3/4         | 779               | 17 3/4         | 1425              | 23 3/4         | 2161              | 29 3/4         | 2952              | 35 3/4         | 3770              | 41 3/4         | 4589              | 47 3/4         | 5383              | 53 3/4         | 6124              | 59 3/4         | 6780              | 65 3/4         | 7304              |
| 5 7/8          | 277               | 11 7/8         | 792               | 17 7/8         | 1440              | 23 7/8         | 2177              | 29 7/8         | 2968              | 35 7/8         | 3787              | 41 7/8         | 4606              | 47 7/8         | 5399              | 53 7/8         | 6139              | 59 7/8         | 6792              | 65 7/8         | 7313              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06260287 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 7322              | 67             | 7390              | 68             | 7452              | 69             | 7507              | 70             | 7553              | 71             | 7589              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 7331              | 67 1/8         | 7399              | 68 1/8         | 7460              | 69 1/8         | 7513              | 70 1/8         | 7558              | 71 1/8         | 7592              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 7340              | 67 1/4         | 7407              | 68 1/4         | 7467              | 69 1/4         | 7519              | 70 1/4         | 7563              | 71 1/4         | 7595              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 7348              | 67 3/8         | 7414              | 68 3/8         | 7474              | 69 3/8         | 7525              | 70 3/8         | 7568              | 71 3/8         | 7598              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 7357              | 67 1/2         | 7422              | 68 1/2         | 7481              | 69 1/2         | 7531              | 70 1/2         | 7572              | 71 1/2         | 7601              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 7365              | 67 5/8         | 7430              | 68 5/8         | 7487              | 69 5/8         | 7537              | 70 5/8         | 7577              | 71 5/8         | 7603              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 7374              | 67 3/4         | 7438              | 68 3/4         | 7494              | 69 3/4         | 7542              | 70 3/4         | 7581              | 71 3/4         | 7605              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 7382              | 67 7/8         | 7445              | 68 7/8         | 7501              | 69 7/8         | 7548              | 70 7/8         | 7585              | 71 7/8         | 7607              |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%