


**NN06330358EP**

FIBERGLASS TANK





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                   |                            |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|----------------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |                            |                          | 2019       |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                 |  |  <b>GRANBY</b><br>COMPOSITES | Revision description       |                          |            |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                   | Format<br><b>B</b>         | Part no.<br>NN06330358EP | REV<br>02. |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                |  | Drawn by<br><b>O. Marin</b>                                                                                       | 19/12/2023                 |                          |            |
| Weight :<br><b>3678 Lb</b>                                                                                                                                       |  | Approved by :                                                                                                     | Title                      |                          |            |
| Client                                                                                                                                                           |  | # Projet                                                                                                          | 6' Dia. TANK - 9474 US gal |                          |            |
|                                                                                                                                                                  |  |                                                                                                                   | Sheet<br>1 / 4             |                          |            |

| Item | Part Number          | Qty | Description                                        | Check List |
|------|----------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001           | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001           | 2   | LIFTING LUG                                        |            |
| 3    | ENSCOUR6             | 6   | ANCHORING KIT                                      |            |
| 4    | EV480                | 1   | 4" SCH. 80 VENT KIT WITH SST BIRD SCREEN           |            |
| 5    | GMHE30-COVER01       | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 6    | MH-30 (6"L.)         | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 7    | MHE-30 (54"L.)       | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 8    | PFV01414             | 1   | 0.5" x 13.5" x 13.5" ANTI-VORTEX PLATE             |            |
| 9    | TP80400G01 (4.25"L.) | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 10   | TP80400G01 (36"L.)   | 2   | 4" SCH.80 GREY PVC PIPE                            |            |

BACKFILL PROPERTIES

N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



Optional anchoring depending on the tank's environment

Technical informations


- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72
- (If required) Quantity of fiberglass anchoring straps : 6
- (If required) Quantity of reinforced concrete deadman anchors : 12
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Manufactured according to NSF-61 requirements for drinking water
- Airtightness test performed at the factory at 35 kPa

The tank must be installed in accordance with the manufacturer's instructions.

SECTION ELEVATION VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |          |                                                                                       |                            |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|----------------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |          |                                                                                       |                            |                          | 2019       |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"<br><br>0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                     |          |  | Revision description       |                          |            |
|                                                                                                                                                                  |          |                                                                                       | Format<br><b>B</b>         | Part no.<br>NN06330358EP | REV<br>02. |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.<br><br>0.00 -> ± 0.1 DEG.                                                                      |          | Drawn by<br><b>O. Marin</b>                                                           | 19/12/2023                 |                          |            |
| Weight :<br><b>3678 Lb</b>                                                                                                                                       |          | Approved by :                                                                         | 6' Dia. TANK - 9474 US gal |                          |            |
| Client                                                                                                                                                           | # Projet | Sheet<br>2 / 4                                                                        |                            |                          |            |



PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |           |                                                                                                                                                       |  |                |                                         |                          |  |            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------|-----------------------------------------|--------------------------|--|------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |           |                                                                                                                                                       |  |                |                                         |                          |  |            | 2019 |
| <div>TOLERANCES (LINEAR)</div> <div>FEET DIM. -&gt; ± 1%<br/>0.0 -&gt; ± 0.5"</div> <div>0.00 -&gt; ± 0.25"<br/>0.000 -&gt; ± 0.125"</div>                       |  |           | <div><div><div></div><div>GRANBY</div><div>COMPOSITES</div></div><div>Drawn by<br/>O. Marin</div><div>Approved by :</div></div> <div>19/12/2023</div> |  |                | Revision description                    |                          |  |            |      |
|                                                                                                                                                                  |  |           |                                                                                                                                                       |  |                | Format<br>B                             | Part no.<br>NN06330358EP |  | REV<br>02. |      |
| <div>TOLERANCES (ANGULAR)</div> <div>0 -&gt; ± 2 DEG.<br/>0.0 -&gt; ± 0.5 DEG.</div> <div>0.00 -&gt; ± 0.1 DEG.</div>                                            |  |           |                                                                                                                                                       |  |                | Title<br><br>6' Dia. TANK - 9474 US gal |                          |  |            |      |
| <div>Weight :</div> <div>3678 Lb</div>                                                                                                                           |  |           |                                                                                                                                                       |  |                |                                         |                          |  |            |      |
| Client                                                                                                                                                           |  | # Project |                                                                                                                                                       |  | Sheet<br>3 / 4 |                                         |                          |  |            |      |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |  |          |                                                                                       |  |                |                      |  |                      |                            |           |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------|---------------------------------------------------------------------------------------|--|----------------|----------------------|--|----------------------|----------------------------|-----------|--|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |          |                                                                                       |  |                |                      |  |                      |                            | 2019      |  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |          |  |  |                | Revision description |  |                      |                            |           |  |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |          |                                                                                       |  |                | Format<br>B          |  | Part no.<br>ENSCOUR6 |                            | REV<br>A. |  |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |          |                                                                                       |  |                |                      |  |                      |                            |           |  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  |          | Drawn by<br>O. Marin                                                                  |  |                | 04/10/2018           |  |                      | Title<br><br>ANCHORING KIT |           |  |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |          | Approved by :                                                                         |  |                |                      |  |                      |                            |           |  |
| Weight :                                                                                                                                                         |  |          |                                                                                       |  |                |                      |  |                      |                            |           |  |
| Client                                                                                                                                                           |  | # Projet |                                                                                       |  | Sheet<br>4 / 4 |                      |  |                      |                            |           |  |



CAPACITY CHART FOR NN06330358 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 361               | 12             | 1008              | 18             | 1819              | 24             | 2737              | 30             | 3721              | 36             | 4737              | 42             | 5753              | 48             | 6737              | 54             | 7655              | 60             | 8466              |
| 1/8            | 2                 | 6 1/8          | 372               | 12 1/8         | 1024              | 18 1/8         | 1838              | 24 1/8         | 2757              | 30 1/8         | 3742              | 36 1/8         | 4758              | 42 1/8         | 5774              | 48 1/8         | 6757              | 54 1/8         | 7673              | 60 1/8         | 8481              |
| 1/4            | 4                 | 6 1/4          | 383               | 12 1/4         | 1039              | 18 1/4         | 1856              | 24 1/4         | 2777              | 30 1/4         | 3763              | 36 1/4         | 4780              | 42 1/4         | 5795              | 48 1/4         | 6777              | 54 1/4         | 7691              | 60 1/4         | 8497              |
| 3/8            | 6                 | 6 3/8          | 395               | 12 3/8         | 1055              | 18 3/8         | 1874              | 24 3/8         | 2797              | 30 3/8         | 3784              | 36 3/8         | 4801              | 42 3/8         | 5816              | 48 3/8         | 6797              | 54 3/8         | 7709              | 60 3/8         | 8512              |
| 1/2            | 9                 | 6 1/2          | 406               | 12 1/2         | 1071              | 18 1/2         | 1892              | 24 1/2         | 2817              | 30 1/2         | 3805              | 36 1/2         | 4822              | 42 1/2         | 5837              | 48 1/2         | 6817              | 54 1/2         | 7727              | 60 1/2         | 8527              |
| 5/8            | 13                | 6 5/8          | 418               | 12 5/8         | 1086              | 18 5/8         | 1911              | 24 5/8         | 2837              | 30 5/8         | 3826              | 36 5/8         | 4844              | 42 5/8         | 5858              | 48 5/8         | 6836              | 54 5/8         | 7745              | 60 5/8         | 8542              |
| 3/4            | 16                | 6 3/4          | 430               | 12 3/4         | 1102              | 18 3/4         | 1929              | 24 3/4         | 2857              | 30 3/4         | 3847              | 36 3/4         | 4865              | 42 3/4         | 5878              | 48 3/4         | 6856              | 54 3/4         | 7763              | 60 3/4         | 8557              |
| 7/8            | 20                | 6 7/8          | 442               | 12 7/8         | 1118              | 18 7/8         | 1948              | 24 7/8         | 2877              | 30 7/8         | 3868              | 36 7/8         | 4886              | 42 7/8         | 5899              | 48 7/8         | 6876              | 54 7/8         | 7781              | 60 7/8         | 8572              |
| 1              | 25                | 7              | 454               | 13             | 1134              | 19             | 1966              | 25             | 2898              | 31             | 3889              | 37             | 4907              | 43             | 5920              | 49             | 6896              | 55             | 7799              | 61             | 8587              |
| 1 1/8          | 30                | 7 1/8          | 466               | 13 1/8         | 1150              | 19 1/8         | 1985              | 25 1/8         | 2918              | 31 1/8         | 3910              | 37 1/8         | 4929              | 43 1/8         | 5941              | 49 1/8         | 6915              | 55 1/8         | 7817              | 61 1/8         | 8602              |
| 1 1/4          | 35                | 7 1/4          | 478               | 13 1/4         | 1166              | 19 1/4         | 2003              | 25 1/4         | 2938              | 31 1/4         | 3931              | 37 1/4         | 4950              | 43 1/4         | 5962              | 49 1/4         | 6935              | 55 1/4         | 7834              | 61 1/4         | 8617              |
| 1 3/8          | 40                | 7 3/8          | 490               | 13 3/8         | 1182              | 19 3/8         | 2022              | 25 3/8         | 2958              | 31 3/8         | 3952              | 37 3/8         | 4971              | 43 3/8         | 5983              | 49 3/8         | 6955              | 55 3/8         | 7852              | 61 3/8         | 8632              |
| 1 1/2          | 45                | 7 1/2          | 503               | 13 1/2         | 1198              | 19 1/2         | 2041              | 25 1/2         | 2978              | 31 1/2         | 3974              | 37 1/2         | 4992              | 43 1/2         | 6003              | 49 1/2         | 6974              | 55 1/2         | 7870              | 61 1/2         | 8646              |
| 1 5/8          | 51                | 7 5/8          | 515               | 13 5/8         | 1215              | 19 5/8         | 2059              | 25 5/8         | 2999              | 31 5/8         | 3995              | 37 5/8         | 5014              | 43 5/8         | 6024              | 49 5/8         | 6994              | 55 5/8         | 7887              | 61 5/8         | 8661              |
| 1 3/4          | 57                | 7 3/4          | 528               | 13 3/4         | 1231              | 19 3/4         | 2078              | 25 3/4         | 3019              | 31 3/4         | 4016              | 37 3/4         | 5035              | 43 3/4         | 6045              | 49 3/4         | 7013              | 55 3/4         | 7905              | 61 3/4         | 8675              |
| 1 7/8          | 63                | 7 7/8          | 541               | 13 7/8         | 1247              | 19 7/8         | 2097              | 25 7/8         | 3039              | 31 7/8         | 4037              | 37 7/8         | 5056              | 43 7/8         | 6066              | 49 7/8         | 7033              | 55 7/8         | 7922              | 61 7/8         | 8689              |
| 2              | 70                | 8              | 554               | 14             | 1264              | 20             | 2116              | 26             | 3060              | 32             | 4058              | 38             | 5077              | 44             | 6086              | 50             | 7052              | 56             | 7940              | 62             | 8704              |
| 2 1/8          | 76                | 8 1/8          | 566               | 14 1/8         | 1280              | 20 1/8         | 2134              | 26 1/8         | 3080              | 32 1/8         | 4079              | 38 1/8         | 5099              | 44 1/8         | 6107              | 50 1/8         | 7072              | 56 1/8         | 7957              | 62 1/8         | 8718              |
| 2 1/4          | 83                | 8 1/4          | 579               | 14 1/4         | 1297              | 20 1/4         | 2153              | 26 1/4         | 3100              | 32 1/4         | 4100              | 38 1/4         | 5120              | 44 1/4         | 6128              | 50 1/4         | 7091              | 56 1/4         | 7974              | 62 1/4         | 8732              |
| 2 3/8          | 90                | 8 3/8          | 592               | 14 3/8         | 1313              | 20 3/8         | 2172              | 26 3/8         | 3121              | 32 3/8         | 4121              | 38 3/8         | 5141              | 44 3/8         | 6148              | 50 3/8         | 7110              | 56 3/8         | 7991              | 62 3/8         | 8746              |
| 2 1/2          | 97                | 8 1/2          | 606               | 14 1/2         | 1330              | 20 1/2         | 2191              | 26 1/2         | 3141              | 32 1/2         | 4143              | 38 1/2         | 5162              | 44 1/2         | 6169              | 50 1/2         | 7130              | 56 1/2         | 8009              | 62 1/2         | 8760              |
| 2 5/8          | 105               | 8 5/8          | 619               | 14 5/8         | 1347              | 20 5/8         | 2210              | 26 5/8         | 3162              | 32 5/8         | 4164              | 38 5/8         | 5183              | 44 5/8         | 6189              | 50 5/8         | 7149              | 56 5/8         | 8026              | 62 5/8         | 8774              |
| 2 3/4          | 112               | 8 3/4          | 632               | 14 3/4         | 1364              | 20 3/4         | 2229              | 26 3/4         | 3182              | 32 3/4         | 4185              | 38 3/4         | 5205              | 44 3/4         | 6210              | 50 3/4         | 7168              | 56 3/4         | 8043              | 62 3/4         | 8788              |
| 2 7/8          | 120               | 8 7/8          | 646               | 14 7/8         | 1381              | 20 7/8         | 2249              | 26 7/8         | 3203              | 32 7/8         | 4206              | 38 7/8         | 5226              | 44 7/8         | 6231              | 50 7/8         | 7187              | 56 7/8         | 8060              | 62 7/8         | 8801              |
| 3              | 128               | 9              | 659               | 15             | 1397              | 21             | 2268              | 27             | 3223              | 33             | 4227              | 39             | 5247              | 45             | 6251              | 51             | 7207              | 57             | 8077              | 63             | 8815              |
| 3 1/8          | 136               | 9 1/8          | 673               | 15 1/8         | 1414              | 21 1/8         | 2287              | 27 1/8         | 3244              | 33 1/8         | 4248              | 39 1/8         | 5268              | 45 1/8         | 6272              | 51 1/8         | 7226              | 57 1/8         | 8094              | 63 1/8         | 8829              |
| 3 1/4          | 144               | 9 1/4          | 687               | 15 1/4         | 1431              | 21 1/4         | 2306              | 27 1/4         | 3264              | 33 1/4         | 4270              | 39 1/4         | 5289              | 45 1/4         | 6292              | 51 1/4         | 7245              | 57 1/4         | 8111              | 63 1/4         | 8842              |
| 3 3/8          | 152               | 9 3/8          | 700               | 15 3/8         | 1449              | 21 3/8         | 2325              | 27 3/8         | 3285              | 33 3/8         | 4291              | 39 3/8         | 5311              | 45 3/8         | 6313              | 51 3/8         | 7264              | 57 3/8         | 8127              | 63 3/8         | 8855              |
| 3 1/2          | 161               | 9 1/2          | 714               | 15 1/2         | 1466              | 21 1/2         | 2345              | 27 1/2         | 3305              | 33 1/2         | 4312              | 39 1/2         | 5332              | 45 1/2         | 6333              | 51 1/2         | 7283              | 57 1/2         | 8144              | 63 1/2         | 8869              |
| 3 5/8          | 170               | 9 5/8          | 728               | 15 5/8         | 1483              | 21 5/8         | 2364              | 27 5/8         | 3326              | 33 5/8         | 4333              | 39 5/8         | 5353              | 45 5/8         | 6354              | 51 5/8         | 7302              | 57 5/8         | 8161              | 63 5/8         | 8882              |
| 3 3/4          | 178               | 9 3/4          | 742               | 15 3/4         | 1500              | 21 3/4         | 2383              | 27 3/4         | 3347              | 33 3/4         | 4355              | 39 3/4         | 5374              | 45 3/4         | 6374              | 51 3/4         | 7321              | 57 3/4         | 8177              | 63 3/4         | 8895              |
| 3 7/8          | 187               | 9 7/8          | 756               | 15 7/8         | 1517              | 21 7/8         | 2403              | 27 7/8         | 3367              | 33 7/8         | 4376              | 39 7/8         | 5395              | 45 7/8         | 6394              | 51 7/8         | 7340              | 57 7/8         | 8194              | 63 7/8         | 8908              |
| 4              | 197               | 10             | 771               | 16             | 1535              | 22             | 2422              | 28             | 3388              | 34             | 4397              | 40             | 5416              | 46             | 6415              | 52             | 7359              | 58             | 8211              | 64             | 8921              |
| 4 1/8          | 206               | 10 1/8         | 785               | 16 1/8         | 1552              | 22 1/8         | 2442              | 28 1/8         | 3409              | 34 1/8         | 4418              | 40 1/8         | 5438              | 46 1/8         | 6435              | 52 1/8         | 7378              | 58 1/8         | 8227              | 64 1/8         | 8934              |
| 4 1/4          | 215               | 10 1/4         | 799               | 16 1/4         | 1570              | 22 1/4         | 2461              | 28 1/4         | 3430              | 34 1/4         | 4439              | 40 1/4         | 5459              | 46 1/4         | 6455              | 52 1/4         | 7396              | 58 1/4         | 8243              | 64 1/4         | 8946              |
| 4 3/8          | 225               | 10 3/8         | 814               | 16 3/8         | 1587              | 22 3/8         | 2481              | 28 3/8         | 3450              | 34 3/8         | 4461              | 40 3/8         | 5480              | 46 3/8         | 6476              | 52 3/8         | 7415              | 58 3/8         | 8260              | 64 3/8         | 8959              |
| 4 1/2          | 235               | 10 1/2         | 828               | 16 1/2         | 1605              | 22 1/2         | 2500              | 28 1/2         | 3471              | 34 1/2         | 4482              | 40 1/2         | 5501              | 46 1/2         | 6496              | 52 1/2         | 7434              | 58 1/2         | 8276              | 64 1/2         | 8971              |
| 4 5/8          | 244               | 10 5/8         | 843               | 16 5/8         | 1622              | 22 5/8         | 2520              | 28 5/8         | 3492              | 34 5/8         | 4503              | 40 5/8         | 5522              | 46 5/8         | 6516              | 52 5/8         | 7452              | 58 5/8         | 8292              | 64 5/8         | 8984              |
| 4 3/4          | 254               | 10 3/4         | 857               | 16 3/4         | 1640              | 22 3/4         | 2539              | 28 3/4         | 3513              | 34 3/4         | 4524              | 40 3/4         | 5543              | 46 3/4         | 6536              | 52 3/4         | 7471              | 58 3/4         | 8308              | 64 3/4         | 8996              |
| 4 7/8          | 264               | 10 7/8         | 872               | 16 7/8         | 1658              | 22 7/8         | 2559              | 28 7/8         | 3533              | 34 7/8         | 4546              | 40 7/8         | 5564              | 46 7/8         | 6557              | 52 7/8         | 7490              | 58 7/8         | 8324              | 64 7/8         | 9008              |
| 5              | 275               | 11             | 887               | 17             | 1675              | 23             | 2579              | 29             | 3554              | 35             | 4567              | 41             | 5585              | 47             | 6577              | 53             | 7508              | 59             | 8340              | 65             | 9021              |
| 5 1/8          | 285               | 11 1/8         | 902               | 17 1/8         | 1693              | 23 1/8         | 2598              | 29 1/8         | 3575              | 35 1/8         | 4588              | 41 1/8         | 5606              | 47 1/8         | 6597              | 53 1/8         | 7527              | 59 1/8         | 8356              | 65 1/8         | 9033              |
| 5 1/4          | 295               | 11 1/4         | 917               | 17 1/4         | 1711              | 23 1/4         | 2618              | 29 1/4         | 3596              | 35 1/4         | 4610              | 41 1/4         | 5627              | 47 1/4         | 6617              | 53 1/4         | 7545              | 59 1/4         | 8372              | 65 1/4         | 9045              |
| 5 3/8          | 306               | 11 3/8         | 932               | 17 3/8         | 1729              | 23 3/8         | 2638              | 29 3/8         | 3617              | 35 3/8         | 4631              | 41 3/8         | 5648              | 47 3/8         | 6637              | 53 3/8         | 7564              | 59 3/8         | 8388              | 65 3/8         | 9056              |
| 5 1/2          | 317               | 11 1/2         | 947               | 17 1/2         | 1747              | 23 1/2         | 2658              | 29 1/2         | 3638              | 35 1/2         | 4652              | 41 1/2         | 5669              | 47 1/2         | 6657              | 53 1/2         | 7582              | 59 1/2         | 8404              | 65 1/2         | 9068              |
| 5 5/8          | 327               | 11 5/8         | 962               | 17 5/8         | 1765              | 23 5/8         | 2678              | 29 5/8         | 3658              | 35 5/8         | 4673              | 41 5/8         | 5690              | 47 5/8         | 6677              | 53 5/8         | 7600              | 59 5/8         | 8419              | 65 5/8         | 9080              |
| 5 3/4          | 338               | 11 3/4         | 978               | 17 3/4         | 1783              | 23 3/4         | 2697              | 29 3/4         | 3679              | 35 3/4         | 4695              | 41 3/4         | 5711              | 47 3/4         | 6697              | 53 3/4         | 7619              | 59 3/4         | 8435              | 65 3/4         | 9091              |
| 5 7/8          | 349               | 11 7/8         | 993               | 17 7/8         | 1801              | 23 7/8         | 2717              | 29 7/8         | 3700              | 35 7/8         | 4716              | 41 7/8         | 5732              | 47 7/8         | 6717              | 53 7/8         | 7637              | 59 7/8         | 8451              | 65 7/8         | 9103              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06330358 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 9114              | 67             | 9200              | 68             | 9278              | 69             | 9347              | 70             | 9405              | 71             | 9449              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 9125              | 67 1/8         | 9210              | 68 1/8         | 9287              | 69 1/8         | 9354              | 70 1/8         | 9411              | 71 1/8         | 9454              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 9136              | 67 1/4         | 9220              | 68 1/4         | 9296              | 69 1/4         | 9362              | 70 1/4         | 9417              | 71 1/4         | 9458              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 9147              | 67 3/8         | 9230              | 68 3/8         | 9305              | 69 3/8         | 9370              | 70 3/8         | 9423              | 71 3/8         | 9462              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 9158              | 67 1/2         | 9240              | 68 1/2         | 9313              | 69 1/2         | 9377              | 70 1/2         | 9429              | 71 1/2         | 9465              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 9168              | 67 5/8         | 9250              | 68 5/8         | 9322              | 69 5/8         | 9384              | 70 5/8         | 9434              | 71 5/8         | 9468              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 9179              | 67 3/4         | 9259              | 68 3/4         | 9330              | 69 3/4         | 9391              | 70 3/4         | 9440              | 71 3/4         | 9471              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 9189              | 67 7/8         | 9268              | 68 7/8         | 9338              | 69 7/8         | 9398              | 70 7/8         | 9445              | 71 7/8         | 9473              |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%