


**NN06340370FS**

FIBERGLASS TANK  
 TOTAL CAPACITY : 9740 US gal  
 NOMINAL CAPACITY (EFFECTIVE) : 8766 US gal





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                        |  |                            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|----------------------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                        |  |                            | 2019 |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  <div>GRANBY<br/>COMPOSITES</div> |  | Revision description       |      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                        |  |                            |      |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                        |  |                            |      |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                                                   |  | Format                     |      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                                                        |  | Part no.                   |      |
| 0.00 -> ± 0.1 DEG.                                                                                                                                               |  | 19/01/2024                                                                                                             |  | REV                        |      |
| Weight :                                                                                                                                                         |  | Approved by :                                                                                                          |  | 02 .                       |      |
| 4175 Lb                                                                                                                                                          |  |                                                                                                                        |  | Title                      |      |
| Client                                                                                                                                                           |  | # Project                                                                                                              |  | 6' Dia. TANK - 9740 US gal |      |
|                                                                                                                                                                  |  | Sheet                                                                                                                  |  |                            |      |
|                                                                                                                                                                  |  | 1 / 4                                                                                                                  |  |                            |      |

| Item | Part Number            | Qty | Description                                        | Check List |
|------|------------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001             | 2   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001             | 2   | LIFTING LUG                                        |            |
| 3    | AEDPL52500             | 1   | Polylok PL-525 PREFILTER                           |            |
| 4    | ENSCOUR6               | 6   | ANCHORING KIT                                      |            |
| 5    | FPT0400801             | 1   | 4" SCH.80 - UNTHREADED T GREY                      |            |
| 6    | GMHE30-COVER01         | 2   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 7    | MH-30 (6"L.)           | 2   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 8    | MHE-30 (54"L.)         | 2   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 9    | MUR06                  | 1   | 06' DIA. - WALL                                    |            |
| 10   | TP80400G01 (12"L.)     | 1   | 4" SCH.80 - GREY PVC PIPE                          |            |
| 11   | TP80400G01 (24"L.)     | 1   | 4" SCH.80 - GREY PVC PIPE                          |            |
| 12   | TP80400G01 (48"L.)     | 1   | 4" SCH.80 - GREY PVC PIPE                          |            |
| 13   | TP80400G01 (53"L.)     | 1   | 4" SCH.80 - GREY PVC PIPE                          |            |
| 14   | TP80600G01 (34.875"L.) | 1   | 6" SCH.80 - GREY PVC PIPE                          |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



SECTION ELEVATION VIEW

Optional anchoring depending on the tank's environment


**Technical informations**

- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72"
- (If required) Quantity of fiberglass anchoring straps : 6
- (If required) Quantity of reinforced concrete deadman anchors : 12
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal.
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 35 kPa

The tank must be installed in accordance with the manufacturer's instructions.  
\*\*\*Optional effluent filter PL-525.\*\*\*

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |           |                                                                                                                   |                                         |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |           |                                                                                                                   |                                         |                          | 2019       |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"<br><br>0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                     |           |  <b>GRANBY</b><br>COMPOSITES | Revision description                    |                          |            |
|                                                                                                                                                                  |           |                                                                                                                   | Format<br><b>B</b>                      | Part no.<br>NN06340370FS | REV<br>02. |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.<br><br>0.00 -> ± 0.1 DEG.                                                                      |           | Drawn by<br><b>O. Marin</b>                                                                                       | 19/01/2024                              |                          |            |
| Weight :<br><b>4175 Lb</b>                                                                                                                                       |           | Approved by :                                                                                                     | Title<br><br>6' Dia. TANK - 9740 US gal |                          |            |
| Client                                                                                                                                                           | # Project | Sheet<br>2 / 4                                                                                                    |                                         |                          |            |



PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |           |                                                                                                                               |  |                |                                         |                          |  |            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|-------------------------------------------------------------------------------------------------------------------------------|--|----------------|-----------------------------------------|--------------------------|--|------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |           |                                                                                                                               |  |                |                                         |                          |  |            | 2019 |
| <div>TOLERANCES (LINEAR)</div> <div>FEET DIM. -&gt; ± 1%<br/>0.0 -&gt; ± 0.5"</div> <div>0.00 -&gt; ± 0.25"<br/>0.000 -&gt; ± 0.125"</div>                       |  |           | <div> <b>GRANBY</b><br/>COMPOSITES</div> |  |                | Revision description                    |                          |  |            |      |
|                                                                                                                                                                  |  |           |                                                                                                                               |  |                | Format<br><b>B</b>                      | Part no.<br>NN06340370FS |  | REV<br>02. |      |
| <div>TOLERANCES (ANGULAR)</div> <div>0 -&gt; ± 2 DEG.<br/>0.0 -&gt; ± 0.5 DEG.</div> <div>0.00 -&gt; ± 0.1 DEG.</div>                                            |  |           | <div>Drawn by<br/><b>O. Marin</b></div>                                                                                       |  |                | 19/01/2024                              |                          |  |            |      |
| <div>Weight :<br/><b>4175 Lb</b></div>                                                                                                                           |  |           | <div>Approved by :</div>                                                                                                      |  |                | Title<br><br>6' Dia. TANK - 9740 US gal |                          |  |            |      |
| Client                                                                                                                                                           |  | # Project |                                                                                                                               |  | Sheet<br>3 / 4 |                                         |                          |  |            |      |



- 

## Fiberglass Strap Guide

---

### Directly installed on the tank



CAPACITY CHART FOR NN06340370 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 371               | 12             | 1038              | 18             | 1871              | 24             | 2815              | 30             | 3826              | 36             | 4870              | 42             | 5915              | 48             | 6926              | 54             | 7869              | 60             | 8703              |
| 1/8            | 2                 | 6 1/8          | 383               | 12 1/8         | 1053              | 18 1/8         | 1890              | 24 1/8         | 2836              | 30 1/8         | 3848              | 36 1/8         | 4892              | 42 1/8         | 5936              | 48 1/8         | 6946              | 54 1/8         | 7888              | 60 1/8         | 8719              |
| 1/4            | 4                 | 6 1/4          | 394               | 12 1/4         | 1069              | 18 1/4         | 1909              | 24 1/4         | 2856              | 30 1/4         | 3869              | 36 1/4         | 4914              | 42 1/4         | 5958              | 48 1/4         | 6967              | 54 1/4         | 7907              | 60 1/4         | 8735              |
| 3/8            | 6                 | 6 3/8          | 406               | 12 3/8         | 1085              | 18 3/8         | 1928              | 24 3/8         | 2877              | 30 3/8         | 3891              | 36 3/8         | 4936              | 42 3/8         | 5979              | 48 3/8         | 6987              | 54 3/8         | 7925              | 60 3/8         | 8751              |
| 1/2            | 9                 | 6 1/2          | 418               | 12 1/2         | 1102              | 18 1/2         | 1947              | 24 1/2         | 2897              | 30 1/2         | 3913              | 36 1/2         | 4958              | 42 1/2         | 6001              | 48 1/2         | 7008              | 54 1/2         | 7944              | 60 1/2         | 8766              |
| 5/8            | 13                | 6 5/8          | 430               | 12 5/8         | 1118              | 18 5/8         | 1965              | 24 5/8         | 2918              | 30 5/8         | 3934              | 36 5/8         | 4980              | 42 5/8         | 6022              | 48 5/8         | 7028              | 54 5/8         | 7962              | 60 5/8         | 8782              |
| 3/4            | 17                | 6 3/4          | 442               | 12 3/4         | 1134              | 18 3/4         | 1984              | 24 3/4         | 2938              | 30 3/4         | 3956              | 36 3/4         | 5002              | 42 3/4         | 6043              | 48 3/4         | 7048              | 54 3/4         | 7981              | 60 3/4         | 8797              |
| 7/8            | 21                | 6 7/8          | 455               | 12 7/8         | 1150              | 18 7/8         | 2003              | 24 7/8         | 2959              | 30 7/8         | 3977              | 36 7/8         | 5023              | 42 7/8         | 6065              | 48 7/8         | 7069              | 54 7/8         | 7999              | 60 7/8         | 8813              |
| 1              | 26                | 7              | 467               | 13             | 1167              | 19             | 2022              | 25             | 2980              | 31             | 3999              | 37             | 5045              | 43             | 6086              | 49             | 7089              | 55             | 8017              | 61             | 8828              |
| 1 1/8          | 30                | 7 1/8          | 480               | 13 1/8         | 1183              | 19 1/8         | 2041              | 25 1/8         | 3001              | 31 1/8         | 4021              | 37 1/8         | 5067              | 43 1/8         | 6108              | 49 1/8         | 7109              | 55 1/8         | 8036              | 61 1/8         | 8843              |
| 1 1/4          | 36                | 7 1/4          | 492               | 13 1/4         | 1200              | 19 1/4         | 2061              | 25 1/4         | 3021              | 31 1/4         | 4042              | 37 1/4         | 5089              | 43 1/4         | 6129              | 49 1/4         | 7129              | 55 1/4         | 8054              | 61 1/4         | 8859              |
| 1 3/8          | 41                | 7 3/8          | 505               | 13 3/8         | 1216              | 19 3/8         | 2080              | 25 3/8         | 3042              | 31 3/8         | 4064              | 37 3/8         | 5111              | 43 3/8         | 6150              | 49 3/8         | 7150              | 55 3/8         | 8072              | 61 3/8         | 8874              |
| 1 1/2          | 47                | 7 1/2          | 518               | 13 1/2         | 1233              | 19 1/2         | 2099              | 25 1/2         | 3063              | 31 1/2         | 4086              | 37 1/2         | 5133              | 43 1/2         | 6172              | 49 1/2         | 7170              | 55 1/2         | 8090              | 61 1/2         | 8889              |
| 1 5/8          | 53                | 7 5/8          | 530               | 13 5/8         | 1250              | 19 5/8         | 2118              | 25 5/8         | 3084              | 31 5/8         | 4107              | 37 5/8         | 5155              | 43 5/8         | 6193              | 49 5/8         | 7190              | 55 5/8         | 8108              | 61 5/8         | 8904              |
| 1 3/4          | 59                | 7 3/4          | 543               | 13 3/4         | 1266              | 19 3/4         | 2137              | 25 3/4         | 3105              | 31 3/4         | 4129              | 37 3/4         | 5176              | 43 3/4         | 6214              | 49 3/4         | 7210              | 55 3/4         | 8126              | 61 3/4         | 8918              |
| 1 7/8          | 65                | 7 7/8          | 557               | 13 7/8         | 1283              | 19 7/8         | 2157              | 25 7/8         | 3126              | 31 7/8         | 4151              | 37 7/8         | 5198              | 43 7/8         | 6236              | 49 7/8         | 7230              | 55 7/8         | 8144              | 61 7/8         | 8933              |
| 2              | 72                | 8              | 570               | 14             | 1300              | 20             | 2176              | 26             | 3146              | 32             | 4172              | 38             | 5220              | 44             | 6257              | 50             | 7250              | 56             | 8162              | 62             | 8948              |
| 2 1/8          | 79                | 8 1/8          | 583               | 14 1/8         | 1317              | 20 1/8         | 2195              | 26 1/8         | 3167              | 32 1/8         | 4194              | 38 1/8         | 5242              | 44 1/8         | 6278              | 50 1/8         | 7270              | 56 1/8         | 8180              | 62 1/8         | 8962              |
| 2 1/4          | 86                | 8 1/4          | 596               | 14 1/4         | 1334              | 20 1/4         | 2215              | 26 1/4         | 3188              | 32 1/4         | 4216              | 38 1/4         | 5264              | 44 1/4         | 6299              | 50 1/4         | 7290              | 56 1/4         | 8198              | 62 1/4         | 8977              |
| 2 3/8          | 93                | 8 3/8          | 610               | 14 3/8         | 1351              | 20 3/8         | 2234              | 26 3/8         | 3209              | 32 3/8         | 4238              | 38 3/8         | 5286              | 44 3/8         | 6321              | 50 3/8         | 7310              | 56 3/8         | 8215              | 62 3/8         | 8991              |
| 2 1/2          | 100               | 8 1/2          | 623               | 14 1/2         | 1369              | 20 1/2         | 2254              | 26 1/2         | 3230              | 32 1/2         | 4259              | 38 1/2         | 5307              | 44 1/2         | 6342              | 50 1/2         | 7329              | 56 1/2         | 8233              | 62 1/2         | 9006              |
| 2 5/8          | 108               | 8 5/8          | 637               | 14 5/8         | 1386              | 20 5/8         | 2273              | 26 5/8         | 3251              | 32 5/8         | 4281              | 38 5/8         | 5329              | 44 5/8         | 6363              | 50 5/8         | 7349              | 56 5/8         | 8251              | 62 5/8         | 9020              |
| 2 3/4          | 116               | 8 3/4          | 651               | 14 3/4         | 1403              | 20 3/4         | 2293              | 26 3/4         | 3272              | 32 3/4         | 4303              | 38 3/4         | 5351              | 44 3/4         | 6384              | 50 3/4         | 7369              | 56 3/4         | 8268              | 62 3/4         | 9034              |
| 2 7/8          | 123               | 8 7/8          | 665               | 14 7/8         | 1420              | 20 7/8         | 2313              | 26 7/8         | 3293              | 32 7/8         | 4325              | 38 7/8         | 5373              | 44 7/8         | 6405              | 50 7/8         | 7389              | 56 7/8         | 8286              | 62 7/8         | 9048              |
| 3              | 132               | 9              | 679               | 15             | 1438              | 21             | 2332              | 27             | 3315              | 33             | 4346              | 39             | 5395              | 45             | 6426              | 51             | 7409              | 57             | 8303              | 63             | 9062              |
| 3 1/8          | 140               | 9 1/8          | 693               | 15 1/8         | 1455              | 21 1/8         | 2352              | 27 1/8         | 3336              | 33 1/8         | 4368              | 39 1/8         | 5416              | 45 1/8         | 6447              | 51 1/8         | 7428              | 57 1/8         | 8321              | 63 1/8         | 9076              |
| 3 1/4          | 148               | 9 1/4          | 707               | 15 1/4         | 1473              | 21 1/4         | 2372              | 27 1/4         | 3357              | 33 1/4         | 4390              | 39 1/4         | 5438              | 45 1/4         | 6469              | 51 1/4         | 7448              | 57 1/4         | 8338              | 63 1/4         | 9090              |
| 3 3/8          | 157               | 9 3/8          | 721               | 15 3/8         | 1490              | 21 3/8         | 2392              | 27 3/8         | 3378              | 33 3/8         | 4412              | 39 3/8         | 5460              | 45 3/8         | 6490              | 51 3/8         | 7467              | 57 3/8         | 8355              | 63 3/8         | 9104              |
| 3 1/2          | 166               | 9 1/2          | 735               | 15 1/2         | 1508              | 21 1/2         | 2411              | 27 1/2         | 3399              | 33 1/2         | 4434              | 39 1/2         | 5482              | 45 1/2         | 6511              | 51 1/2         | 7487              | 57 1/2         | 8372              | 63 1/2         | 9118              |
| 3 5/8          | 175               | 9 5/8          | 749               | 15 5/8         | 1526              | 21 5/8         | 2431              | 27 5/8         | 3420              | 33 5/8         | 4455              | 39 5/8         | 5503              | 45 5/8         | 6532              | 51 5/8         | 7507              | 57 5/8         | 8390              | 63 5/8         | 9131              |
| 3 3/4          | 184               | 9 3/4          | 764               | 15 3/4         | 1543              | 21 3/4         | 2451              | 27 3/4         | 3441              | 33 3/4         | 4477              | 39 3/4         | 5525              | 45 3/4         | 6553              | 51 3/4         | 7526              | 57 3/4         | 8407              | 63 3/4         | 9145              |
| 3 7/8          | 193               | 9 7/8          | 778               | 15 7/8         | 1561              | 21 7/8         | 2471              | 27 7/8         | 3463              | 33 7/8         | 4499              | 39 7/8         | 5547              | 45 7/8         | 6574              | 51 7/8         | 7545              | 57 7/8         | 8424              | 63 7/8         | 9158              |
| 4              | 202               | 10             | 793               | 16             | 1579              | 22             | 2491              | 28             | 3484              | 34             | 4521              | 40             | 5568              | 46             | 6595              | 52             | 7565              | 58             | 8441              | 64             | 9171              |
| 4 1/8          | 212               | 10 1/8         | 808               | 16 1/8         | 1597              | 22 1/8         | 2511              | 28 1/8         | 3505              | 34 1/8         | 4543              | 40 1/8         | 5590              | 46 1/8         | 6615              | 52 1/8         | 7584              | 58 1/8         | 8458              | 64 1/8         | 9184              |
| 4 1/4          | 222               | 10 1/4         | 822               | 16 1/4         | 1615              | 22 1/4         | 2531              | 28 1/4         | 3527              | 34 1/4         | 4565              | 40 1/4         | 5612              | 46 1/4         | 6636              | 52 1/4         | 7604              | 58 1/4         | 8474              | 64 1/4         | 9197              |
| 4 3/8          | 231               | 10 3/8         | 837               | 16 3/8         | 1633              | 22 3/8         | 2551              | 28 3/8         | 3548              | 34 3/8         | 4586              | 40 3/8         | 5634              | 46 3/8         | 6657              | 52 3/8         | 7623              | 58 3/8         | 8491              | 64 3/8         | 9210              |
| 4 1/2          | 241               | 10 1/2         | 852               | 16 1/2         | 1651              | 22 1/2         | 2571              | 28 1/2         | 3569              | 34 1/2         | 4608              | 40 1/2         | 5655              | 46 1/2         | 6678              | 52 1/2         | 7642              | 58 1/2         | 8508              | 64 1/2         | 9223              |
| 4 5/8          | 252               | 10 5/8         | 867               | 16 5/8         | 1669              | 22 5/8         | 2591              | 28 5/8         | 3591              | 34 5/8         | 4630              | 40 5/8         | 5677              | 46 5/8         | 6699              | 52 5/8         | 7661              | 58 5/8         | 8525              | 64 5/8         | 9236              |
| 4 3/4          | 262               | 10 3/4         | 882               | 16 3/4         | 1687              | 22 3/4         | 2612              | 28 3/4         | 3612              | 34 3/4         | 4652              | 40 3/4         | 5699              | 46 3/4         | 6720              | 52 3/4         | 7680              | 58 3/4         | 8541              | 64 3/4         | 9249              |
| 4 7/8          | 272               | 10 7/8         | 898               | 16 7/8         | 1705              | 22 7/8         | 2632              | 28 7/8         | 3633              | 34 7/8         | 4674              | 40 7/8         | 5720              | 46 7/8         | 6740              | 52 7/8         | 7700              | 58 7/8         | 8558              | 64 7/8         | 9261              |
| 5              | 283               | 11             | 913               | 17             | 1724              | 23             | 2652              | 29             | 3655              | 35             | 4696              | 41             | 5742              | 47             | 6761              | 53             | 7719              | 59             | 8574              | 65             | 9274              |
| 5 1/8          | 293               | 11 1/8         | 928               | 17 1/8         | 1742              | 23 1/8         | 2672              | 29 1/8         | 3676              | 35 1/8         | 4717              | 41 1/8         | 5764              | 47 1/8         | 6782              | 53 1/8         | 7738              | 59 1/8         | 8591              | 65 1/8         | 9286              |
| 5 1/4          | 304               | 11 1/4         | 944               | 17 1/4         | 1760              | 23 1/4         | 2693              | 29 1/4         | 3698              | 35 1/4         | 4739              | 41 1/4         | 5785              | 47 1/4         | 6802              | 53 1/4         | 7757              | 59 1/4         | 8607              | 65 1/4         | 9298              |
| 5 3/8          | 315               | 11 3/8         | 959               | 17 3/8         | 1779              | 23 3/8         | 2713              | 29 3/8         | 3719              | 35 3/8         | 4761              | 41 3/8         | 5807              | 47 3/8         | 6823              | 53 3/8         | 7775              | 59 3/8         | 8623              | 65 3/8         | 9311              |
| 5 1/2          | 326               | 11 1/2         | 975               | 17 1/2         | 1797              | 23 1/2         | 2733              | 29 1/2         | 3740              | 35 1/2         | 4783              | 41 1/2         | 5828              | 47 1/2         | 6844              | 53 1/2         | 7794              | 59 1/2         | 8639              | 65 1/2         | 9323              |
| 5 5/8          | 337               | 11 5/8         | 990               | 17 5/8         | 1816              | 23 5/8         | 2754              | 29 5/8         | 3762              | 35 5/8         | 4805              | 41 5/8         | 5850              | 47 5/8         | 6864              | 53 5/8         | 7813              | 59 5/8         | 8655              | 65 5/8         | 9335              |
| 5 3/4          | 348               | 11 3/4         | 1006              | 17 3/4         | 1834              | 23 3/4         | 2774              | 29 3/4         | 3783              | 35 3/4         | 4827              | 41 3/4         | 5871              | 47 3/4         | 6885              | 53 3/4         | 7832              | 59 3/4         | 8672              | 65 3/4         | 9346              |
| 5 7/8          | 360               | 11 7/8         | 1022              | 17 7/8         | 1853              | 23 7/8         | 2795              | 29 7/8         | 3805              | 35 7/8         | 4849              | 41 7/8         | 5893              | 47 7/8         | 6905              | 53 7/8         | 7851              | 59 7/8         | 8688              | 65 7/8         | 9358              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06340370 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 9370              | 67             | 9458              | 68             | 9538              | 69             | 9609              | 70             | 9669              | 71             | 9715              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 9381              | 67 1/8         | 9469              | 68 1/8         | 9548              | 69 1/8         | 9617              | 70 1/8         | 9676              | 71 1/8         | 9720              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 9393              | 67 1/4         | 9479              | 68 1/4         | 9557              | 69 1/4         | 9625              | 70 1/4         | 9682              | 71 1/4         | 9724              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 9404              | 67 3/8         | 9489              | 68 3/8         | 9566              | 69 3/8         | 9633              | 70 3/8         | 9688              | 71 3/8         | 9728              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 9415              | 67 1/2         | 9499              | 68 1/2         | 9575              | 69 1/2         | 9641              | 70 1/2         | 9694              | 71 1/2         | 9732              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 9426              | 67 5/8         | 9509              | 68 5/8         | 9584              | 69 5/8         | 9648              | 70 5/8         | 9700              | 71 5/8         | 9735              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 9437              | 67 3/4         | 9519              | 68 3/4         | 9593              | 69 3/4         | 9655              | 70 3/4         | 9705              | 71 3/4         | 9737              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 9448              | 67 7/8         | 9529              | 68 7/8         | 9601              | 69 7/8         | 9662              | 70 7/8         | 9710              | 71 7/8         | 9739              |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%