


**NN06350378FP**

FIBERGLASS TANK  
 TOTAL CAPACITY : 10007 US gal  
 NET CAPACITY : 9626 US gal





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                        |  |                             |          |              |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|-----------------------------|----------|--------------|-----|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                        |  |                             | 2019     |              |     |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  <div>GRANBY<br/>COMPOSITES</div> |  | Revision description        |          |              |     |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                        |  |                             |          |              |     |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                        |  | Format                      | Part no. | REV          |     |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                                                   |  | B                           |          | NN06350378FP | 02. |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                                                        |  | 15/01/2024                  |          | Title        |     |
| Weight :                                                                                                                                                         |  | Approved by :                                                                                                          |  | 6' Dia. TANK - 10007 US gal |          |              |     |
| 3934 Lb                                                                                                                                                          |  |                                                                                                                        |  |                             |          |              |     |
| Client                                                                                                                                                           |  | # Project                                                                                                              |  | Sheet                       |          | 1 / 4        |     |

| Item | Part Number            | Qty | Description                                        | Check List |
|------|------------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001             | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001             | 2   | LIFTING LUG                                        |            |
| 3    | ENSCOUR6               | 6   | ANCHORING KIT                                      |            |
| 4    | EV480J                 | 1   | 4" SCH. 80 VENT KIT WITH GAUGE AND SST BIRD SCREEN |            |
| 5    | FPU0600401             | 1   | 6" F X 6" F - SCH.40 - COUPLING GRAY               |            |
| 6    | GMHE30-COVER01         | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 7    | KB-BNH0600090          | 1   | 6"NH 90° - FIRE HYDRANT KIT                        |            |
| 8    | MH-30 (6"L.)           | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 9    | MHE-30 (54"L.)         | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 10   | PFV01313               | 1   | 0.5" x 13.25" x 13.25" - ANTI-VORTEX PLATE         |            |
| 11   | TP80400G01 (4.25"L.)   | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 12   | TP80600G01 (65.203"L.) | 1   | 6" SCH.80 GREY PVC PIPE                            |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



SECTION ELEVATION VIEW

Optional anchoring depending on the tank's environment


Technical informations

- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72
- (If required) Quantity of fiberglass anchoring straps : 6
- (If required) Quantity of reinforced concrete deadman anchors : 12
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 5psig

The tank must be installed in accordance with the manufacturer's instructions.

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST



|                                                                                                                                                                  |  |                                                                                       |  |                                      |                                 |                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|--------------------------------------|---------------------------------|------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                       |  |                                      | 2019                            |                  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |  | Revision description                 |                                 |                  |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                       |  | 0.00 -> ± 0.25"<br>0.000 -> ± 0.125" |                                 |                  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br><b>O. Marin</b>                                                           |  | Format<br><b>B</b>                   | Part no.<br><b>NN06350378FP</b> | REV<br><b>02</b> |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                       |  | 15/01/2024                           |                                 |                  |
| Weight :<br><b>3934 Lb</b>                                                                                                                                       |  | Approved by :                                                                         |  | Title                                |                                 |                  |
| Client                                                                                                                                                           |  | # Project                                                                             |  | 6' Dia. TANK - 10007 US gal          |                                 |                  |
|                                                                                                                                                                  |  |                                                                                       |  | Sheet<br><b>2 / 4</b>                |                                 |                  |



PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                        |  |                      |      |                             |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|----------------------|------|-----------------------------|-------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                        |  |                      | 2019 |                             |             |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  <div>GRANBY<br/>COMPOSITES</div> |  | Revision description |      |                             |             |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                        |  |                      |      |                             |             |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                        |  |                      |      |                             |             |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                                                   |  | Format<br>B          |      | Part no.<br>NN06350378FP    | REV<br>02 . |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                                                        |  | 15/01/2024           |      |                             |             |
| Weight :<br>3934 Lb                                                                                                                                              |  | Approved by :                                                                                                          |  | Title                |      |                             |             |
| Client                                                                                                                                                           |  | # Project                                                                                                              |  | Sheet<br>3 / 4       |      | 6' Dia. TANK - 10007 US gal |             |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |  |           |                                                                                       |  |            |                       |                                   |  |  |      |                      |  |                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|---------------------------------------------------------------------------------------|--|------------|-----------------------|-----------------------------------|--|--|------|----------------------|--|------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |           |                                                                                       |  |            |                       |                                   |  |  | 2019 |                      |  |                  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |           |  |  |            |                       | Revision description              |  |  |      |                      |  |                  |
| FEET DIM. -> ± 1%                                                                                                                                                |  |           |                                                                                       |  |            |                       | Format<br><b>B</b>                |  |  |      | Part no.<br>ENSCOUR6 |  | REV<br><b>A.</b> |
| 0.0 -> ± 0.5"                                                                                                                                                    |  |           |                                                                                       |  |            |                       |                                   |  |  |      |                      |  |                  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  |           | Drawn by<br><b>O. Marin</b>                                                           |  | 04/10/2018 |                       | Title<br><br><b>ANCHORING KIT</b> |  |  |      |                      |  |                  |
| 0 -> ± 2 DEG.                                                                                                                                                    |  |           | Approved by :                                                                         |  |            |                       |                                   |  |  |      |                      |  |                  |
| 0.0 -> ± 0.5 DEG.                                                                                                                                                |  |           |                                                                                       |  |            |                       |                                   |  |  |      |                      |  |                  |
| Weight :                                                                                                                                                         |  |           |                                                                                       |  |            |                       |                                   |  |  |      |                      |  |                  |
| Client                                                                                                                                                           |  | # Project |                                                                                       |  |            | Sheet<br><b>4 / 4</b> |                                   |  |  |      |                      |  |                  |



CAPACITY CHART FOR NN06350378 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 382               | 12             | 1067              | 18             | 1924              | 24             | 2893              | 30             | 3932              | 36             | 5004              | 42             | 6076              | 48             | 7115              | 54             | 8084              | 60             | 8941              |
| 1/8            | 2                 | 6 1/8          | 394               | 12 1/8         | 1083              | 18 1/8         | 1943              | 24 1/8         | 2914              | 30 1/8         | 3954              | 36 1/8         | 5026              | 42 1/8         | 6098              | 48 1/8         | 7136              | 54 1/8         | 8103              | 60 1/8         | 8957              |
| 1/4            | 4                 | 6 1/4          | 406               | 12 1/4         | 1099              | 18 1/4         | 1962              | 24 1/4         | 2935              | 30 1/4         | 3976              | 36 1/4         | 5049              | 42 1/4         | 6120              | 48 1/4         | 7157              | 54 1/4         | 8122              | 60 1/4         | 8973              |
| 3/8            | 6                 | 6 3/8          | 418               | 12 3/8         | 1116              | 18 3/8         | 1981              | 24 3/8         | 2956              | 30 3/8         | 3998              | 36 3/8         | 5071              | 42 3/8         | 6142              | 48 3/8         | 7178              | 54 3/8         | 8141              | 60 3/8         | 8989              |
| 1/2            | 10                | 6 1/2          | 430               | 12 1/2         | 1133              | 18 1/2         | 2001              | 24 1/2         | 2977              | 30 1/2         | 4020              | 36 1/2         | 5094              | 42 1/2         | 6164              | 48 1/2         | 7199              | 54 1/2         | 8160              | 60 1/2         | 9005              |
| 5/8            | 13                | 6 5/8          | 443               | 12 5/8         | 1149              | 18 5/8         | 2020              | 24 5/8         | 2998              | 30 5/8         | 4042              | 36 5/8         | 5116              | 42 5/8         | 6186              | 48 5/8         | 7220              | 54 5/8         | 8179              | 60 5/8         | 9021              |
| 3/4            | 17                | 6 3/4          | 455               | 12 3/4         | 1166              | 18 3/4         | 2040              | 24 3/4         | 3020              | 30 3/4         | 4064              | 36 3/4         | 5138              | 42 3/4         | 6208              | 48 3/4         | 7240              | 54 3/4         | 8198              | 60 3/4         | 9037              |
| 7/8            | 22                | 6 7/8          | 468               | 12 7/8         | 1183              | 18 7/8         | 2059              | 24 7/8         | 3041              | 30 7/8         | 4087              | 36 7/8         | 5161              | 42 7/8         | 6230              | 48 7/8         | 7261              | 54 7/8         | 8217              | 60 7/8         | 9053              |
| 1              | 26                | 7              | 480               | 13             | 1200              | 19             | 2079              | 25             | 3062              | 31             | 4109              | 37             | 5183              | 43             | 6252              | 49             | 7282              | 55             | 8236              | 61             | 9069              |
| 1 1/8          | 31                | 7 1/8          | 493               | 13 1/8         | 1216              | 19 1/8         | 2098              | 25 1/8         | 3083              | 31 1/8         | 4131              | 37 1/8         | 5206              | 43 1/8         | 6274              | 49 1/8         | 7303              | 55 1/8         | 8255              | 61 1/8         | 9085              |
| 1 1/4          | 37                | 7 1/4          | 506               | 13 1/4         | 1233              | 19 1/4         | 2118              | 25 1/4         | 3105              | 31 1/4         | 4153              | 37 1/4         | 5228              | 43 1/4         | 6296              | 49 1/4         | 7324              | 55 1/4         | 8273              | 61 1/4         | 9100              |
| 1 3/8          | 42                | 7 3/8          | 519               | 13 3/8         | 1250              | 19 3/8         | 2137              | 25 3/8         | 3126              | 31 3/8         | 4176              | 37 3/8         | 5251              | 43 3/8         | 6318              | 49 3/8         | 7344              | 55 3/8         | 8292              | 61 3/8         | 9116              |
| 1 1/2          | 48                | 7 1/2          | 532               | 13 1/2         | 1268              | 19 1/2         | 2157              | 25 1/2         | 3147              | 31 1/2         | 4198              | 37 1/2         | 5273              | 43 1/2         | 6340              | 49 1/2         | 7365              | 55 1/2         | 8311              | 61 1/2         | 9131              |
| 1 5/8          | 54                | 7 5/8          | 546               | 13 5/8         | 1285              | 19 5/8         | 2177              | 25 5/8         | 3169              | 31 5/8         | 4220              | 37 5/8         | 5296              | 43 5/8         | 6362              | 49 5/8         | 7386              | 55 5/8         | 8329              | 61 5/8         | 9146              |
| 1 3/4          | 60                | 7 3/4          | 559               | 13 3/4         | 1302              | 19 3/4         | 2197              | 25 3/4         | 3190              | 31 3/4         | 4242              | 37 3/4         | 5318              | 43 3/4         | 6384              | 49 3/4         | 7406              | 55 3/4         | 8348              | 61 3/4         | 9162              |
| 1 7/8          | 67                | 7 7/8          | 572               | 13 7/8         | 1319              | 19 7/8         | 2217              | 25 7/8         | 3212              | 31 7/8         | 4265              | 37 7/8         | 5340              | 43 7/8         | 6406              | 49 7/8         | 7427              | 55 7/8         | 8366              | 61 7/8         | 9177              |
| 2              | 74                | 8              | 586               | 14             | 1337              | 20             | 2236              | 26             | 3233              | 32             | 4287              | 38             | 5363              | 44             | 6428              | 50             | 7447              | 56             | 8384              | 62             | 9192              |
| 2 1/8          | 81                | 8 1/8          | 600               | 14 1/8         | 1354              | 20 1/8         | 2256              | 26 1/8         | 3255              | 32 1/8         | 4309              | 38 1/8         | 5385              | 44 1/8         | 6449              | 50 1/8         | 7468              | 56 1/8         | 8403              | 62 1/8         | 9207              |
| 2 1/4          | 88                | 8 1/4          | 613               | 14 1/4         | 1372              | 20 1/4         | 2276              | 26 1/4         | 3276              | 32 1/4         | 4332              | 38 1/4         | 5408              | 44 1/4         | 6471              | 50 1/4         | 7488              | 56 1/4         | 8421              | 62 1/4         | 9222              |
| 2 3/8          | 95                | 8 3/8          | 627               | 14 3/8         | 1389              | 20 3/8         | 2296              | 26 3/8         | 3298              | 32 3/8         | 4354              | 38 3/8         | 5430              | 44 3/8         | 6493              | 50 3/8         | 7509              | 56 3/8         | 8439              | 62 3/8         | 9237              |
| 2 1/2          | 103               | 8 1/2          | 641               | 14 1/2         | 1407              | 20 1/2         | 2316              | 26 1/2         | 3319              | 32 1/2         | 4376              | 38 1/2         | 5452              | 44 1/2         | 6515              | 50 1/2         | 7529              | 56 1/2         | 8457              | 62 1/2         | 9252              |
| 2 5/8          | 111               | 8 5/8          | 655               | 14 5/8         | 1425              | 20 5/8         | 2337              | 26 5/8         | 3341              | 32 5/8         | 4399              | 38 5/8         | 5475              | 44 5/8         | 6537              | 50 5/8         | 7550              | 56 5/8         | 8476              | 62 5/8         | 9266              |
| 2 3/4          | 119               | 8 3/4          | 669               | 14 3/4         | 1442              | 20 3/4         | 2357              | 26 3/4         | 3363              | 32 3/4         | 4421              | 38 3/4         | 5497              | 44 3/4         | 6558              | 50 3/4         | 7570              | 56 3/4         | 8494              | 62 3/4         | 9281              |
| 2 7/8          | 127               | 8 7/8          | 683               | 14 7/8         | 1460              | 20 7/8         | 2377              | 26 7/8         | 3384              | 32 7/8         | 4443              | 38 7/8         | 5520              | 44 7/8         | 6580              | 50 7/8         | 7590              | 56 7/8         | 8512              | 62 7/8         | 9295              |
| 3              | 135               | 9              | 698               | 15             | 1478              | 21             | 2397              | 27             | 3406              | 33             | 4466              | 39             | 5542              | 45             | 6602              | 51             | 7610              | 57             | 8530              | 63             | 9310              |
| 3 1/8          | 144               | 9 1/8          | 712               | 15 1/8         | 1496              | 21 1/8         | 2417              | 27 1/8         | 3428              | 33 1/8         | 4488              | 39 1/8         | 5564              | 45 1/8         | 6623              | 51 1/8         | 7631              | 57 1/8         | 8547              | 63 1/8         | 9324              |
| 3 1/4          | 153               | 9 1/4          | 727               | 15 1/4         | 1514              | 21 1/4         | 2438              | 27 1/4         | 3449              | 33 1/4         | 4510              | 39 1/4         | 5587              | 45 1/4         | 6645              | 51 1/4         | 7651              | 57 1/4         | 8565              | 63 1/4         | 9338              |
| 3 3/8          | 161               | 9 3/8          | 741               | 15 3/8         | 1532              | 21 3/8         | 2458              | 27 3/8         | 3471              | 33 3/8         | 4533              | 39 3/8         | 5609              | 45 3/8         | 6667              | 51 3/8         | 7671              | 57 3/8         | 8583              | 63 3/8         | 9352              |
| 3 1/2          | 171               | 9 1/2          | 756               | 15 1/2         | 1550              | 21 1/2         | 2478              | 27 1/2         | 3493              | 33 1/2         | 4555              | 39 1/2         | 5631              | 45 1/2         | 6688              | 51 1/2         | 7691              | 57 1/2         | 8601              | 63 1/2         | 9366              |
| 3 5/8          | 180               | 9 5/8          | 771               | 15 5/8         | 1568              | 21 5/8         | 2499              | 27 5/8         | 3514              | 33 5/8         | 4577              | 39 5/8         | 5654              | 45 5/8         | 6710              | 51 5/8         | 7711              | 57 5/8         | 8618              | 63 5/8         | 9380              |
| 3 3/4          | 189               | 9 3/4          | 786               | 15 3/4         | 1586              | 21 3/4         | 2519              | 27 3/4         | 3536              | 33 3/4         | 4600              | 39 3/4         | 5676              | 45 3/4         | 6731              | 51 3/4         | 7731              | 57 3/4         | 8636              | 63 3/4         | 9394              |
| 3 7/8          | 199               | 9 7/8          | 800               | 15 7/8         | 1605              | 21 7/8         | 2540              | 27 7/8         | 3558              | 33 7/8         | 4622              | 39 7/8         | 5698              | 45 7/8         | 6753              | 51 7/8         | 7751              | 57 7/8         | 8653              | 63 7/8         | 9408              |
| 4              | 208               | 10             | 815               | 16             | 1623              | 22             | 2560              | 28             | 3580              | 34             | 4645              | 40             | 5721              | 46             | 6774              | 52             | 7771              | 58             | 8671              | 64             | 9422              |
| 4 1/8          | 218               | 10 1/8         | 831               | 16 1/8         | 1641              | 22 1/8         | 2581              | 28 1/8         | 3602              | 34 1/8         | 4667              | 40 1/8         | 5743              | 46 1/8         | 6796              | 52 1/8         | 7791              | 58 1/8         | 8688              | 64 1/8         | 9435              |
| 4 1/4          | 228               | 10 1/4         | 846               | 16 1/4         | 1660              | 22 1/4         | 2601              | 28 1/4         | 3624              | 34 1/4         | 4690              | 40 1/4         | 5765              | 46 1/4         | 6817              | 52 1/4         | 7811              | 58 1/4         | 8705              | 64 1/4         | 9449              |
| 4 3/8          | 238               | 10 3/8         | 861               | 16 3/8         | 1678              | 22 3/8         | 2622              | 28 3/8         | 3645              | 34 3/8         | 4712              | 40 3/8         | 5787              | 46 3/8         | 6839              | 52 3/8         | 7831              | 58 3/8         | 8723              | 64 3/8         | 9462              |
| 4 1/2          | 248               | 10 1/2         | 876               | 16 1/2         | 1697              | 22 1/2         | 2642              | 28 1/2         | 3667              | 34 1/2         | 4734              | 40 1/2         | 5810              | 46 1/2         | 6860              | 52 1/2         | 7850              | 58 1/2         | 8740              | 64 1/2         | 9475              |
| 4 5/8          | 259               | 10 5/8         | 892               | 16 5/8         | 1716              | 22 5/8         | 2663              | 28 5/8         | 3689              | 34 5/8         | 4757              | 40 5/8         | 5832              | 46 5/8         | 6881              | 52 5/8         | 7870              | 58 5/8         | 8757              | 64 5/8         | 9488              |
| 4 3/4          | 269               | 10 3/4         | 907               | 16 3/4         | 1734              | 22 3/4         | 2684              | 28 3/4         | 3711              | 34 3/4         | 4779              | 40 3/4         | 5854              | 46 3/4         | 6903              | 52 3/4         | 7890              | 58 3/4         | 8774              | 64 3/4         | 9501              |
| 4 7/8          | 280               | 10 7/8         | 923               | 16 7/8         | 1753              | 22 7/8         | 2705              | 28 7/8         | 3733              | 34 7/8         | 4802              | 40 7/8         | 5876              | 46 7/8         | 6924              | 52 7/8         | 7909              | 58 7/8         | 8791              | 64 7/8         | 9514              |
| 5              | 291               | 11             | 939               | 17             | 1772              | 23             | 2725              | 29             | 3755              | 35             | 4824              | 41             | 5899              | 47             | 6945              | 53             | 7929              | 59             | 8808              | 65             | 9527              |
| 5 1/8          | 302               | 11 1/8         | 954               | 17 1/8         | 1790              | 23 1/8         | 2746              | 29 1/8         | 3777              | 35 1/8         | 4847              | 41 1/8         | 5921              | 47 1/8         | 6967              | 53 1/8         | 7948              | 59 1/8         | 8825              | 65 1/8         | 9540              |
| 5 1/4          | 313               | 11 1/4         | 970               | 17 1/4         | 1809              | 23 1/4         | 2767              | 29 1/4         | 3799              | 35 1/4         | 4869              | 41 1/4         | 5943              | 47 1/4         | 6988              | 53 1/4         | 7968              | 59 1/4         | 8842              | 65 1/4         | 9552              |
| 5 3/8          | 324               | 11 3/8         | 986               | 17 3/8         | 1828              | 23 3/8         | 2788              | 29 3/8         | 3821              | 35 3/8         | 4891              | 41 3/8         | 5965              | 47 3/8         | 7009              | 53 3/8         | 7987              | 59 3/8         | 8858              | 65 3/8         | 9565              |
| 5 1/2          | 335               | 11 1/2         | 1002              | 17 1/2         | 1847              | 23 1/2         | 2809              | 29 1/2         | 3843              | 35 1/2         | 4914              | 41 1/2         | 5987              | 47 1/2         | 7030              | 53 1/2         | 8007              | 59 1/2         | 8875              | 65 1/2         | 9577              |
| 5 5/8          | 347               | 11 5/8         | 1018              | 17 5/8         | 1866              | 23 5/8         | 2830              | 29 5/8         | 3865              | 35 5/8         | 4936              | 41 5/8         | 6010              | 47 5/8         | 7051              | 53 5/8         | 8026              | 59 5/8         | 8892              | 65 5/8         | 9590              |
| 5 3/4          | 358               | 11 3/4         | 1034              | 17 3/4         | 1885              | 23 3/4         | 2851              | 29 3/4         | 3887              | 35 3/4         | 4959              | 41 3/4         | 6032              | 47 3/4         | 7073              | 53 3/4         | 8045              | 59 3/4         | 8908              | 65 3/4         | 9602              |
| 5 7/8          | 370               | 11 7/8         | 1050              | 17 7/8         | 1904              | 23 7/8         | 2872              | 29 7/8         | 3909              | 35 7/8         | 4981              | 41 7/8         | 6054              | 47 7/8         | 7094              | 53 7/8         | 8065              | 59 7/8         | 8924              | 65 7/8         | 9614              |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06350378 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 9626              | 67             | 9717              | 68             | 9799              | 69             | 9872              | 70             | 9934              | 71             | 9981              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 9638              | 67 1/8         | 9728              | 68 1/8         | 9809              | 69 1/8         | 9880              | 70 1/8         | 9940              | 71 1/8         | 9986              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 9649              | 67 1/4         | 9738              | 68 1/4         | 9818              | 69 1/4         | 9889              | 70 1/4         | 9947              | 71 1/4         | 9990              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 9661              | 67 3/8         | 9749              | 68 3/8         | 9828              | 69 3/8         | 9897              | 70 3/8         | 9953              | 71 3/8         | 9994              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 9672              | 67 1/2         | 9759              | 68 1/2         | 9837              | 69 1/2         | 9904              | 70 1/2         | 9959              | 71 1/2         | 9998              |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 9684              | 67 5/8         | 9769              | 68 5/8         | 9846              | 69 5/8         | 9912              | 70 5/8         | 9965              | 71 5/8         | 10001             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 9695              | 67 3/4         | 9779              | 68 3/4         | 9855              | 69 3/4         | 9919              | 70 3/4         | 9971              | 71 3/4         | 10004             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 9706              | 67 7/8         | 9789              | 68 7/8         | 9864              | 69 7/8         | 9927              | 70 7/8         | 9976              | 71 7/8         | 10006             |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%