


**NN06370398EU**

FIBERGLASS TANK





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                   |  |                                          |  |                    |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|------------------------------------------|--|--------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  |                                          |  | 2019               |                          |            |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ±1%<br>0.0 -> ±0.5"                                                                                                   |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description                     |  |                    |                          |            |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                |  | Drawn by<br><b>O. Marin</b>                                                                                       |  | 20/12/2023                               |  | Format<br><b>B</b> | Part no.<br>NN06370398EU | REV<br>02. |
| Weight :<br><b>4049 Lb</b>                                                                                                                                       |  | Approved by :                                                                                                     |  | Title<br><br>6' Dia. TANK - 10540 US gal |  |                    |                          |            |
| Client                                                                                                                                                           |  | # Projet                                                                                                          |  | Sheet<br>1 / 4                           |  |                    |                          |            |

| Item | Part Number          | Qty | Description                                        | Check List |
|------|----------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001           | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001           | 2   | LIFTING LUG                                        |            |
| 3    | ENSCOUR6             | 7   | ANCHORING KIT                                      |            |
| 4    | EV480                | 1   | 4" SCH. 80 VENT KIT                                |            |
| 5    | GMHE30-COVER01       | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 6    | MH-30 (6"L.)         | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 7    | MHE-30 (54"L.)       | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 8    | PFV01414             | 1   | 0.5" x 13.5" x 13.5" ANTI-VORTEX PLATE             |            |
| 9    | TP80400G01 (36"L.)   | 2   | 4" SCH.80 GREY PVC PIPE                            |            |
| 10   | TP80400G01 (4.25"L.) | 1   | 4" SCH.80 GREY PVC PIPE                            |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



Optional anchoring depending on the tank's environment

SECTION ELEVATION VIEW

Technical informations

- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72"
- (If required) Quantity of fiberglass anchoring straps : 7
- (If required) Quantity of reinforced concrete deadman anchors : 14
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 35 kPa



The tank must be installed in accordance with the manufacturer's instructions.

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST


|                                                                                                                                                                  |           |                                                                                                                   |                                          |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------|------------------------------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |           |                                                                                                                   |                                          |                          | 2019       |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"<br><br>0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                     |           |  <b>GRANBY</b><br>COMPOSITES | Revision description                     |                          |            |
|                                                                                                                                                                  |           |                                                                                                                   | Format<br><b>B</b>                       | Part no.<br>NN06370398EU | REV<br>02. |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.<br><br>0.00 -> ± 0.1 DEG.                                                                      |           | Drawn by<br><b>O. Marin</b>                                                                                       | 20/12/2023                               |                          |            |
| Weight :<br><b>4049 Lb</b>                                                                                                                                       |           | Approved by :                                                                                                     | Title<br><br>6' Dia. TANK - 10540 US gal |                          |            |
| Client                                                                                                                                                           | # Project | Sheet<br>2 / 4                                                                                                    |                                          |                          |            |



|                                                                                                                                                                  |  |                                                                                                                   |  |                                          |                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|------------------------------------------|--------------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  |                                          | 2019                     |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"<br><br>0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                     |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description                     |                          |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.<br><br>0.00 -> ± 0.1 DEG.                                                                      |  | Drawn by<br><b>O. Marin</b><br><br>20/12/2023                                                                     |  | Format<br><b>B</b>                       | Part no.<br>NN06370398EU |
| Weight :<br><b>4049 Lb</b>                                                                                                                                       |  | Approved by :                                                                                                     |  | REV<br>02 .                              |                          |
| Client                                                                                                                                                           |  | # Projet                                                                                                          |  | Title<br><br>6' Dia. TANK - 10540 US gal |                          |
|                                                                                                                                                                  |  | Sheet<br>3 / 4                                                                                                    |  |                                          |                          |



## ITEM : ENSCOUR6



Fiberglass Strap Guide

Directly installed on the tank

### Turnbuckle

- Forged carbon steel, hot-dip galvanized
- In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
- Safety factor 5:1
- Working load 5,200 Lbs

### Concrete deadman anchor

- Weight : 1,093 Lbs
- Reinforced with galvanized steel

### Fiberglass strap

- High quality fiberglass
- Working load 20,000 Lbs
- Ultimate rated 45,000 Lbs
- Equipped with galvanized steel rings

|                                                                                                                                                                  |  |                             |  |                      |               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------|--|----------------------|---------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                             |  |                      | 2019          |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                 |  | <b>GRANBY</b><br>COMPOSITES |  | Revision description |               |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                |  | Drawn by<br><b>O. Marin</b> |  | 04/10/2018           | REV<br>A.     |
| Weight :                                                                                                                                                         |  | Approved by :               |  | Title                |               |
| Client                                                                                                                                                           |  | # Projet                    |  | Sheet<br>4 / 4       | ANCHORING KIT |



CAPACITY CHART FOR NN06370398 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 403               | 12             | 1125              | 18             | 2028              | 24             | 3048              | 30             | 4142              | 36             | 5270              | 42             | 6399              | 48             | 7492              | 54             | 8513              | 60             | 9416              |
| 1/8            | 2                 | 6 1/8          | 416               | 12 1/8         | 1142              | 18 1/8         | 2048              | 24 1/8         | 3071              | 30 1/8         | 4165              | 36 1/8         | 5294              | 42 1/8         | 6422              | 48 1/8         | 7514              | 54 1/8         | 8533              | 60 1/8         | 9433              |
| 1/4            | 4                 | 6 1/4          | 428               | 12 1/4         | 1160              | 18 1/4         | 2068              | 24 1/4         | 3093              | 30 1/4         | 4188              | 36 1/4         | 5318              | 42 1/4         | 6445              | 48 1/4         | 7537              | 54 1/4         | 8553              | 60 1/4         | 9450              |
| 3/8            | 7                 | 6 3/8          | 441               | 12 3/8         | 1177              | 18 3/8         | 2089              | 24 3/8         | 3115              | 30 3/8         | 4212              | 36 3/8         | 5341              | 42 3/8         | 6469              | 48 3/8         | 7559              | 54 3/8         | 8573              | 60 3/8         | 9467              |
| 1/2            | 10                | 6 1/2          | 454               | 12 1/2         | 1195              | 18 1/2         | 2109              | 24 1/2         | 3137              | 30 1/2         | 4235              | 36 1/2         | 5365              | 42 1/2         | 6492              | 48 1/2         | 7581              | 54 1/2         | 8593              | 60 1/2         | 9484              |
| 5/8            | 14                | 6 5/8          | 467               | 12 5/8         | 1212              | 18 5/8         | 2129              | 24 5/8         | 3160              | 30 5/8         | 4258              | 36 5/8         | 5388              | 42 5/8         | 6515              | 48 5/8         | 7603              | 54 5/8         | 8613              | 60 5/8         | 9501              |
| 3/4            | 18                | 6 3/4          | 480               | 12 3/4         | 1230              | 18 3/4         | 2150              | 24 3/4         | 3182              | 30 3/4         | 4282              | 36 3/4         | 5412              | 42 3/4         | 6538              | 48 3/4         | 7625              | 54 3/4         | 8633              | 60 3/4         | 9517              |
| 7/8            | 23                | 6 7/8          | 494               | 12 7/8         | 1247              | 18 7/8         | 2170              | 24 7/8         | 3204              | 30 7/8         | 4305              | 36 7/8         | 5436              | 42 7/8         | 6561              | 48 7/8         | 7647              | 54 7/8         | 8653              | 60 7/8         | 9534              |
| 1              | 28                | 7              | 507               | 13             | 1265              | 19             | 2191              | 25             | 3227              | 31             | 4328              | 37             | 5459              | 43             | 6585              | 49             | 7669              | 55             | 8673              | 61             | 9551              |
| 1 1/8          | 33                | 7 1/8          | 521               | 13 1/8         | 1283              | 19 1/8         | 2212              | 25 1/8         | 3249              | 31 1/8         | 4352              | 37 1/8         | 5483              | 43 1/8         | 6608              | 49 1/8         | 7690              | 55 1/8         | 8693              | 61 1/8         | 9567              |
| 1 1/4          | 39                | 7 1/4          | 534               | 13 1/4         | 1301              | 19 1/4         | 2232              | 25 1/4         | 3271              | 31 1/4         | 4375              | 37 1/4         | 5507              | 43 1/4         | 6631              | 49 1/4         | 7712              | 55 1/4         | 8712              | 61 1/4         | 9584              |
| 1 3/8          | 45                | 7 3/8          | 548               | 13 3/8         | 1319              | 19 3/8         | 2253              | 25 3/8         | 3294              | 31 3/8         | 4399              | 37 3/8         | 5530              | 43 3/8         | 6654              | 49 3/8         | 7734              | 55 3/8         | 8732              | 61 3/8         | 9600              |
| 1 1/2          | 51                | 7 1/2          | 562               | 13 1/2         | 1337              | 19 1/2         | 2274              | 25 1/2         | 3316              | 31 1/2         | 4422              | 37 1/2         | 5554              | 43 1/2         | 6677              | 49 1/2         | 7756              | 55 1/2         | 8752              | 61 1/2         | 9616              |
| 1 5/8          | 57                | 7 5/8          | 576               | 13 5/8         | 1355              | 19 5/8         | 2295              | 25 5/8         | 3339              | 31 5/8         | 4445              | 37 5/8         | 5577              | 43 5/8         | 6700              | 49 5/8         | 7778              | 55 5/8         | 8771              | 61 5/8         | 9632              |
| 1 3/4          | 64                | 7 3/4          | 590               | 13 3/4         | 1373              | 19 3/4         | 2315              | 25 3/4         | 3362              | 31 3/4         | 4469              | 37 3/4         | 5601              | 43 3/4         | 6723              | 49 3/4         | 7799              | 55 3/4         | 8791              | 61 3/4         | 9648              |
| 1 7/8          | 71                | 7 7/8          | 604               | 13 7/8         | 1391              | 19 7/8         | 2336              | 25 7/8         | 3384              | 31 7/8         | 4492              | 37 7/8         | 5625              | 43 7/8         | 6746              | 49 7/8         | 7821              | 55 7/8         | 8810              | 61 7/8         | 9664              |
| 2              | 78                | 8              | 618               | 14             | 1410              | 20             | 2357              | 26             | 3407              | 32             | 4516              | 38             | 5648              | 44             | 6769              | 50             | 7843              | 56             | 8829              | 62             | 9680              |
| 2 1/8          | 85                | 8 1/8          | 633               | 14 1/8         | 1428              | 20 1/8         | 2378              | 26 1/8         | 3429              | 32 1/8         | 4539              | 38 1/8         | 5672              | 44 1/8         | 6792              | 50 1/8         | 7864              | 56 1/8         | 8849              | 62 1/8         | 9696              |
| 2 1/4          | 93                | 8 1/4          | 647               | 14 1/4         | 1446              | 20 1/4         | 2399              | 26 1/4         | 3452              | 32 1/4         | 4563              | 38 1/4         | 5695              | 44 1/4         | 6815              | 50 1/4         | 7886              | 56 1/4         | 8868              | 62 1/4         | 9712              |
| 2 3/8          | 101               | 8 3/8          | 662               | 14 3/8         | 1465              | 20 3/8         | 2420              | 26 3/8         | 3475              | 32 3/8         | 4586              | 38 3/8         | 5719              | 44 3/8         | 6838              | 50 3/8         | 7907              | 56 3/8         | 8887              | 62 3/8         | 9728              |
| 2 1/2          | 109               | 8 1/2          | 676               | 14 1/2         | 1484              | 20 1/2         | 2442              | 26 1/2         | 3497              | 32 1/2         | 4610              | 38 1/2         | 5743              | 44 1/2         | 6861              | 50 1/2         | 7929              | 56 1/2         | 8906              | 62 1/2         | 9743              |
| 2 5/8          | 117               | 8 5/8          | 691               | 14 5/8         | 1502              | 20 5/8         | 2463              | 26 5/8         | 3520              | 32 5/8         | 4633              | 38 5/8         | 5766              | 44 5/8         | 6884              | 50 5/8         | 7950              | 56 5/8         | 8925              | 62 5/8         | 9759              |
| 2 3/4          | 126               | 8 3/4          | 706               | 14 3/4         | 1521              | 20 3/4         | 2484              | 26 3/4         | 3543              | 32 3/4         | 4657              | 38 3/4         | 5790              | 44 3/4         | 6907              | 50 3/4         | 7972              | 56 3/4         | 8944              | 62 3/4         | 9774              |
| 2 7/8          | 134               | 8 7/8          | 721               | 14 7/8         | 1540              | 20 7/8         | 2505              | 26 7/8         | 3566              | 32 7/8         | 4680              | 38 7/8         | 5813              | 44 7/8         | 6929              | 50 7/8         | 7993              | 56 7/8         | 8963              | 62 7/8         | 9789              |
| 3              | 143               | 9              | 736               | 15             | 1558              | 21             | 2526              | 27             | 3588              | 33             | 4704              | 39             | 5837              | 45             | 6952              | 51             | 8014              | 57             | 8982              | 63             | 9804              |
| 3 1/8          | 152               | 9 1/8          | 751               | 15 1/8         | 1577              | 21 1/8         | 2548              | 27 1/8         | 3611              | 33 1/8         | 4727              | 39 1/8         | 5860              | 45 1/8         | 6975              | 51 1/8         | 8036              | 57 1/8         | 9001              | 63 1/8         | 9820              |
| 3 1/4          | 161               | 9 1/4          | 767               | 15 1/4         | 1596              | 21 1/4         | 2569              | 27 1/4         | 3634              | 33 1/4         | 4751              | 39 1/4         | 5884              | 45 1/4         | 6998              | 51 1/4         | 8057              | 57 1/4         | 9020              | 63 1/4         | 9835              |
| 3 3/8          | 171               | 9 3/8          | 782               | 15 3/8         | 1615              | 21 3/8         | 2590              | 27 3/8         | 3657              | 33 3/8         | 4775              | 39 3/8         | 5907              | 45 3/8         | 7021              | 51 3/8         | 8078              | 57 3/8         | 9039              | 63 3/8         | 9849              |
| 3 1/2          | 180               | 9 1/2          | 798               | 15 1/2         | 1634              | 21 1/2         | 2612              | 27 1/2         | 3680              | 33 1/2         | 4798              | 39 1/2         | 5931              | 45 1/2         | 7043              | 51 1/2         | 8099              | 57 1/2         | 9057              | 63 1/2         | 9864              |
| 3 5/8          | 190               | 9 5/8          | 813               | 15 5/8         | 1654              | 21 5/8         | 2633              | 27 5/8         | 3703              | 33 5/8         | 4822              | 39 5/8         | 5954              | 45 5/8         | 7066              | 51 5/8         | 8120              | 57 5/8         | 9076              | 63 5/8         | 9879              |
| 3 3/4          | 200               | 9 3/4          | 829               | 15 3/4         | 1673              | 21 3/4         | 2655              | 27 3/4         | 3726              | 33 3/4         | 4845              | 39 3/4         | 5978              | 45 3/4         | 7089              | 51 3/4         | 8141              | 57 3/4         | 9094              | 63 3/4         | 9894              |
| 3 7/8          | 210               | 9 7/8          | 844               | 15 7/8         | 1692              | 21 7/8         | 2676              | 27 7/8         | 3749              | 33 7/8         | 4869              | 39 7/8         | 6001              | 45 7/8         | 7111              | 51 7/8         | 8162              | 57 7/8         | 9113              | 63 7/8         | 9908              |
| 4              | 220               | 10             | 860               | 16             | 1711              | 22             | 2698              | 28             | 3772              | 34             | 4892              | 40             | 6025              | 46             | 7134              | 52             | 8183              | 58             | 9131              | 64             | 9922              |
| 4 1/8          | 230               | 10 1/8         | 876               | 16 1/8         | 1731              | 22 1/8         | 2720              | 28 1/8         | 3795              | 34 1/8         | 4916              | 40 1/8         | 6048              | 46 1/8         | 7157              | 52 1/8         | 8204              | 58 1/8         | 9149              | 64 1/8         | 9937              |
| 4 1/4          | 241               | 10 1/4         | 892               | 16 1/4         | 1750              | 22 1/4         | 2741              | 28 1/4         | 3818              | 34 1/4         | 4940              | 40 1/4         | 6072              | 46 1/4         | 7179              | 52 1/4         | 8225              | 58 1/4         | 9168              | 64 1/4         | 9951              |
| 4 3/8          | 251               | 10 3/8         | 908               | 16 3/8         | 1770              | 22 3/8         | 2763              | 28 3/8         | 3841              | 34 3/8         | 4963              | 40 3/8         | 6095              | 46 3/8         | 7202              | 52 3/8         | 8246              | 58 3/8         | 9186              | 64 3/8         | 9965              |
| 4 1/2          | 262               | 10 1/2         | 925               | 16 1/2         | 1789              | 22 1/2         | 2785              | 28 1/2         | 3864              | 34 1/2         | 4987              | 40 1/2         | 6119              | 46 1/2         | 7224              | 52 1/2         | 8267              | 58 1/2         | 9204              | 64 1/2         | 9979              |
| 4 5/8          | 273               | 10 5/8         | 941               | 16 5/8         | 1809              | 22 5/8         | 2807              | 28 5/8         | 3887              | 34 5/8         | 5010              | 40 5/8         | 6142              | 46 5/8         | 7247              | 52 5/8         | 8288              | 58 5/8         | 9222              | 64 5/8         | 9993              |
| 4 3/4          | 284               | 10 3/4         | 957               | 16 3/4         | 1828              | 22 3/4         | 2828              | 28 3/4         | 3910              | 34 3/4         | 5034              | 40 3/4         | 6165              | 46 3/4         | 7269              | 52 3/4         | 8308              | 58 3/4         | 9240              | 64 3/4         | 10007             |
| 4 7/8          | 296               | 10 7/8         | 974               | 16 7/8         | 1848              | 22 7/8         | 2850              | 28 7/8         | 3933              | 34 7/8         | 5058              | 40 7/8         | 6189              | 46 7/8         | 7292              | 52 7/8         | 8329              | 58 7/8         | 9258              | 64 7/8         | 10020             |
| 5              | 307               | 11             | 990               | 17             | 1868              | 23             | 2872              | 29             | 3956              | 35             | 5081              | 41             | 6212              | 47             | 7314              | 53             | 8350              | 59             | 9276              | 65             | 10034             |
| 5 1/8          | 319               | 11 1/8         | 1007              | 17 1/8         | 1888              | 23 1/8         | 2894              | 29 1/8         | 3979              | 35 1/8         | 5105              | 41 1/8         | 6236              | 47 1/8         | 7336              | 53 1/8         | 8370              | 59 1/8         | 9293              | 65 1/8         | 10047             |
| 5 1/4          | 330               | 11 1/4         | 1023              | 17 1/4         | 1907              | 23 1/4         | 2916              | 29 1/4         | 4002              | 35 1/4         | 5129              | 41 1/4         | 6259              | 47 1/4         | 7359              | 53 1/4         | 8391              | 59 1/4         | 9311              | 65 1/4         | 10060             |
| 5 3/8          | 342               | 11 3/8         | 1040              | 17 3/8         | 1927              | 23 3/8         | 2938              | 29 3/8         | 4026              | 35 3/8         | 5152              | 41 3/8         | 6282              | 47 3/8         | 7381              | 53 3/8         | 8411              | 59 3/8         | 9329              | 65 3/8         | 10074             |
| 5 1/2          | 354               | 11 1/2         | 1057              | 17 1/2         | 1947              | 23 1/2         | 2960              | 29 1/2         | 4049              | 35 1/2         | 5176              | 41 1/2         | 6306              | 47 1/2         | 7403              | 53 1/2         | 8432              | 59 1/2         | 9346              | 65 1/2         | 10087             |
| 5 5/8          | 366               | 11 5/8         | 1074              | 17 5/8         | 1967              | 23 5/8         | 2982              | 29 5/8         | 4072              | 35 5/8         | 5199              | 41 5/8         | 6329              | 47 5/8         | 7426              | 53 5/8         | 8452              | 59 5/8         | 9364              | 65 5/8         | 10100             |
| 5 3/4          | 378               | 11 3/4         | 1091              | 17 3/4         | 1987              | 23 3/4         | 3004              | 29 3/4         | 4095              | 35 3/4         | 5223              | 41 3/4         | 6352              | 47 3/4         | 7448              | 53 3/4         | 8472              | 59 3/4         | 9381              | 65 3/4         | 10112             |
| 5 7/8          | 391               | 11 7/8         | 1108              | 17 7/8         | 2008              | 23 7/8         | 3026              | 29 7/8         | 4119              | 35 7/8         | 5247              | 41 7/8         | 6376              | 47 7/8         | 7470              | 53 7/8         | 8493              | 59 7/8         | 9398              | 65 7/8         | 10125             |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06370398 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 10138             | 67             | 10234             | 68             | 10321             | 69             | 10398             | 70             | 10463             | 71             | 10513             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 10150             | 67 1/8         | 10245             | 68 1/8         | 10331             | 69 1/8         | 10407             | 70 1/8         | 10470             | 71 1/8         | 10518             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 10162             | 67 1/4         | 10256             | 68 1/4         | 10341             | 69 1/4         | 10415             | 70 1/4         | 10477             | 71 1/4         | 10522             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 10175             | 67 3/8         | 10267             | 68 3/8         | 10351             | 69 3/8         | 10424             | 70 3/8         | 10483             | 71 3/8         | 10527             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 10187             | 67 1/2         | 10278             | 68 1/2         | 10361             | 69 1/2         | 10432             | 70 1/2         | 10490             | 71 1/2         | 10531             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 10199             | 67 5/8         | 10289             | 68 5/8         | 10370             | 69 5/8         | 10440             | 70 5/8         | 10496             | 71 5/8         | 10534             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 10210             | 67 3/4         | 10300             | 68 3/4         | 10379             | 69 3/4         | 10448             | 70 3/4         | 10502             | 71 3/4         | 10537             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 10222             | 67 7/8         | 10310             | 68 7/8         | 10389             | 69 7/8         | 10455             | 70 7/8         | 10508             | 71 7/8         | 10539             |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%