


**NN06380409EP**

FIBERGLASS TANK





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                   |                             |                          |            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------|------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |                             |                          | 2019       |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                 |  |  <b>GRANBY</b><br>COMPOSITES | Revision description        |                          |            |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                   | Format<br><b>B</b>          | Part no.<br>NN06380409EP | REV<br>02. |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                |  | Drawn by<br><b>O. Marin</b>                                                                                       | 19/12/2023                  |                          |            |
| Weight :<br><b>4141 Lb</b>                                                                                                                                       |  | Approved by :                                                                                                     | Title                       |                          |            |
| Client                                                                                                                                                           |  | # Project                                                                                                         | 6' Dia. TANK - 10807 US gal |                          |            |
|                                                                                                                                                                  |  |                                                                                                                   | Sheet<br>1 / 4              |                          |            |

| Item | Part Number          | Qty | Description                                        | Check List |
|------|----------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001           | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001           | 2   | LIFTING LUG                                        |            |
| 3    | ENSCOUR6             | 7   | ANCHORING KIT                                      |            |
| 4    | EV480                | 1   | 4" SCH. 80 VENT KIT WITH SST BIRD SCREEN           |            |
| 5    | GMHE30-COVER01       | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 6    | MH-30 (6"L.)         | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 7    | MHE-30 (54"L.)       | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 8    | PFV01414             | 1   | 0.5" x 13.5" x 13.5" ANTI-VORTEX PLATE             |            |
| 9    | TP80400G01 (4.25"L.) | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 10   | TP80400G01 (36"L.)   | 2   | 4" SCH.80 GREY PVC PIPE                            |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



SECTION ELEVATION VIEW


Optional anchoring depending on the tank's environment

- Technical informations**
- Burrial depth: According to the geotechnical installation conditions
  - Inside Diameter : 72
  - (If required) Quantity of fiberglass anchoring straps : 7
  - (If required) Quantity of reinforced concrete deadman anchors : 14
  - Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
  - The weight on the drawing does not include kits of belts and concrete blocks.
  - HS-20 rated for burial depth from 36 to 84 inches
  - Manufactured according to ANSI-AWWA D120 requirements
  - Manufactured according to NSF-61 requirements for drinking water
  - Airtightness test performed at the factory at 35 kPa

The tank must be installed in accordance with the manufacturer's instructions.

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST


|                                                                                                                                                                  |  |                                                                                       |  |                                      |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|--------------------------------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                       |  |                                      | 2019 |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  |  | Revision description                 |      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                       |  |                                      |      |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                       |  |                                      |      |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                  |  | Format                               |      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                       |  | B                                    |      |
| 0.00 -> ± 0.1 DEG.                                                                                                                                               |  | 19/12/2023                                                                            |  | Part no.<br>NN06380409EP             |      |
| Weight :<br>4141 Lb                                                                                                                                              |  | Approved by :                                                                         |  | REV<br>02.                           |      |
| Client                                                                                                                                                           |  | # Project                                                                             |  | Title<br>6' Dia. TANK - 10807 US gal |      |
|                                                                                                                                                                  |  | Sheet<br>2 / 4                                                                        |  |                                      |      |



PLAN VIEW

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |           |                                                                                                                                 |  |                |                             |                          |  |            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------|---------------------------------------------------------------------------------------------------------------------------------|--|----------------|-----------------------------|--------------------------|--|------------|------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |           |                                                                                                                                 |  |                |                             |                          |  |            | 2019 |
| <div>TOLERANCES (LINEAR)</div> <div>FEET DIM. -&gt; ± 1%<br/>0.0 -&gt; ± 0.5"</div> <div>0.00 -&gt; ± 0.25"<br/>0.000 -&gt; ± 0.125"</div>                       |  |           | <div><div><div></div><div>GRANBY</div><div>COMPOSITES</div></div><div>Drawn by<br/>O. Marin</div><div>Approved by :</div></div> |  |                | Revision description        |                          |  |            |      |
|                                                                                                                                                                  |  |           |                                                                                                                                 |  |                | Format<br>B                 | Part no.<br>NN06380409EP |  | REV<br>02. |      |
| <div>TOLERANCES (ANGULAR)</div> <div>0 -&gt; ± 2 DEG.<br/>0.0 -&gt; ± 0.5 DEG.</div> <div>0.00 -&gt; ± 0.1 DEG.</div>                                            |  |           |                                                                                                                                 |  |                | Title                       |                          |  |            |      |
| Weight :<br>4141 Lb                                                                                                                                              |  |           |                                                                                                                                 |  |                | 6' Dia. TANK - 10807 US gal |                          |  |            |      |
| Client                                                                                                                                                           |  | # Project |                                                                                                                                 |  | Sheet<br>3 / 4 |                             |                          |  |            |      |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |          |                                                                                       |            |                      |                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------|------------|----------------------|----------------------|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |          |                                                                                       |            |                      | 2019                 |
| TOLERANCES (LINEAR)                                                                                                                                              |          |  |            | Revision description |                      |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |          |                                                                                       |            | Format<br>B          | Part no.<br>ENSCOUR6 |
| TOLERANCES (ANGULAR)                                                                                                                                             |          | Drawn by<br>O. Marin                                                                  | 04/10/2018 | Title                |                      |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |          | Approved by :                                                                         |            | ANCHORING KIT        |                      |
| Weight :                                                                                                                                                         |          |                                                                                       |            |                      |                      |
| Client                                                                                                                                                           | # Projet | Sheet                                                                                 | 4 / 4      |                      |                      |



CAPACITY CHART FOR NN06380409 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 414               | 12             | 1154              | 18             | 2080              | 24             | 3126              | 30             | 4247              | 36             | 5404              | 42             | 6560              | 48             | 7681              | 54             | 8727              | 60             | 9653              |
| 1/8            | 2                 | 6 1/8          | 426               | 12 1/8         | 1172              | 18 1/8         | 2101              | 24 1/8         | 3149              | 30 1/8         | 4271              | 36 1/8         | 5428              | 42 1/8         | 6584              | 48 1/8         | 7704              | 54 1/8         | 8748              | 60 1/8         | 9671              |
| 1/4            | 4                 | 6 1/4          | 440               | 12 1/4         | 1190              | 18 1/4         | 2121              | 24 1/4         | 3172              | 30 1/4         | 4295              | 36 1/4         | 5452              | 42 1/4         | 6608              | 48 1/4         | 7726              | 54 1/4         | 8769              | 60 1/4         | 9688              |
| 3/8            | 7                 | 6 3/8          | 453               | 12 3/8         | 1208              | 18 3/8         | 2142              | 24 3/8         | 3194              | 30 3/8         | 4319              | 36 3/8         | 5476              | 42 3/8         | 6632              | 48 3/8         | 7749              | 54 3/8         | 8789              | 60 3/8         | 9705              |
| 1/2            | 10                | 6 1/2          | 466               | 12 1/2         | 1225              | 18 1/2         | 2163              | 24 1/2         | 3217              | 30 1/2         | 4342              | 36 1/2         | 5501              | 42 1/2         | 6656              | 48 1/2         | 7772              | 54 1/2         | 8810              | 60 1/2         | 9723              |
| 5/8            | 14                | 6 5/8          | 479               | 12 5/8         | 1243              | 18 5/8         | 2184              | 24 5/8         | 3240              | 30 5/8         | 4366              | 36 5/8         | 5525              | 42 5/8         | 6679              | 48 5/8         | 7794              | 54 5/8         | 8830              | 60 5/8         | 9740              |
| 3/4            | 19                | 6 3/4          | 493               | 12 3/4         | 1262              | 18 3/4         | 2205              | 24 3/4         | 3263              | 30 3/4         | 4390              | 36 3/4         | 5549              | 42 3/4         | 6703              | 48 3/4         | 7817              | 54 3/4         | 8851              | 60 3/4         | 9757              |
| 7/8            | 23                | 6 7/8          | 507               | 12 7/8         | 1280              | 18 7/8         | 2226              | 24 7/8         | 3286              | 30 7/8         | 4414              | 36 7/8         | 5573              | 42 7/8         | 6727              | 48 7/8         | 7839              | 54 7/8         | 8871              | 60 7/8         | 9774              |
| 1              | 29                | 7              | 520               | 13             | 1298              | 19             | 2247              | 25             | 3309              | 31             | 4438              | 37             | 5597              | 43             | 6751              | 49             | 7862              | 55             | 8891              | 61             | 9791              |
| 1 1/8          | 34                | 7 1/8          | 534               | 13 1/8         | 1316              | 19 1/8         | 2268              | 25 1/8         | 3332              | 31 1/8         | 4462              | 37 1/8         | 5622              | 43 1/8         | 6774              | 49 1/8         | 7884              | 55 1/8         | 8912              | 61 1/8         | 9808              |
| 1 1/4          | 40                | 7 1/4          | 548               | 13 1/4         | 1334              | 19 1/4         | 2290              | 25 1/4         | 3355              | 31 1/4         | 4486              | 37 1/4         | 5646              | 43 1/4         | 6798              | 49 1/4         | 7907              | 55 1/4         | 8932              | 61 1/4         | 9825              |
| 1 3/8          | 46                | 7 3/8          | 562               | 13 3/8         | 1353              | 19 3/8         | 2311              | 25 3/8         | 3378              | 31 3/8         | 4510              | 37 3/8         | 5670              | 43 3/8         | 6822              | 49 3/8         | 7929              | 55 3/8         | 8952              | 61 3/8         | 9842              |
| 1 1/2          | 52                | 7 1/2          | 576               | 13 1/2         | 1371              | 19 1/2         | 2332              | 25 1/2         | 3401              | 31 1/2         | 4534              | 37 1/2         | 5694              | 43 1/2         | 6845              | 49 1/2         | 7951              | 55 1/2         | 8972              | 61 1/2         | 9859              |
| 1 5/8          | 59                | 7 5/8          | 591               | 13 5/8         | 1390              | 19 5/8         | 2353              | 25 5/8         | 3424              | 31 5/8         | 4558              | 37 5/8         | 5718              | 43 5/8         | 6869              | 49 5/8         | 7974              | 55 5/8         | 8992              | 61 5/8         | 9875              |
| 1 3/4          | 66                | 7 3/4          | 605               | 13 3/4         | 1409              | 19 3/4         | 2375              | 25 3/4         | 3447              | 31 3/4         | 4582              | 37 3/4         | 5743              | 43 3/4         | 6893              | 49 3/4         | 7996              | 55 3/4         | 9012              | 61 3/4         | 9892              |
| 1 7/8          | 73                | 7 7/8          | 620               | 13 7/8         | 1427              | 19 7/8         | 2396              | 25 7/8         | 3470              | 31 7/8         | 4606              | 37 7/8         | 5767              | 43 7/8         | 6916              | 49 7/8         | 8018              | 55 7/8         | 9032              | 61 7/8         | 9908              |
| 2              | 80                | 8              | 634               | 14             | 1446              | 20             | 2418              | 26             | 3493              | 32             | 4630              | 38             | 5791              | 44             | 6940              | 50             | 8040              | 56             | 9052              | 62             | 9925              |
| 2 1/8          | 88                | 8 1/8          | 649               | 14 1/8         | 1465              | 20 1/8         | 2439              | 26 1/8         | 3517              | 32 1/8         | 4654              | 38 1/8         | 5815              | 44 1/8         | 6963              | 50 1/8         | 8062              | 56 1/8         | 9072              | 62 1/8         | 9941              |
| 2 1/4          | 95                | 8 1/4          | 664               | 14 1/4         | 1484              | 20 1/4         | 2461              | 26 1/4         | 3540              | 32 1/4         | 4678              | 38 1/4         | 5839              | 44 1/4         | 6987              | 50 1/4         | 8084              | 56 1/4         | 9091              | 62 1/4         | 9957              |
| 2 3/8          | 103               | 8 3/8          | 679               | 14 3/8         | 1503              | 20 3/8         | 2482              | 26 3/8         | 3563              | 32 3/8         | 4703              | 38 3/8         | 5863              | 44 3/8         | 7010              | 50 3/8         | 8106              | 56 3/8         | 9111              | 62 3/8         | 9973              |
| 2 1/2          | 112               | 8 1/2          | 694               | 14 1/2         | 1522              | 20 1/2         | 2504              | 26 1/2         | 3586              | 32 1/2         | 4727              | 38 1/2         | 5888              | 44 1/2         | 7034              | 50 1/2         | 8129              | 56 1/2         | 9131              | 62 1/2         | 9989              |
| 2 5/8          | 120               | 8 5/8          | 709               | 14 5/8         | 1541              | 20 5/8         | 2526              | 26 5/8         | 3610              | 32 5/8         | 4751              | 38 5/8         | 5912              | 44 5/8         | 7057              | 50 5/8         | 8150              | 56 5/8         | 9150              | 62 5/8         | 10005             |
| 2 3/4          | 129               | 8 3/4          | 725               | 14 3/4         | 1560              | 20 3/4         | 2548              | 26 3/4         | 3633              | 32 3/4         | 4775              | 38 3/4         | 5936              | 44 3/4         | 7081              | 50 3/4         | 8172              | 56 3/4         | 9170              | 62 3/4         | 10021             |
| 2 7/8          | 138               | 8 7/8          | 740               | 14 7/8         | 1579              | 20 7/8         | 2569              | 26 7/8         | 3656              | 32 7/8         | 4799              | 38 7/8         | 5960              | 44 7/8         | 7104              | 50 7/8         | 8194              | 56 7/8         | 9189              | 62 7/8         | 10036             |
| 3              | 147               | 9              | 755               | 15             | 1599              | 21             | 2591              | 27             | 3680              | 33             | 4823              | 39             | 5984              | 45             | 7128              | 51             | 8216              | 57             | 9209              | 63             | 10052             |
| 3 1/8          | 156               | 9 1/8          | 771               | 15 1/8         | 1618              | 21 1/8         | 2613              | 27 1/8         | 3703              | 33 1/8         | 4847              | 39 1/8         | 6008              | 45 1/8         | 7151              | 51 1/8         | 8238              | 57 1/8         | 9228              | 63 1/8         | 10067             |
| 3 1/4          | 165               | 9 1/4          | 787               | 15 1/4         | 1637              | 21 1/4         | 2635              | 27 1/4         | 3727              | 33 1/4         | 4871              | 39 1/4         | 6032              | 45 1/4         | 7174              | 51 1/4         | 8260              | 57 1/4         | 9247              | 63 1/4         | 10083             |
| 3 3/8          | 175               | 9 3/8          | 802               | 15 3/8         | 1657              | 21 3/8         | 2657              | 27 3/8         | 3750              | 33 3/8         | 4896              | 39 3/8         | 6057              | 45 3/8         | 7198              | 51 3/8         | 8281              | 57 3/8         | 9266              | 63 3/8         | 10098             |
| 3 1/2          | 185               | 9 1/2          | 818               | 15 1/2         | 1677              | 21 1/2         | 2679              | 27 1/2         | 3773              | 33 1/2         | 4920              | 39 1/2         | 6081              | 45 1/2         | 7221              | 51 1/2         | 8303              | 57 1/2         | 9285              | 63 1/2         | 10113             |
| 3 5/8          | 195               | 9 5/8          | 834               | 15 5/8         | 1696              | 21 5/8         | 2701              | 27 5/8         | 3797              | 33 5/8         | 4944              | 39 5/8         | 6105              | 45 5/8         | 7244              | 51 5/8         | 8325              | 57 5/8         | 9304              | 63 5/8         | 10128             |
| 3 3/4          | 205               | 9 3/4          | 850               | 15 3/4         | 1716              | 21 3/4         | 2723              | 27 3/4         | 3820              | 33 3/4         | 4968              | 39 3/4         | 6129              | 45 3/4         | 7267              | 51 3/4         | 8346              | 57 3/4         | 9323              | 63 3/4         | 10143             |
| 3 7/8          | 215               | 9 7/8          | 866               | 15 7/8         | 1736              | 21 7/8         | 2745              | 27 7/8         | 3844              | 33 7/8         | 4992              | 39 7/8         | 6153              | 45 7/8         | 7291              | 51 7/8         | 8368              | 57 7/8         | 9342              | 63 7/8         | 10158             |
| 4              | 226               | 10             | 883               | 16             | 1755              | 22             | 2767              | 28             | 3868              | 34             | 5016              | 40             | 6177              | 46             | 7314              | 52             | 8390              | 58             | 9361              | 64             | 10173             |
| 4 1/8          | 236               | 10 1/8         | 899               | 16 1/8         | 1775              | 22 1/8         | 2789              | 28 1/8         | 3891              | 34 1/8         | 5041              | 40 1/8         | 6201              | 46 1/8         | 7337              | 52 1/8         | 8411              | 58 1/8         | 9380              | 64 1/8         | 10187             |
| 4 1/4          | 247               | 10 1/4         | 915               | 16 1/4         | 1795              | 22 1/4         | 2811              | 28 1/4         | 3915              | 34 1/4         | 5065              | 40 1/4         | 6225              | 46 1/4         | 7360              | 52 1/4         | 8432              | 58 1/4         | 9399              | 64 1/4         | 10202             |
| 4 3/8          | 258               | 10 3/8         | 932               | 16 3/8         | 1815              | 22 3/8         | 2834              | 28 3/8         | 3938              | 34 3/8         | 5089              | 40 3/8         | 6249              | 46 3/8         | 7383              | 52 3/8         | 8454              | 58 3/8         | 9417              | 64 3/8         | 10216             |
| 4 1/2          | 269               | 10 1/2         | 949               | 16 1/2         | 1835              | 22 1/2         | 2856              | 28 1/2         | 3962              | 34 1/2         | 5113              | 40 1/2         | 6273              | 46 1/2         | 7406              | 52 1/2         | 8475              | 58 1/2         | 9436              | 64 1/2         | 10231             |
| 4 5/8          | 280               | 10 5/8         | 965               | 16 5/8         | 1855              | 22 5/8         | 2878              | 28 5/8         | 3986              | 34 5/8         | 5137              | 40 5/8         | 6297              | 46 5/8         | 7429              | 52 5/8         | 8496              | 58 5/8         | 9454              | 64 5/8         | 10245             |
| 4 3/4          | 292               | 10 3/4         | 982               | 16 3/4         | 1875              | 22 3/4         | 2901              | 28 3/4         | 4009              | 34 3/4         | 5161              | 40 3/4         | 6321              | 46 3/4         | 7452              | 52 3/4         | 8518              | 58 3/4         | 9473              | 64 3/4         | 10259             |
| 4 7/8          | 303               | 10 7/8         | 999               | 16 7/8         | 1896              | 22 7/8         | 2923              | 28 7/8         | 4033              | 34 7/8         | 5186              | 40 7/8         | 6345              | 46 7/8         | 7475              | 52 7/8         | 8539              | 58 7/8         | 9491              | 64 7/8         | 10273             |
| 5              | 315               | 11             | 1016              | 17             | 1916              | 23             | 2945              | 29             | 4057              | 35             | 5210              | 41             | 6369              | 47             | 7498              | 53             | 8560              | 59             | 9509              | 65             | 10287             |
| 5 1/8          | 327               | 11 1/8         | 1033              | 17 1/8         | 1936              | 23 1/8         | 2968              | 29 1/8         | 4080              | 35 1/8         | 5234              | 41 1/8         | 6393              | 47 1/8         | 7521              | 53 1/8         | 8581              | 59 1/8         | 9528              | 65 1/8         | 10301             |
| 5 1/4          | 339               | 11 1/4         | 1050              | 17 1/4         | 1957              | 23 1/4         | 2990              | 29 1/4         | 4104              | 35 1/4         | 5258              | 41 1/4         | 6417              | 47 1/4         | 7544              | 53 1/4         | 8602              | 59 1/4         | 9546              | 65 1/4         | 10314             |
| 5 3/8          | 351               | 11 3/8         | 1067              | 17 3/8         | 1977              | 23 3/8         | 3013              | 29 3/8         | 4128              | 35 3/8         | 5283              | 41 3/8         | 6441              | 47 3/8         | 7567              | 53 3/8         | 8623              | 59 3/8         | 9564              | 65 3/8         | 10328             |
| 5 1/2          | 363               | 11 1/2         | 1084              | 17 1/2         | 1997              | 23 1/2         | 3036              | 29 1/2         | 4152              | 35 1/2         | 5307              | 41 1/2         | 6465              | 47 1/2         | 7590              | 53 1/2         | 8644              | 59 1/2         | 9582              | 65 1/2         | 10341             |
| 5 5/8          | 376               | 11 5/8         | 1102              | 17 5/8         | 2018              | 23 5/8         | 3058              | 29 5/8         | 4175              | 35 5/8         | 5331              | 41 5/8         | 6489              | 47 5/8         | 7613              | 53 5/8         | 8665              | 59 5/8         | 9600              | 65 5/8         | 10355             |
| 5 3/4          | 388               | 11 3/4         | 1119              | 17 3/4         | 2039              | 23 3/4         | 3081              | 29 3/4         | 4199              | 35 3/4         | 5355              | 41 3/4         | 6513              | 47 3/4         | 7636              | 53 3/4         | 8686              | 59 3/4         | 9618              | 65 3/4         | 10368             |
| 5 7/8          | 401               | 11 7/8         | 1137              | 17 7/8         | 2059              | 23 7/8         | 3103              | 29 7/8         | 4223              | 35 7/8         | 5379              | 41 7/8         | 6536              | 47 7/8         | 7658              | 53 7/8         | 8707              | 59 7/8         | 9635              | 65 7/8         | 10381             |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06380409 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 10394             | 67             | 10492             | 68             | 10582             | 69             | 10660             | 70             | 10727             | 71             | 10779             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 10406             | 67 1/8         | 10504             | 68 1/8         | 10592             | 69 1/8         | 10670             | 70 1/8         | 10735             | 71 1/8         | 10784             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 10419             | 67 1/4         | 10515             | 68 1/4         | 10602             | 69 1/4         | 10678             | 70 1/4         | 10742             | 71 1/4         | 10789             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 10432             | 67 3/8         | 10527             | 68 3/8         | 10612             | 69 3/8         | 10687             | 70 3/8         | 10749             | 71 3/8         | 10793             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 10444             | 67 1/2         | 10538             | 68 1/2         | 10622             | 69 1/2         | 10696             | 70 1/2         | 10755             | 71 1/2         | 10797             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 10456             | 67 5/8         | 10549             | 68 5/8         | 10632             | 69 5/8         | 10704             | 70 5/8         | 10761             | 71 5/8         | 10800             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 10468             | 67 3/4         | 10560             | 68 3/4         | 10642             | 69 3/4         | 10712             | 70 3/4         | 10768             | 71 3/4         | 10803             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 10480             | 67 7/8         | 10571             | 68 7/8         | 10651             | 69 7/8         | 10720             | 70 7/8         | 10773             | 71 7/8         | 10806             |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%