


**NN06390419FP**

FIBERGLASS TANK  
 TOTAL CAPACITY : 11073 US gal  
 NET CAPACITY : 10650 US gal





NOTES:  
 - GENERIC DRAWING FOR REFERENCE ONLY  
 - SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                        |  |                                          |          |              |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------|----------|--------------|----|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                        |  |                                          | 2019     |              |    |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  <div>GRANBY<br/>COMPOSITES</div> |  | Revision description                     |          |              |    |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                        |  |                                          |          |              |    |
| 0.00 -> ± 0.25"<br>0.000 -> ± 0.125"                                                                                                                             |  |                                                                                                                        |  | Format                                   | Part no. | REV          |    |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br><b>O. Marin</b>                                                                                            |  | B                                        |          | NN06390419FP | 02 |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                                                        |  |                                          |          |              |    |
| Weight :                                                                                                                                                         |  | Approved by :                                                                                                          |  | Title<br><br>6' Dia. TANK - 11073 US gal |          |              |    |
| 4305 Lb                                                                                                                                                          |  |                                                                                                                        |  |                                          |          |              |    |
| Client                                                                                                                                                           |  | # Project                                                                                                              |  | Sheet                                    |          | 1 / 4        |    |

| Item | Part Number            | Qty | Description                                        | Check List |
|------|------------------------|-----|----------------------------------------------------|------------|
| 1    | ADF0000001             | 1   | FOAM 28-3/4" DIA. x 8" / R-35                      |            |
| 2    | ADP0000001             | 2   | LIFTING LUG                                        |            |
| 3    | ENSCOUR6               | 7   | ANCHORING KIT                                      |            |
| 4    | EV480J                 | 1   | 4" SCH. 80 VENT KIT WITH GAUGE AND SST BIRD SCREEN |            |
| 5    | FPU0600401             | 1   | 6" F X 6" F - SCH.40 - COUPLING GRAY               |            |
| 6    | GMHE30-COVER01         | 1   | 30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE |            |
| 7    | KB-BNH0600090          | 1   | 6"NH 90° - FIRE HYDRANT KIT                        |            |
| 8    | MH-30 (6"L.)           | 1   | 30" DIA. x 6" L. - MANHOLE                         |            |
| 9    | MHE-30 (54"L.)         | 1   | 30" DIA. x 54" L. - MANHOLE EXTENSION              |            |
| 10   | PFV01313               | 1   | 0.5" x 13.25" x 13.25" - ANTI-VORTEX PLATE         |            |
| 11   | TP80400G01 (4.25"L.)   | 1   | 4" SCH.80 GREY PVC PIPE                            |            |
| 12   | TP80600G01 (65.203"L.) | 1   | 6" SCH.80 GREY PVC PIPE                            |            |

**BACKFILL PROPERTIES**  
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE  
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



SECTION ELEVATION VIEW

Optional anchoring depending on the tank's environment

Technical informations

- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 72
- (If required) Quantity of fiberglass anchoring straps : 7
- (If required) Quantity of reinforced concrete deadman anchors : 14
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 5psig


The tank must be installed in accordance with the manufacturer's instructions.

NOTES:  
- GENERIC DRAWING FOR REFERENCE ONLY  
- SHOP DRAWING AVAILABLE ON REQUEST

|                                                                                                                                                                  |  |                                                                                                                        |  |                                      |      |                             |  |            |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------|------|-----------------------------|--|------------|--|--|--|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                        |  |                                      | 2019 |                             |  |            |  |  |  |
| TOLERANCES (LINEAR)                                                                                                                                              |  |  <div>GRANBY<br/>COMPOSITES</div> |  | Revision description                 |      |                             |  |            |  |  |  |
| FEET DIM. -> ± 1%<br>0.0 -> ± 0.5"                                                                                                                               |  |                                                                                                                        |  | 0.00 -> ± 0.25"<br>0.000 -> ± 0.125" |      |                             |  |            |  |  |  |
| TOLERANCES (ANGULAR)                                                                                                                                             |  | Drawn by<br>O. Marin                                                                                                   |  | Format<br>B                          |      | Part no.<br>NN06390419FP    |  | REV<br>02. |  |  |  |
| 0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.                                                                                                                               |  |                                                                                                                        |  | 15/01/2024                           |      |                             |  |            |  |  |  |
| Weight :<br>4305 Lb                                                                                                                                              |  | Approved by :                                                                                                          |  | Title                                |      |                             |  |            |  |  |  |
| Client                                                                                                                                                           |  | # Project                                                                                                              |  | Sheet<br>2 / 4                       |      | 6' Dia. TANK - 11073 US gal |  |            |  |  |  |



|                                                                                                                                                                  |  |                                                                                                                   |  |                                                             |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------|--|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |  |                                                                                                                   |  | 2019                                                        |  |
| <b>TOLERANCES (LINEAR)</b><br>FEET DIM. -> ±1%      0.00 -> ±0.25"<br>0.0 -> ±0.5"      0.000 -> ±0.125"                                                         |  |  <b>GRANBY</b><br>COMPOSITES |  | Revision description                                        |  |
| <b>TOLERANCES (ANGULAR)</b><br>0 -> ± 2 DEG.<br>0.0 -> ± 0.5 DEG.      0.00 -> ± 0.1 DEG.                                                                        |  |                                                                                                                   |  | Format <b>B</b> Part no. <b>NN06390419FP</b> REV <b>02.</b> |  |
| Weight :<br><b>4305 Lb</b>                                                                                                                                       |  | Drawn by <b>O. Marin</b> 15/01/2024<br>Approved by :                                                              |  | Title<br><br><b>6' Dia. TANK - 11073 US gal</b>             |  |
| Client                                                                                                                                                           |  | # Project                                                                                                         |  |                                                             |  |



ITEM : ENSCOUR6



Fiberglass Strap Guide  
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
  - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
  - Safety factor 5:1
  - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
  - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
  - Working load 20,000 Lbs
  - Ultimate rated 45,000 Lbs
  - Equipped with galvanized steel rings

|                                                                                                                                                                  |          |           |                                                                                                                        |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|------------------------------------------------------------------------------------------------------------------------|--|---------------|--|---------------------------------------------------------------------------------------------------------------------|--|--|------|--------|----------|-----|---|----------|----|
| This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission. |          |           |                                                                                                                        |  |               |  |                                                                                                                     |  |  | 2019 |        |          |     |   |          |    |
| TOLERANCES (LINEAR)                                                                                                                                              |          |           |  <div>GRANBY<br/>COMPOSITES</div> |  |               |  | Revision description                                                                                                |  |  |      |        |          |     |   |          |    |
| FEET DIM. -> ± 1%                                                                                                                                                |          |           |                                                                                                                        |  |               |  | <table><tr><td>Format</td><td>Part no.</td><td>REV</td></tr><tr><td>B</td><td>ENSCOUR6</td><td>A.</td></tr></table> |  |  |      | Format | Part no. | REV | B | ENSCOUR6 | A. |
| Format                                                                                                                                                           | Part no. | REV       |                                                                                                                        |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
| B                                                                                                                                                                | ENSCOUR6 | A.        |                                                                                                                        |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
| 0.0 -> ± 0.5"                                                                                                                                                    |          |           |                                                                                                                        |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
| TOLERANCES (ANGULAR)                                                                                                                                             |          |           | Drawn by                                                                                                               |  | 04/10/2018    |  | Title                                                                                                               |  |  |      |        |          |     |   |          |    |
| 0 -> ± 2 DEG.                                                                                                                                                    |          |           | O. Marin                                                                                                               |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
| 0.0 -> ± 0.5 DEG.                                                                                                                                                |          |           | Approved by :                                                                                                          |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
| Weight :                                                                                                                                                         |          |           |                                                                                                                        |  | ANCHORING KIT |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |
| Client                                                                                                                                                           |          | # Project |                                                                                                                        |  | Sheet         |  | 4 / 4                                                                                                               |  |  |      |        |          |     |   |          |    |
|                                                                                                                                                                  |          |           |                                                                                                                        |  |               |  |                                                                                                                     |  |  |      |        |          |     |   |          |    |



CAPACITY CHART FOR NN06390419 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| -              |                   | 6              | 424               | 12             | 1184              | 18             | 2132              | 24             | 3204              | 30             | 4352              | 36             | 5537              | 42             | 6722              | 48             | 7870              | 54             | 8942              | 60             | 9890              |
| 1/8            | 2                 | 6 1/8          | 437               | 12 1/8         | 1202              | 18 1/8         | 2153              | 24 1/8         | 3227              | 30 1/8         | 4377              | 36 1/8         | 5562              | 42 1/8         | 6746              | 48 1/8         | 7893              | 54 1/8         | 8963              | 60 1/8         | 9908              |
| 1/4            | 4                 | 6 1/4          | 451               | 12 1/4         | 1220              | 18 1/4         | 2175              | 24 1/4         | 3251              | 30 1/4         | 4401              | 36 1/4         | 5587              | 42 1/4         | 6771              | 48 1/4         | 7916              | 54 1/4         | 8984              | 60 1/4         | 9926              |
| 3/8            | 7                 | 6 3/8          | 464               | 12 3/8         | 1238              | 18 3/8         | 2196              | 24 3/8         | 3274              | 30 3/8         | 4425              | 36 3/8         | 5611              | 42 3/8         | 6795              | 48 3/8         | 7940              | 54 3/8         | 9005              | 60 3/8         | 9944              |
| 1/2            | 11                | 6 1/2          | 478               | 12 1/2         | 1256              | 18 1/2         | 2217              | 24 1/2         | 3297              | 30 1/2         | 4450              | 36 1/2         | 5636              | 42 1/2         | 6819              | 48 1/2         | 7963              | 54 1/2         | 9026              | 60 1/2         | 9962              |
| 5/8            | 15                | 6 5/8          | 492               | 12 5/8         | 1275              | 18 5/8         | 2239              | 24 5/8         | 3321              | 30 5/8         | 4474              | 36 5/8         | 5661              | 42 5/8         | 6844              | 48 5/8         | 7986              | 54 5/8         | 9047              | 60 5/8         | 9980              |
| 3/4            | 19                | 6 3/4          | 506               | 12 3/4         | 1293              | 18 3/4         | 2260              | 24 3/4         | 3344              | 30 3/4         | 4499              | 36 3/4         | 5686              | 42 3/4         | 6868              | 48 3/4         | 8009              | 54 3/4         | 9068              | 60 3/4         | 9997              |
| 7/8            | 24                | 6 7/8          | 520               | 12 7/8         | 1312              | 18 7/8         | 2282              | 24 7/8         | 3368              | 30 7/8         | 4523              | 36 7/8         | 5711              | 42 7/8         | 6892              | 48 7/8         | 8032              | 54 7/8         | 9089              | 60 7/8         | 10015             |
| 1              | 29                | 7              | 534               | 13             | 1331              | 19             | 2304              | 25             | 3391              | 31             | 4548              | 37             | 5735              | 43             | 6917              | 49             | 8055              | 55             | 9110              | 61             | 10032             |
| 1 1/8          | 35                | 7 1/8          | 548               | 13 1/8         | 1349              | 19 1/8         | 2325              | 25 1/8         | 3415              | 31 1/8         | 4573              | 37 1/8         | 5760              | 43 1/8         | 6941              | 49 1/8         | 8078              | 55 1/8         | 9131              | 61 1/8         | 10050             |
| 1 1/4          | 41                | 7 1/4          | 562               | 13 1/4         | 1368              | 19 1/4         | 2347              | 25 1/4         | 3438              | 31 1/4         | 4597              | 37 1/4         | 5785              | 43 1/4         | 6965              | 49 1/4         | 8101              | 55 1/4         | 9151              | 61 1/4         | 10067             |
| 1 3/8          | 47                | 7 3/8          | 577               | 13 3/8         | 1387              | 19 3/8         | 2369              | 25 3/8         | 3462              | 31 3/8         | 4622              | 37 3/8         | 5810              | 43 3/8         | 6989              | 49 3/8         | 8124              | 55 3/8         | 9172              | 61 3/8         | 10084             |
| 1 1/2          | 53                | 7 1/2          | 591               | 13 1/2         | 1406              | 19 1/2         | 2390              | 25 1/2         | 3485              | 31 1/2         | 4646              | 37 1/2         | 5835              | 43 1/2         | 7014              | 49 1/2         | 8147              | 55 1/2         | 9193              | 61 1/2         | 10101             |
| 1 5/8          | 60                | 7 5/8          | 606               | 13 5/8         | 1425              | 19 5/8         | 2412              | 25 5/8         | 3509              | 31 5/8         | 4671              | 37 5/8         | 5859              | 43 5/8         | 7038              | 49 5/8         | 8170              | 55 5/8         | 9213              | 61 5/8         | 10118             |
| 1 3/4          | 67                | 7 3/4          | 621               | 13 3/4         | 1444              | 19 3/4         | 2434              | 25 3/4         | 3533              | 31 3/4         | 4696              | 37 3/4         | 5884              | 43 3/4         | 7062              | 49 3/4         | 8192              | 55 3/4         | 9234              | 61 3/4         | 10135             |
| 1 7/8          | 75                | 7 7/8          | 636               | 13 7/8         | 1463              | 19 7/8         | 2456              | 25 7/8         | 3557              | 31 7/8         | 4720              | 37 7/8         | 5909              | 43 7/8         | 7086              | 49 7/8         | 8215              | 55 7/8         | 9254              | 61 7/8         | 10152             |
| 2              | 82                | 8              | 651               | 14             | 1483              | 20             | 2478              | 26             | 3580              | 32             | 4745              | 38             | 5934              | 44             | 7110              | 50             | 8238              | 56             | 9274              | 62             | 10169             |
| 2 1/8          | 90                | 8 1/8          | 666               | 14 1/8         | 1502              | 20 1/8         | 2500              | 26 1/8         | 3604              | 32 1/8         | 4769              | 38 1/8         | 5958              | 44 1/8         | 7135              | 50 1/8         | 8260              | 56 1/8         | 9295              | 62 1/8         | 10185             |
| 2 1/4          | 98                | 8 1/4          | 681               | 14 1/4         | 1521              | 20 1/4         | 2522              | 26 1/4         | 3628              | 32 1/4         | 4794              | 38 1/4         | 5983              | 44 1/4         | 7159              | 50 1/4         | 8283              | 56 1/4         | 9315              | 62 1/4         | 10202             |
| 2 3/8          | 106               | 8 3/8          | 696               | 14 3/8         | 1541              | 20 3/8         | 2544              | 26 3/8         | 3652              | 32 3/8         | 4819              | 38 3/8         | 6008              | 44 3/8         | 7183              | 50 3/8         | 8306              | 56 3/8         | 9335              | 62 3/8         | 10218             |
| 2 1/2          | 115               | 8 1/2          | 712               | 14 1/2         | 1560              | 20 1/2         | 2567              | 26 1/2         | 3675              | 32 1/2         | 4843              | 38 1/2         | 6033              | 44 1/2         | 7207              | 50 1/2         | 8328              | 56 1/2         | 9355              | 62 1/2         | 10235             |
| 2 5/8          | 123               | 8 5/8          | 727               | 14 5/8         | 1580              | 20 5/8         | 2589              | 26 5/8         | 3699              | 32 5/8         | 4868              | 38 5/8         | 6057              | 44 5/8         | 7231              | 50 5/8         | 8351              | 56 5/8         | 9375              | 62 5/8         | 10251             |
| 2 3/4          | 132               | 8 3/4          | 743               | 14 3/4         | 1599              | 20 3/4         | 2611              | 26 3/4         | 3723              | 32 3/4         | 4893              | 38 3/4         | 6082              | 44 3/4         | 7255              | 50 3/4         | 8373              | 56 3/4         | 9395              | 62 3/4         | 10267             |
| 2 7/8          | 141               | 8 7/8          | 759               | 14 7/8         | 1619              | 20 7/8         | 2633              | 26 7/8         | 3747              | 32 7/8         | 4918              | 38 7/8         | 6107              | 44 7/8         | 7279              | 50 7/8         | 8396              | 56 7/8         | 9415              | 62 7/8         | 10283             |
| 3              | 151               | 9              | 775               | 15             | 1639              | 21             | 2656              | 27             | 3771              | 33             | 4942              | 39             | 6132              | 45             | 7303              | 51             | 8418              | 57             | 9435              | 63             | 10299             |
| 3 1/8          | 160               | 9 1/8          | 791               | 15 1/8         | 1659              | 21 1/8         | 2678              | 27 1/8         | 3795              | 33 1/8         | 4967              | 39 1/8         | 6156              | 45 1/8         | 7327              | 51 1/8         | 8440              | 57 1/8         | 9455              | 63 1/8         | 10315             |
| 3 1/4          | 170               | 9 1/4          | 807               | 15 1/4         | 1679              | 21 1/4         | 2701              | 27 1/4         | 3819              | 33 1/4         | 4992              | 39 1/4         | 6181              | 45 1/4         | 7351              | 51 1/4         | 8463              | 57 1/4         | 9474              | 63 1/4         | 10331             |
| 3 3/8          | 180               | 9 3/8          | 823               | 15 3/8         | 1699              | 21 3/8         | 2723              | 27 3/8         | 3843              | 33 3/8         | 5016              | 39 3/8         | 6206              | 45 3/8         | 7375              | 51 3/8         | 8485              | 57 3/8         | 9494              | 63 3/8         | 10346             |
| 3 1/2          | 190               | 9 1/2          | 839               | 15 1/2         | 1719              | 21 1/2         | 2746              | 27 1/2         | 3867              | 33 1/2         | 5041              | 39 1/2         | 6230              | 45 1/2         | 7398              | 51 1/2         | 8507              | 57 1/2         | 9514              | 63 1/2         | 10362             |
| 3 5/8          | 200               | 9 5/8          | 856               | 15 5/8         | 1739              | 21 5/8         | 2768              | 27 5/8         | 3891              | 33 5/8         | 5066              | 39 5/8         | 6255              | 45 5/8         | 7422              | 51 5/8         | 8529              | 57 5/8         | 9533              | 63 5/8         | 10377             |
| 3 3/4          | 210               | 9 3/4          | 872               | 15 3/4         | 1759              | 21 3/4         | 2791              | 27 3/4         | 3915              | 33 3/4         | 5091              | 39 3/4         | 6280              | 45 3/4         | 7446              | 51 3/4         | 8552              | 57 3/4         | 9553              | 63 3/4         | 10393             |
| 3 7/8          | 221               | 9 7/8          | 889               | 15 7/8         | 1779              | 21 7/8         | 2813              | 27 7/8         | 3939              | 33 7/8         | 5115              | 39 7/8         | 6304              | 45 7/8         | 7470              | 51 7/8         | 8574              | 57 7/8         | 9572              | 63 7/8         | 10408             |
| 4              | 232               | 10             | 905               | 16             | 1799              | 22             | 2836              | 28             | 3963              | 34             | 5140              | 40             | 6329              | 46             | 7494              | 52             | 8596              | 58             | 9591              | 64             | 10423             |
| 4 1/8          | 242               | 10 1/8         | 922               | 16 1/8         | 1820              | 22 1/8         | 2859              | 28 1/8         | 3988              | 34 1/8         | 5165              | 40 1/8         | 6354              | 46 1/8         | 7517              | 52 1/8         | 8618              | 58 1/8         | 9611              | 64 1/8         | 10438             |
| 4 1/4          | 254               | 10 1/4         | 939               | 16 1/4         | 1840              | 22 1/4         | 2882              | 28 1/4         | 4012              | 34 1/4         | 5190              | 40 1/4         | 6378              | 46 1/4         | 7541              | 52 1/4         | 8640              | 58 1/4         | 9630              | 64 1/4         | 10453             |
| 4 3/8          | 265               | 10 3/8         | 956               | 16 3/8         | 1861              | 22 3/8         | 2904              | 28 3/8         | 4036              | 34 3/8         | 5215              | 40 3/8         | 6403              | 46 3/8         | 7565              | 52 3/8         | 8662              | 58 3/8         | 9649              | 64 3/8         | 10468             |
| 4 1/2          | 276               | 10 1/2         | 973               | 16 1/2         | 1881              | 22 1/2         | 2927              | 28 1/2         | 4060              | 34 1/2         | 5239              | 40 1/2         | 6428              | 46 1/2         | 7588              | 52 1/2         | 8683              | 58 1/2         | 9668              | 64 1/2         | 10483             |
| 4 5/8          | 288               | 10 5/8         | 990               | 16 5/8         | 1902              | 22 5/8         | 2950              | 28 5/8         | 4084              | 34 5/8         | 5264              | 40 5/8         | 6452              | 46 5/8         | 7612              | 52 5/8         | 8705              | 58 5/8         | 9687              | 64 5/8         | 10497             |
| 4 3/4          | 299               | 10 3/4         | 1007              | 16 3/4         | 1922              | 22 3/4         | 2973              | 28 3/4         | 4109              | 34 3/4         | 5289              | 40 3/4         | 6477              | 46 3/4         | 7636              | 52 3/4         | 8727              | 58 3/4         | 9706              | 64 3/4         | 10512             |
| 4 7/8          | 311               | 10 7/8         | 1024              | 16 7/8         | 1943              | 22 7/8         | 2996              | 28 7/8         | 4133              | 34 7/8         | 5314              | 40 7/8         | 6501              | 46 7/8         | 7659              | 52 7/8         | 8749              | 58 7/8         | 9724              | 64 7/8         | 10526             |
| 5              | 323               | 11             | 1042              | 17             | 1964              | 23             | 3019              | 29             | 4157              | 35             | 5338              | 41             | 6526              | 47             | 7683              | 53             | 8770              | 59             | 9743              | 65             | 10540             |
| 5 1/8          | 335               | 11 1/8         | 1059              | 17 1/8         | 1985              | 23 1/8         | 3042              | 29 1/8         | 4181              | 35 1/8         | 5363              | 41 1/8         | 6550              | 47 1/8         | 7706              | 53 1/8         | 8792              | 59 1/8         | 9762              | 65 1/8         | 10554             |
| 5 1/4          | 348               | 11 1/4         | 1077              | 17 1/4         | 2006              | 23 1/4         | 3065              | 29 1/4         | 4206              | 35 1/4         | 5388              | 41 1/4         | 6575              | 47 1/4         | 7730              | 53 1/4         | 8813              | 59 1/4         | 9780              | 65 1/4         | 10568             |
| 5 3/8          | 360               | 11 3/8         | 1094              | 17 3/8         | 2027              | 23 3/8         | 3088              | 29 3/8         | 4230              | 35 3/8         | 5413              | 41 3/8         | 6599              | 47 3/8         | 7753              | 53 3/8         | 8835              | 59 3/8         | 9799              | 65 3/8         | 10582             |
| 5 1/2          | 373               | 11 1/2         | 1112              | 17 1/2         | 2048              | 23 1/2         | 3111              | 29 1/2         | 4254              | 35 1/2         | 5438              | 41 1/2         | 6624              | 47 1/2         | 7777              | 53 1/2         | 8856              | 59 1/2         | 9817              | 65 1/2         | 10596             |
| 5 5/8          | 385               | 11 5/8         | 1130              | 17 5/8         | 2069              | 23 5/8         | 3134              | 29 5/8         | 4279              | 35 5/8         | 5462              | 41 5/8         | 6648              | 47 5/8         | 7800              | 53 5/8         | 8878              | 59 5/8         | 9836              | 65 5/8         | 10610             |
| 5 3/4          | 398               | 11 3/4         | 1148              | 17 3/4         | 2090              | 23 3/4         | 3157              | 29 3/4         | 4303              | 35 3/4         | 5487              | 41 3/4         | 6673              | 47 3/4         | 7823              | 53 3/4         | 8899              | 59 3/4         | 9854              | 65 3/4         | 10623             |
| 5 7/8          | 411               | 11 7/8         | 1165              | 17 7/8         | 2111              | 23 7/8         | 3181              | 29 7/8         | 4328              | 35 7/8         | 5512              | 41 7/8         | 6697              | 47 7/8         | 7847              | 53 7/8         | 8921              | 59 7/8         | 9872              | 65 7/8         | 10636             |

\*\* PRECISION IS ABOUT +/- 1%



# CAPACITY CHART FOR NN06390419 TANK

| Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) | Height<br>(in) | Gallons<br>(U.S.) |
|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|
| 66             | 10650             | 67             | 10751             | 68             | 10842             | 69             | 10923             | 70             | 10992             | 71             | 11045             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/8         | 10663             | 67 1/8         | 10763             | 68 1/8         | 10853             | 69 1/8         | 10933             | 70 1/8         | 10999             | 71 1/8         | 11050             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/4         | 10676             | 67 1/4         | 10774             | 68 1/4         | 10864             | 69 1/4         | 10942             | 70 1/4         | 11007             | 71 1/4         | 11055             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/8         | 10689             | 67 3/8         | 10786             | 68 3/8         | 10874             | 69 3/8         | 10951             | 70 3/8         | 11014             | 71 3/8         | 11059             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 1/2         | 10701             | 67 1/2         | 10798             | 68 1/2         | 10884             | 69 1/2         | 10959             | 70 1/2         | 11020             | 71 1/2         | 11063             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 5/8         | 10714             | 67 5/8         | 10809             | 68 5/8         | 10894             | 69 5/8         | 10968             | 70 5/8         | 11027             | 71 5/8         | 11067             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 3/4         | 10726             | 67 3/4         | 10820             | 68 3/4         | 10904             | 69 3/4         | 10976             | 70 3/4         | 11033             | 71 3/4         | 11070             |                |                   |                |                   |                |                   |                |                   |                |                   |
| 66 7/8         | 10739             | 67 7/8         | 10831             | 68 7/8         | 10914             | 69 7/8         | 10984             | 70 7/8         | 11039             | 71 7/8         | 11072             |                |                   |                |                   |                |                   |                |                   |                |                   |

\*\* PRECISION IS ABOUT +/- 1%