


NN10240889FS

FIBERGLASS TANK
TOTAL CAPACITY : 23305 US gal
NOMINAL CAPACITY (EFFECTIVE) : 20970 US gal





NOTES:
- GENERIC DRAWING FOR REFERENCE ONLY
- SHOP DRAWING AVAILABLE ON REQUEST

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5"0.00 -> ± 0.25" 0.000 -> ± 0.125"			Revision description		
			Format B	Part no. NN10240889FS	REV 02.
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG.0.00 -> ± 0.1 DEG.		Drawn by O. Marin	19/01/2024		
Weight : 7232 Lb		Approved by :	Title		
Client		# Project	10' Dia. TANK - 23305 US gal		
			Sheet 1 / 4		

Item	Part Number	Qty	Description	Check List
1	ADF0000001	2	FOAM 28-3/4" DIA. x 8" / R-35	
2	ADP0000001	2	LIFTING LUG	
3	AEDPL52500	1	Polylok PL-525 PREFILTER	
4	ENSCOUR10	6	ANCHORING KIT	
5	FPT0600801	1	6" SCH.80 - UNTHREADED T GREY	
6	GMHE30-COVER01	2	30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE	
7	MH-30 (6"L.)	2	30" DIA. x 6" L. - MANHOLE	
8	MHE-30 (54"L.)	2	30" DIA. x 54" L. - MANHOLE EXTENSION	
9	MUR10	1	10' DIA. - WALL	
10	TP80600G01 (12"L.)	1	6" SCH.80 - GREY PVC PIPE	
11	TP80600G01 (24"L.)	1	6" SCH.80 - GREY PVC PIPE	
12	TP80600G01 (72"L.)	1	6" SCH.80 - GREY PVC PIPE	
13	TP80600G01 (75.875"L.)	1	6" SCH.80 - GREY PVC PIPE	
14	TP80600G01 (77"L.)	1	6" SCH.80 - GREY PVC PIPE	

BACKFILL PROPERTIES
N1 - 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE
N2 - PRIMARY BACKFILL, 1/8" TO 3/4" PEA GRAVEL OR 1/2" CRUSHED STONE
N3 - SECONDARY BACKFILL, COARSE SAND OR GRAVEL 1 1/2" OR LESS



Optional anchoring depending on the tank's environment

SECTION ELEVATION VIEW


NOTES:
- GENERIC DRAWING FOR REFERENCE ONLY
- SHOP DRAWING AVAILABLE ON REQUEST

Technical informations

- Burrial depth: According to the geotechnical installation conditions
- Inside Diameter : 120"
- (If required) Quantity of fiberglass anchoring straps : 6
- (If required) Quantity of reinforced concrete deadman anchors : 12
- Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal.
- The weight on the drawing does not include kits of belts and concrete blocks.
- HS-20 rated for burial depth from 36 to 84 inches
- Manufactured according to ANSI-AWWA D120 requirements
- Airtightness test performed at the factory at 35 kPa

The tank must be installed in accordance with the manufacturer's instructions.
Optional effluent filter PL-525.


This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5" 0.00 -> ± 0.25" 0.000 -> ± 0.125"		 GRANBY COMPOSITES		Revision description	
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG. 0.00 -> ± 0.1 DEG.		Drawn by O. Marin		19/01/2024	
Weight : 7232 Lb		Approved by :		Title 10' Dia. TANK - 23305 US gal	
Client		# Project			
		Sheet 2 / 4			




PLAN VIEW

NOTES:
- GENERIC DRAWING FOR REFERENCE ONLY
- SHOP DRAWING AVAILABLE ON REQUEST

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5"0.00 -> ± 0.25" 0.000 -> ± 0.125"		 GRANBY COMPOSITES		Revision description	
				Format B	Part no. NN10240889FS
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG.0.00 -> ± 0.1 DEG.		Drawn by O. Marin		19/01/2024	
Weight : 7232 Lb		Approved by :		REV 02.	
Client		# Projet		Title 10' Dia. TANK - 23305 US gal	
				Sheet 3 / 4	




ITEM : MUR10



ITEM : ENSCOUR10

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
 - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
 - Safety factor 5:1
 - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
 - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
 - Working load 20,000 Lbs
 - Ultimate rated 45,000 Lbs
 - Equipped with galvanized steel rings



Fiberglass Strap Guide
Directly installed on the tank

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5" 0.00 -> ± 0.25" 0.000 -> ± 0.125"		 GRANBY COMPOSITES		Revision description	
				Format B	Part no. MUR10
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG. 0.00 -> ± 0.1 DEG.		Drawn by O. Marin		11/05/2021	
Weight :		Approved by :		10' DIA. - WALL	
Client		# Projet		Sheet 4 / 4	



CAPACITY CHART FOR NN10240889 TANK

Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)
-		6	391	12	1119	18	2062	24	3168	30	4403	36	5738	42	7152	48	8621	54	10128	60	11653
1/8	2	6 1/8	404	12 1/8	1137	18 1/8	2084	24 1/8	3193	30 1/8	4430	36 1/8	5767	42 1/8	7182	48 1/8	8652	54 1/8	10160	60 1/8	11685
1/4	4	6 1/4	416	12 1/4	1155	18 1/4	2105	24 1/4	3217	30 1/4	4457	36 1/4	5796	42 1/4	7212	48 1/4	8683	54 1/4	10191	60 1/4	11717
3/8	6	6 3/8	429	12 3/8	1173	18 3/8	2127	24 3/8	3242	30 3/8	4484	36 3/8	5825	42 3/8	7242	48 3/8	8715	54 3/8	10223	60 3/8	11748
1/2	10	6 1/2	442	12 1/2	1190	18 1/2	2149	24 1/2	3267	30 1/2	4511	36 1/2	5854	42 1/2	7272	48 1/2	8746	54 1/2	10255	60 1/2	11780
5/8	13	6 5/8	455	12 5/8	1209	18 5/8	2170	24 5/8	3291	30 5/8	4538	36 5/8	5882	42 5/8	7302	48 5/8	8777	54 5/8	10286	60 5/8	11812
3/4	17	6 3/4	468	12 3/4	1227	18 3/4	2192	24 3/4	3316	30 3/4	4565	36 3/4	5911	42 3/4	7333	48 3/4	8808	54 3/4	10318	60 3/4	11844
7/8	22	6 7/8	481	12 7/8	1245	18 7/8	2214	24 7/8	3341	30 7/8	4592	36 7/8	5940	42 7/8	7363	48 7/8	8839	54 7/8	10350	60 7/8	11876
1	26	7	494	13	1263	19	2236	25	3366	31	4619	37	5969	43	7393	49	8870	55	10381	61	11908
1 1/8	31	7 1/8	508	13 1/8	1282	19 1/8	2258	25 1/8	3391	31 1/8	4646	37 1/8	5998	43 1/8	7423	49 1/8	8902	55 1/8	10413	61 1/8	11939
1 1/4	37	7 1/4	521	13 1/4	1300	19 1/4	2280	25 1/4	3416	31 1/4	4674	37 1/4	6027	43 1/4	7454	49 1/4	8933	55 1/4	10445	61 1/4	11971
1 3/8	42	7 3/8	535	13 3/8	1319	19 3/8	2303	25 3/8	3441	31 3/8	4701	37 3/8	6056	43 3/8	7484	49 3/8	8964	55 3/8	10476	61 3/8	12003
1 1/2	48	7 1/2	549	13 1/2	1337	19 1/2	2325	25 1/2	3466	31 1/2	4728	37 1/2	6085	43 1/2	7514	49 1/2	8995	55 1/2	10508	61 1/2	12035
1 5/8	54	7 5/8	563	13 5/8	1356	19 5/8	2347	25 5/8	3491	31 5/8	4756	37 5/8	6114	43 5/8	7545	49 5/8	9026	55 5/8	10540	61 5/8	12067
1 3/4	61	7 3/4	577	13 3/4	1375	19 3/4	2370	25 3/4	3516	31 3/4	4783	37 3/4	6144	43 3/4	7575	49 3/4	9058	55 3/4	10572	61 3/4	12099
1 7/8	67	7 7/8	591	13 7/8	1394	19 7/8	2392	25 7/8	3542	31 7/8	4811	37 7/8	6173	43 7/8	7606	49 7/8	9089	55 7/8	10603	61 7/8	12130
2	74	8	605	14	1413	20	2415	26	3567	32	4838	38	6202	44	7636	50	9120	56	10635	62	12162
2 1/8	81	8 1/8	620	14 1/8	1432	20 1/8	2437	26 1/8	3592	32 1/8	4866	38 1/8	6231	44 1/8	7667	50 1/8	9152	56 1/8	10667	62 1/8	12194
2 1/4	89	8 1/4	634	14 1/4	1451	20 1/4	2460	26 1/4	3618	32 1/4	4893	38 1/4	6260	44 1/4	7697	50 1/4	9183	56 1/4	10699	62 1/4	12226
2 3/8	96	8 3/8	649	14 3/8	1470	20 3/8	2483	26 3/8	3643	32 3/8	4921	38 3/8	6290	44 3/8	7728	50 3/8	9214	56 3/8	10730	62 3/8	12258
2 1/2	104	8 1/2	664	14 1/2	1489	20 1/2	2505	26 1/2	3669	32 1/2	4949	38 1/2	6319	44 1/2	7758	50 1/2	9246	56 1/2	10762	62 1/2	12289
2 5/8	112	8 5/8	679	14 5/8	1509	20 5/8	2528	26 5/8	3694	32 5/8	4976	38 5/8	6348	44 5/8	7789	50 5/8	9277	56 5/8	10794	62 5/8	12321
2 3/4	120	8 3/4	694	14 3/4	1528	20 3/4	2551	26 3/4	3720	32 3/4	5004	38 3/4	6378	44 3/4	7819	50 3/4	9308	56 3/4	10826	62 3/4	12353
2 7/8	128	8 7/8	709	14 7/8	1548	20 7/8	2574	26 7/8	3746	32 7/8	5032	38 7/8	6407	44 7/8	7850	50 7/8	9340	56 7/8	10858	62 7/8	12385
3	137	9	724	15	1568	21	2597	27	3771	33	5060	39	6437	45	7881	51	9371	57	10889	63	12417
3 1/8	146	9 1/8	739	15 1/8	1587	21 1/8	2620	27 1/8	3797	33 1/8	5087	39 1/8	6466	45 1/8	7911	51 1/8	9403	57 1/8	10921	63 1/8	12448
3 1/4	154	9 1/4	755	15 1/4	1607	21 1/4	2643	27 1/4	3823	33 1/4	5115	39 1/4	6496	45 1/4	7942	51 1/4	9434	57 1/4	10953	63 1/4	12480
3 3/8	164	9 3/8	770	15 3/8	1627	21 3/8	2667	27 3/8	3849	33 3/8	5143	39 3/8	6525	45 3/8	7973	51 3/8	9465	57 3/8	10985	63 3/8	12512
3 1/2	173	9 1/2	786	15 1/2	1647	21 1/2	2690	27 1/2	3875	33 1/2	5171	39 1/2	6555	45 1/2	8003	51 1/2	9497	57 1/2	11016	63 1/2	12544
3 5/8	182	9 5/8	801	15 5/8	1667	21 5/8	2713	27 5/8	3901	33 5/8	5199	39 5/8	6584	45 5/8	8034	51 5/8	9528	57 5/8	11048	63 5/8	12575
3 3/4	192	9 3/4	817	15 3/4	1687	21 3/4	2737	27 3/4	3927	33 3/4	5227	39 3/4	6614	45 3/4	8065	51 3/4	9560	57 3/4	11080	63 3/4	12607
3 7/8	202	9 7/8	833	15 7/8	1707	21 7/8	2760	27 7/8	3953	33 7/8	5255	39 7/8	6644	45 7/8	8096	51 7/8	9591	57 7/8	11112	63 7/8	12639
4	212	10	849	16	1728	22	2784	28	3979	34	5284	40	6673	46	8126	52	9623	58	11144	64	12671
4 1/8	222	10 1/8	865	16 1/8	1748	22 1/8	2807	28 1/8	4005	34 1/8	5312	40 1/8	6703	46 1/8	8157	52 1/8	9654	58 1/8	11176	64 1/8	12702
4 1/4	232	10 1/4	882	16 1/4	1768	22 1/4	2831	28 1/4	4031	34 1/4	5340	40 1/4	6733	46 1/4	8188	52 1/4	9686	58 1/4	11207	64 1/4	12734
4 3/8	242	10 3/8	898	16 3/8	1789	22 3/8	2855	28 3/8	4058	34 3/8	5368	40 3/8	6762	46 3/8	8219	52 3/8	9717	58 3/8	11239	64 3/8	12766
4 1/2	253	10 1/2	914	16 1/2	1809	22 1/2	2879	28 1/2	4084	34 1/2	5396	40 1/2	6792	46 1/2	8250	52 1/2	9749	58 1/2	11271	64 1/2	12798
4 5/8	264	10 5/8	931	16 5/8	1830	22 5/8	2902	28 5/8	4110	34 5/8	5425	40 5/8	6822	46 5/8	8280	52 5/8	9780	58 5/8	11303	64 5/8	12829
4 3/4	275	10 3/4	948	16 3/4	1851	22 3/4	2926	28 3/4	4137	34 3/4	5453	40 3/4	6852	46 3/4	8311	52 3/4	9812	58 3/4	11335	64 3/4	12861
4 7/8	286	10 7/8	964	16 7/8	1872	22 7/8	2950	28 7/8	4163	34 7/8	5481	40 7/8	6882	46 7/8	8342	52 7/8	9843	58 7/8	11366	64 7/8	12893
5	297	11	981	17	1892	23	2974	29	4189	35	5510	41	6912	47	8373	53	9875	59	11398	65	12925
5 1/8	308	11 1/8	998	17 1/8	1913	23 1/8	2998	29 1/8	4216	35 1/8	5538	41 1/8	6941	47 1/8	8404	53 1/8	9907	59 1/8	11430	65 1/8	12956
5 1/4	320	11 1/4	1015	17 1/4	1934	23 1/4	3022	29 1/4	4243	35 1/4	5567	41 1/4	6971	47 1/4	8435	53 1/4	9938	59 1/4	11462	65 1/4	12988
5 3/8	331	11 3/8	1032	17 3/8	1956	23 3/8	3047	29 3/8	4269	35 3/8	5595	41 3/8	7001	47 3/8	8466	53 3/8	9970	59 3/8	11494	65 3/8	13020
5 1/2	343	11 1/2	1049	17 1/2	1977	23 1/2	3071	29 1/2	4296	35 1/2	5624	41 1/2	7031	47 1/2	8497	53 1/2	10001	59 1/2	11526	65 1/2	13051
5 5/8	355	11 5/8	1067	17 5/8	1998	23 5/8	3095	29 5/8	4323	35 5/8	5652	41 5/8	7061	47 5/8	8528	53 5/8	10033	59 5/8	11557	65 5/8	13083
5 3/4	367	11 3/4	1084	17 3/4	2019	23 3/4	3119	29 3/4	4349	35 3/4	5681	41 3/4	7091	47 3/4	8559	53 3/4	10065	59 3/4	11589	65 3/4	13115
5 7/8	379	11 7/8	1102	17 7/8	2041	23 7/8	3144	29 7/8	4376	35 7/8	5710	41 7/8	7121	47 7/8	8590	53 7/8	10096	59 7/8	11621	65 7/8	13146

** PRECISION IS ABOUT +/- 1%



CAPACITY CHART FOR NN10240889 TANK

Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)
66	13178	71	14436	76	15670	81	16869	86	18022	91	19116	96	20138	101	21070	106	21893	111	22582	116	23094
66 1/8	13210	71 1/8	14467	76 1/8	15700	81 1/8	16899	86 1/8	18050	91 1/8	19143	96 1/8	20162	101 1/8	21092	106 1/8	21912	111 1/8	22597	116 1/8	23104
66 1/4	13241	71 1/4	14498	76 1/4	15731	81 1/4	16928	86 1/4	18079	91 1/4	19169	96 1/4	20186	101 1/4	21114	106 1/4	21931	111 1/4	22612	116 1/4	23114
66 3/8	13273	71 3/8	14529	76 3/8	15761	81 3/8	16957	86 3/8	18107	91 3/8	19196	96 3/8	20211	101 3/8	21136	106 3/8	21950	111 3/8	22627	116 3/8	23124
66 1/2	13304	71 1/2	14560	76 1/2	15791	81 1/2	16987	86 1/2	18135	91 1/2	19222	96 1/2	20235	101 1/2	21157	106 1/2	21969	111 1/2	22642	116 1/2	23133
66 5/8	13336	71 5/8	14591	76 5/8	15822	81 5/8	17016	86 5/8	18163	91 5/8	19248	96 5/8	20259	101 5/8	21179	106 5/8	21987	111 5/8	22657	116 5/8	23142
66 3/4	13368	71 3/4	14622	76 3/4	15852	81 3/4	17045	86 3/4	18191	91 3/4	19275	96 3/4	20284	101 3/4	21201	106 3/4	22006	111 3/4	22671	116 3/4	23151
66 7/8	13399	71 7/8	14654	76 7/8	15882	81 7/8	17075	86 7/8	18218	91 7/8	19301	96 7/8	20308	101 7/8	21222	106 7/8	22024	111 7/8	22686	116 7/8	23160
67	13431	72	14685	77	15913	82	17104	87	18246	92	19327	97	20332	102	21244	107	22043	112	22700	117	23169
67 1/8	13462	72 1/8	14716	77 1/8	15943	82 1/8	17133	87 1/8	18274	92 1/8	19353	97 1/8	20356	102 1/8	21265	107 1/8	22061	112 1/8	22715	117 1/8	23178
67 1/4	13494	72 1/4	14747	77 1/4	15973	82 1/4	17162	87 1/4	18302	92 1/4	19379	97 1/4	20380	102 1/4	21287	107 1/4	22079	112 1/4	22729	117 1/4	23186
67 3/8	13526	72 3/8	14778	77 3/8	16004	82 3/8	17191	87 3/8	18330	92 3/8	19405	97 3/8	20404	102 3/8	21308	107 3/8	22097	112 3/8	22743	117 3/8	23194
67 1/2	13557	72 1/2	14809	77 1/2	16034	82 1/2	17221	87 1/2	18357	92 1/2	19431	97 1/2	20427	102 1/2	21329	107 1/2	22115	112 1/2	22757	117 1/2	23202
67 5/8	13589	72 5/8	14840	77 5/8	16064	82 5/8	17250	87 5/8	18385	92 5/8	19457	97 5/8	20451	102 5/8	21350	107 5/8	22133	112 5/8	22771	117 5/8	23210
67 3/4	13620	72 3/4	14871	77 3/4	16094	82 3/4	17279	87 3/4	18413	92 3/4	19483	97 3/4	20475	102 3/4	21371	107 3/4	22151	112 3/4	22784	117 3/4	23217
67 7/8	13652	72 7/8	14902	77 7/8	16124	82 7/8	17308	87 7/8	18440	92 7/8	19509	97 7/8	20499	102 7/8	21392	107 7/8	22169	112 7/8	22798	117 7/8	23225
68	13683	73	14933	78	16154	83	17337	88	18468	93	19535	98	20522	103	21413	108	22187	113	22811	118	23232
68 1/8	13715	73 1/8	14964	78 1/8	16184	83 1/8	17366	88 1/8	18495	93 1/8	19560	98 1/8	20546	103 1/8	21434	108 1/8	22204	113 1/8	22825	118 1/8	23239
68 1/4	13746	73 1/4	14995	78 1/4	16214	83 1/4	17395	88 1/4	18523	93 1/4	19586	98 1/4	20569	103 1/4	21455	108 1/4	22222	113 1/4	22838	118 1/4	23245
68 3/8	13778	73 3/8	15025	78 3/8	16245	83 3/8	17423	88 3/8	18550	93 3/8	19612	98 3/8	20593	103 3/8	21476	108 3/8	22239	113 3/8	22851	118 3/8	23252
68 1/2	13809	73 1/2	15056	78 1/2	16275	83 1/2	17452	88 1/2	18578	93 1/2	19637	98 1/2	20616	103 1/2	21496	108 1/2	22256	113 1/2	22864	118 1/2	23258
68 5/8	13840	73 5/8	15087	78 5/8	16305	83 5/8	17481	88 5/8	18605	93 5/8	19663	98 5/8	20639	103 5/8	21517	108 5/8	22274	113 5/8	22877	118 5/8	23264
68 3/4	13872	73 3/4	15118	78 3/4	16334	83 3/4	17510	88 3/4	18632	93 3/4	19688	98 3/4	20662	103 3/4	21538	108 3/4	22291	113 3/4	22890	118 3/4	23269
68 7/8	13903	73 7/8	15149	78 7/8	16364	83 7/8	17539	88 7/8	18660	93 7/8	19714	98 7/8	20686	103 7/8	21558	108 7/8	22308	113 7/8	22902	118 7/8	23275
69	13935	74	15180	79	16394	84	17567	89	18687	94	19739	99	20709	104	21578	109	22325	114	22915	119	23280
69 1/8	13966	74 1/8	15210	79 1/8	16424	84 1/8	17596	89 1/8	18714	94 1/8	19764	99 1/8	20732	104 1/8	21599	109 1/8	22342	114 1/8	22927	119 1/8	23284
69 1/4	13998	74 1/4	15241	79 1/4	16454	84 1/4	17625	89 1/4	18741	94 1/4	19789	99 1/4	20755	104 1/4	21619	109 1/4	22358	114 1/4	22939	119 1/4	23289
69 3/8	14029	74 3/8	15272	79 3/8	16484	84 3/8	17653	89 3/8	18768	94 3/8	19815	99 3/8	20778	104 3/8	21639	109 3/8	22375	114 3/8	22951	119 3/8	23293
69 1/2	14060	74 1/2	15303	79 1/2	16514	84 1/2	17682	89 1/2	18795	94 1/2	19840	99 1/2	20801	104 1/2	21659	109 1/2	22391	114 1/2	22963	119 1/2	23296
69 5/8	14092	74 5/8	15333	79 5/8	16543	84 5/8	17711	89 5/8	18822	94 5/8	19865	99 5/8	20823	104 5/8	21679	109 5/8	22408	114 5/8	22975	119 5/8	23300
69 3/4	14123	74 3/4	15364	79 3/4	16573	84 3/4	17739	89 3/4	18849	94 3/4	19890	99 3/4	20846	104 3/4	21699	109 3/4	22424	114 3/4	22986	119 3/4	23302
69 7/8	14154	74 7/8	15395	79 7/8	16603	84 7/8	17768	89 7/8	18876	94 7/8	19915	99 7/8	20869	104 7/8	21719	109 7/8	22441	114 7/8	22998	119 7/8	23304
70	14186	75	15425	80	16633	85	17796	90	18903	95	19940	100	20891	105	21738	110	22457	115	23009		
70 1/8	14217	75 1/8	15456	80 1/8	16662	85 1/8	17824	90 1/8	18930	95 1/8	19965	100 1/8	20914	105 1/8	21758	110 1/8	22473	115 1/8	23020		
70 1/4	14248	75 1/4	15487	80 1/4	16692	85 1/4	17853	90 1/4	18957	95 1/4	19990	100 1/4	20936	105 1/4	21778	110 1/4	22489	115 1/4	23031		
70 3/8	14279	75 3/8	15517	80 3/8	16722	85 3/8	17881	90 3/8	18983	95 3/8	20014	100 3/8	20959	105 3/8	21797	110 3/8	22504	115 3/8	23042		
70 1/2	14311	75 1/2	15548	80 1/2	16751	85 1/2	17909	90 1/2	19010	95 1/2	20039	100 1/2	20981	105 1/2	21816	110 1/2	22520	115 1/2	23053		
70 5/8	14342	75 5/8	15578	80 5/8	16781	85 5/8	17938	90 5/8	19037	95 5/8	20064	100 5/8	21003	105 5/8	21836	110 5/8	22536	115 5/8	23064		
70 3/4	14373	75 3/4	15609	80 3/4	16810	85 3/4	17966	90 3/4	19063	95 3/4	20089	100 3/4	21026	105 3/4	21855	110 3/4	22551	115 3/4	23074		
70 7/8	14404	75 7/8	15639	80 7/8	16840	85 7/8	17994	90 7/8	19090	95 7/8	20113	100 7/8	21048	105 7/8	21874	110 7/8	22567	115 7/8	23084		

** PRECISION IS ABOUT +/- 1%