




NN10401387EU
 FIBERGLASS TANK



NOTES:
 - GENERIC DRAWING FOR REFERENCE ONLY
 - SHOP DRAWING AVAILABLE ON REQUEST

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR)		 GRANBY COMPOSITES	Revision description		
FEET DIM. -> ± 1%			Format B	Part no. NN10401387EU	REV 02.
0.0 -> ± 0.5"					
0.00 -> ± 0.25"					
0.000 -> ± 0.125"					
TOLERANCES (ANGULAR)		Drawn by O. Marin	20/12/2023		
0 -> ± 2 DEG.					
0.0 -> ± 0.5 DEG.		Approved by :	Title		
0.00 -> ± 0.1 DEG.					
Weight :			10' Dia. TANK - 36231 US gal		
9550 Lb					
Client	# Project	Sheet	1 / 4		

Item	Part Number	Qty	Description	Check List
1	ADF0000001	1	FOAM 28-3/4" DIA. x 8" / R-35	
2	ADP0000001	2	LIFTING LUG	
3	ENSCOUR10	9	ANCHORING KIT	
4	EV480	1	4" SCH. 80 VENT KIT	
5	GMHE30-COVER01	1	30" DIA. FRP. - LOCKABLE MAN HOLE COVER WITH HINGE	
6	MH-30 (6"L.)	1	30" DIA. x 6" L. - MANHOLE	
7	MHE-30 (54"L.)	1	30" DIA. x 54" L. - MANHOLE EXTENSION	
8	PFV01414	1	0.5" x 13.5" x 13.5" ANTI-VORTEX PLATE	
9	TP80400G01 (4.25"L.)	1	4" SCH.80 GREY PVC PIPE	
10	TP80400G01 (42"L.)	2	4" SCH.80 GREY PVC PIPE	



Optional anchoring depending on the tank's environment


- Technical informations**
- Burrial depth: According to the geotechnical installation conditions
 - Inside Diameter : 120"
 - (If required) Quantity of fiberglass anchoring straps : 9
 - (If required) Quantity of reinforced concrete deadman anchors : 18
 - Simultaneous lifting by 2 lugs. The angle of the (chains or belts, etc.) must not be less than 60° from the horizontal
 - The weight on the drawing does not include kits of belts and concrete blocks.
 - HS-20 rated for burial depth from 36 to 84 inches
 - Manufactured according to ANSI-AWWA D120 requirements
 - Airtightness test performed at the factory at 35 kPa

The tank must be installed in accordance with the manufacturer's instructions.

SECTION ELEVATION VIEW

NOTES:
- GENERIC DRAWING FOR REFERENCE ONLY
- SHOP DRAWING AVAILABLE ON REQUEST

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5" 0.00 -> ± 0.25" 0.000 -> ± 0.125"		 GRANBY COMPOSITES	Revision description		
			Format B	Part no. NN10401387EU	REV 02.
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG. 0.00 -> ± 0.1 DEG.		Drawn by O. Marin	20/12/2023		
Weight : 9550 Lb		Approved by :	Title 10' Dia. TANK - 36231 US gal		
Client	# Project	Sheet 2 / 4			



PLAN VIEW

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.										2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5" 0.00 -> ± 0.25" 0.000 -> ± 0.125"			GRANBY COMPOSITES Drawn by O. Marin Approved by :			Revision description				
						Format B	Part no. NN10401387EU		REV 02.	
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG. 0.00 -> ± 0.1 DEG.			20/12/2023			Title 10' Dia. TANK - 36231 US gal				
Weight : 9550 Lb										
Client		# Project			Sheet 3 / 4					



Fiberglass Strap Guide
Directly installed on the tank

- Turnbuckle**
- Forged carbon steel, hot-dip galvanized
 - In accordance with US specifications FF-T-791B Type 1, Form 1 (open cage).
 - Safety factor 5:1
 - Working load 5,200 Lbs
- Concrete deadman anchor**
- Weight : 1,093 Lbs
 - Reinforced with galvanized steel
- Fiberglass strap**
- High quality fiberglass
 - Working load 20,000 Lbs
 - Ultimate rated 45,000 Lbs
 - Equipped with galvanized steel rings

This drawing is the exclusive property of Granby Composites Inc. No part of this drawing may be used or reproduced in any manner without its written permission.					2019
TOLERANCES (LINEAR) FEET DIM. -> ± 1% 0.0 -> ± 0.5" 0.00 -> ± 0.25" 0.000 -> ± 0.125"			Revision description		
			Format B	Part no. ENSCOUR10	REV A.
TOLERANCES (ANGULAR) 0 -> ± 2 DEG. 0.0 -> ± 0.5 DEG. 0.00 -> ± 0.1 DEG.		Drawn by O. Marin	04/10/2018		
Weight :		Approved by :	Title		
			ANCHORING KIT		
Client	# Projet	Sheet 4 / 4			



CAPACITY CHART FOR NN10401387 TANK

Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)
-		6	633	12	1792	18	3278	24	5009	30	6930	36	9000	42	11183	48	13449	54	15769	60	18116
1/8	2	6 1/8	653	12 1/8	1820	18 1/8	3312	24 1/8	5047	30 1/8	6972	36 1/8	9044	42 1/8	11230	48 1/8	13497	54 1/8	15818	60 1/8	18165
1/4	6	6 1/4	673	12 1/4	1848	18 1/4	3346	24 1/4	5085	30 1/4	7013	36 1/4	9089	42 1/4	11276	48 1/4	13545	54 1/4	15867	60 1/4	18214
3/8	10	6 3/8	693	12 3/8	1876	18 3/8	3380	24 3/8	5124	30 3/8	7055	36 3/8	9133	42 3/8	11323	48 3/8	13593	54 3/8	15915	60 3/8	18263
1/2	15	6 1/2	714	12 1/2	1905	18 1/2	3414	24 1/2	5162	30 1/2	7097	36 1/2	9178	42 1/2	11369	48 1/2	13641	54 1/2	15964	60 1/2	18312
5/8	21	6 5/8	735	12 5/8	1933	18 5/8	3448	24 5/8	5201	30 5/8	7139	36 5/8	9222	42 5/8	11416	48 5/8	13689	54 5/8	16013	60 5/8	18361
3/4	28	6 3/4	756	12 3/4	1962	18 3/4	3482	24 3/4	5239	30 3/4	7181	36 3/4	9267	42 3/4	11463	48 3/4	13737	54 3/4	16062	60 3/4	18410
7/8	35	6 7/8	777	12 7/8	1991	18 7/8	3517	24 7/8	5278	30 7/8	7223	36 7/8	9312	42 7/8	11509	48 7/8	13785	54 7/8	16110	60 7/8	18458
1	43	7	798	13	2020	19	3551	25	5317	31	7266	37	9357	43	11556	49	13833	55	16159	61	18507
1 1/8	51	7 1/8	820	13 1/8	2049	19 1/8	3586	25 1/8	5356	31 1/8	7308	37 1/8	9401	43 1/8	11603	49 1/8	13881	55 1/8	16208	61 1/8	18556
1 1/4	60	7 1/4	841	13 1/4	2078	19 1/4	3620	25 1/4	5395	31 1/4	7350	37 1/4	9446	43 1/4	11650	49 1/4	13929	55 1/4	16257	61 1/4	18605
1 3/8	69	7 3/8	863	13 3/8	2107	19 3/8	3655	25 3/8	5434	31 3/8	7392	37 3/8	9491	43 3/8	11696	49 3/8	13977	55 3/8	16306	61 3/8	18654
1 1/2	79	7 1/2	885	13 1/2	2137	19 1/2	3690	25 1/2	5473	31 1/2	7435	37 1/2	9536	43 1/2	11743	49 1/2	14025	55 1/2	16354	61 1/2	18703
1 5/8	89	7 5/8	908	13 5/8	2166	19 5/8	3725	25 5/8	5512	31 5/8	7477	37 5/8	9581	43 5/8	11790	49 5/8	14073	55 5/8	16403	61 5/8	18752
1 3/4	99	7 3/4	930	13 3/4	2196	19 3/4	3760	25 3/4	5551	31 3/4	7520	37 3/4	9626	43 3/4	11837	49 3/4	14122	55 3/4	16452	61 3/4	18801
1 7/8	110	7 7/8	953	13 7/8	2226	19 7/8	3795	25 7/8	5591	31 7/8	7562	37 7/8	9671	43 7/8	11884	49 7/8	14170	55 7/8	16501	61 7/8	18850
2	121	8	976	14	2256	20	3831	26	5630	32	7605	38	9717	44	11931	50	14218	56	16550	62	18899
2 1/8	133	8 1/8	999	14 1/8	2286	20 1/8	3866	26 1/8	5670	32 1/8	7648	38 1/8	9762	44 1/8	11978	50 1/8	14266	56 1/8	16599	62 1/8	18948
2 1/4	145	8 1/4	1022	14 1/4	2316	20 1/4	3901	26 1/4	5709	32 1/4	7691	38 1/4	9807	44 1/4	12025	50 1/4	14314	56 1/4	16647	62 1/4	18997
2 3/8	157	8 3/8	1045	14 3/8	2347	20 3/8	3937	26 3/8	5749	32 3/8	7733	38 3/8	9852	44 3/8	12072	50 3/8	14363	56 3/8	16696	62 3/8	19046
2 1/2	169	8 1/2	1069	14 1/2	2377	20 1/2	3973	26 1/2	5789	32 1/2	7776	38 1/2	9898	44 1/2	12119	50 1/2	14411	56 1/2	16745	62 1/2	19095
2 5/8	182	8 5/8	1092	14 5/8	2408	20 5/8	4009	26 5/8	5828	32 5/8	7819	38 5/8	9943	44 5/8	12166	50 5/8	14459	56 5/8	16794	62 5/8	19144
2 3/4	196	8 3/4	1116	14 3/4	2438	20 3/4	4044	26 3/4	5868	32 3/4	7862	38 3/4	9988	44 3/4	12213	50 3/4	14508	56 3/4	16843	62 3/4	19193
2 7/8	209	8 7/8	1140	14 7/8	2469	20 7/8	4080	26 7/8	5908	32 7/8	7905	38 7/8	10034	44 7/8	12261	50 7/8	14556	56 7/8	16892	62 7/8	19242
3	223	9	1164	15	2500	21	4116	27	5948	33	7949	39	10079	45	12308	51	14604	57	16941	63	19291
3 1/8	237	9 1/8	1189	15 1/8	2531	21 1/8	4153	27 1/8	5988	33 1/8	7992	39 1/8	10125	45 1/8	12355	51 1/8	14653	57 1/8	16990	63 1/8	19339
3 1/4	251	9 1/4	1213	15 1/4	2562	21 1/4	4189	27 1/4	6028	33 1/4	8035	39 1/4	10170	45 1/4	12402	51 1/4	14701	57 1/4	17039	63 1/4	19388
3 3/8	266	9 3/8	1238	15 3/8	2594	21 3/8	4225	27 3/8	6069	33 3/8	8078	39 3/8	10216	45 3/8	12450	51 3/8	14749	57 3/8	17088	63 3/8	19437
3 1/2	281	9 1/2	1263	15 1/2	2625	21 1/2	4262	27 1/2	6109	33 1/2	8122	39 1/2	10262	45 1/2	12497	51 1/2	14798	57 1/2	17136	63 1/2	19486
3 5/8	296	9 5/8	1288	15 5/8	2657	21 5/8	4298	27 5/8	6149	33 5/8	8165	39 5/8	10307	45 5/8	12544	51 5/8	14846	57 5/8	17185	63 5/8	19535
3 3/4	312	9 3/4	1313	15 3/4	2688	21 3/4	4335	27 3/4	6190	33 3/4	8208	39 3/4	10353	45 3/4	12592	51 3/4	14895	57 3/4	17234	63 3/4	19584
3 7/8	328	9 7/8	1338	15 7/8	2720	21 7/8	4371	27 7/8	6230	33 7/8	8252	39 7/8	10399	45 7/8	12639	51 7/8	14943	57 7/8	17283	63 7/8	19633
4	344	10	1364	16	2752	22	4408	28	6271	34	8296	40	10445	46	12687	52	14992	58	17332	64	19682
4 1/8	360	10 1/8	1389	16 1/8	2784	22 1/8	4445	28 1/8	6312	34 1/8	8339	40 1/8	10491	46 1/8	12734	52 1/8	15040	58 1/8	17381	64 1/8	19730
4 1/4	377	10 1/4	1415	16 1/4	2816	22 1/4	4482	28 1/4	6352	34 1/4	8383	40 1/4	10537	46 1/4	12782	52 1/4	15089	58 1/4	17430	64 1/4	19779
4 3/8	393	10 3/8	1441	16 3/8	2849	22 3/8	4519	28 3/8	6393	34 3/8	8427	40 3/8	10582	46 3/8	12829	52 3/8	15137	58 3/8	17479	64 3/8	19828
4 1/2	410	10 1/2	1467	16 1/2	2881	22 1/2	4556	28 1/2	6434	34 1/2	8470	40 1/2	10628	46 1/2	12877	52 1/2	15186	58 1/2	17528	64 1/2	19877
4 5/8	428	10 5/8	1493	16 5/8	2913	22 5/8	4593	28 5/8	6475	34 5/8	8514	40 5/8	10674	46 5/8	12924	52 5/8	15234	58 5/8	17577	64 5/8	19926
4 3/4	445	10 3/4	1520	16 3/4	2946	22 3/4	4631	28 3/4	6516	34 3/4	8558	40 3/4	10721	46 3/4	12972	52 3/4	15283	58 3/4	17626	64 3/4	19975
4 7/8	463	10 7/8	1546	16 7/8	2979	22 7/8	4668	28 7/8	6557	34 7/8	8602	40 7/8	10767	46 7/8	13019	52 7/8	15331	58 7/8	17675	64 7/8	20023
5	481	11	1573	17	3011	23	4706	29	6598	35	8646	41	10813	47	13067	53	15380	59	17724	65	20072
5 1/8	499	11 1/8	1600	17 1/8	3044	23 1/8	4743	29 1/8	6639	35 1/8	8690	41 1/8	10859	47 1/8	13115	53 1/8	15429	59 1/8	17773	65 1/8	20121
5 1/4	518	11 1/4	1627	17 1/4	3077	23 1/4	4781	29 1/4	6681	35 1/4	8734	41 1/4	10905	47 1/4	13163	53 1/4	15477	59 1/4	17822	65 1/4	20170
5 3/8	536	11 3/8	1654	17 3/8	3111	23 3/8	4819	29 3/8	6722	35 3/8	8778	41 3/8	10951	47 3/8	13210	53 3/8	15526	59 3/8	17871	65 3/8	20219
5 1/2	555	11 1/2	1681	17 1/2	3144	23 1/2	4856	29 1/2	6764	35 1/2	8822	41 1/2	10998	47 1/2	13258	53 1/2	15574	59 1/2	17920	65 1/2	20267
5 5/8	574	11 5/8	1709	17 5/8	3177	23 5/8	4894	29 5/8	6805	35 5/8	8867	41 5/8	11044	47 5/8	13306	53 5/8	15623	59 5/8	17969	65 5/8	20316
5 3/4	594	11 3/4	1736	17 3/4	3211	23 3/4	4932	29 3/4	6847	35 3/4	8911	41 3/4	11090	47 3/4	13354	53 3/4	15672	59 3/4	18018	65 3/4	20365
5 7/8	613	11 7/8	1764	17 7/8	3244	23 7/8	4970	29 7/8	6888	35 7/8	8955	41 7/8	11137	47 7/8	13401	53 7/8	15720	59 7/8	18067	65 7/8	20413

** PRECISION IS ABOUT +/- 1%



CAPACITY CHART FOR NN10401387 TANK

Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)	Height (in)	Gallons (U.S.)
66	20462	71	22398	76	24300	81	26152	86	27936	91	29633	96	31223	101	32680	106	33975	111	35067	116	35888
66 1/8	20511	71 1/8	22446	76 1/8	24347	81 1/8	26198	86 1/8	27979	91 1/8	29674	96 1/8	31261	101 1/8	32715	106 1/8	34005	111 1/8	35091	116 1/8	35904
66 1/4	20560	71 1/4	22494	76 1/4	24394	81 1/4	26243	86 1/4	28023	91 1/4	29715	96 1/4	31299	101 1/4	32749	106 1/4	34035	111 1/4	35115	116 1/4	35919
66 3/8	20608	71 3/8	22542	76 3/8	24441	81 3/8	26288	86 3/8	28066	91 3/8	29756	96 3/8	31337	101 3/8	32784	106 3/8	34065	111 3/8	35139	116 3/8	35935
66 1/2	20657	71 1/2	22590	76 1/2	24488	81 1/2	26334	86 1/2	28110	91 1/2	29797	96 1/2	31375	101 1/2	32818	106 1/2	34095	111 1/2	35163	116 1/2	35950
66 5/8	20706	71 5/8	22638	76 5/8	24535	81 5/8	26379	86 5/8	28153	91 5/8	29838	96 5/8	31413	101 5/8	32852	106 5/8	34124	111 5/8	35186	116 5/8	35965
66 3/4	20754	71 3/4	22686	76 3/4	24582	81 3/4	26424	86 3/4	28196	91 3/4	29879	96 3/4	31450	101 3/4	32886	106 3/4	34153	111 3/4	35210	116 3/4	35980
66 7/8	20803	71 7/8	22734	76 7/8	24629	81 7/8	26470	86 7/8	28240	91 7/8	29920	96 7/8	31488	101 7/8	32920	106 7/8	34183	111 7/8	35233	116 7/8	35994
67	20851	72	22782	77	24675	82	26515	87	28283	92	29960	97	31526	102	32953	107	34212	112	35256	117	36008
67 1/8	20900	72 1/8	22830	77 1/8	24722	82 1/8	26560	87 1/8	28326	92 1/8	30001	97 1/8	31563	102 1/8	32987	107 1/8	34241	112 1/8	35279	117 1/8	36022
67 1/4	20949	72 1/4	22878	77 1/4	24769	82 1/4	26605	87 1/4	28369	92 1/4	30041	97 1/4	31601	102 1/4	33021	107 1/4	34269	112 1/4	35301	117 1/4	36036
67 3/8	20997	72 3/8	22926	77 3/8	24815	82 3/8	26650	87 3/8	28412	92 3/8	30082	97 3/8	31638	102 3/8	33054	107 3/8	34298	112 3/8	35324	117 3/8	36049
67 1/2	21046	72 1/2	22973	77 1/2	24862	82 1/2	26695	87 1/2	28455	92 1/2	30122	97 1/2	31675	102 1/2	33088	107 1/2	34327	112 1/2	35346	117 1/2	36062
67 5/8	21094	72 5/8	23021	77 5/8	24909	82 5/8	26740	87 5/8	28498	92 5/8	30163	97 5/8	31712	102 5/8	33121	107 5/8	34355	112 5/8	35368	117 5/8	36074
67 3/4	21143	72 3/4	23069	77 3/4	24955	82 3/4	26785	87 3/4	28541	92 3/4	30203	97 3/4	31749	102 3/4	33154	107 3/4	34383	112 3/4	35390	117 3/4	36087
67 7/8	21191	72 7/8	23117	77 7/8	25002	82 7/8	26830	87 7/8	28583	92 7/8	30243	97 7/8	31786	102 7/8	33187	107 7/8	34411	112 7/8	35412	117 7/8	36099
68	21240	73	23164	78	25048	83	26875	88	28626	93	30283	98	31823	103	33220	108	34439	113	35433	118	36110
68 1/8	21288	73 1/8	23212	78 1/8	25094	83 1/8	26919	88 1/8	28669	93 1/8	30323	98 1/8	31860	103 1/8	33253	108 1/8	34467	113 1/8	35455	118 1/8	36121
68 1/4	21337	73 1/4	23259	78 1/4	25141	83 1/4	26964	88 1/4	28711	93 1/4	30363	98 1/4	31897	103 1/4	33285	108 1/4	34495	113 1/4	35476	118 1/4	36132
68 3/8	21385	73 3/8	23307	78 3/8	25187	83 3/8	27009	88 3/8	28754	93 3/8	30403	98 3/8	31933	103 3/8	33318	108 3/8	34523	113 3/8	35497	118 3/8	36143
68 1/2	21434	73 1/2	23355	78 1/2	25234	83 1/2	27054	88 1/2	28796	93 1/2	30443	98 1/2	31970	103 1/2	33350	108 1/2	34550	113 1/2	35517	118 1/2	36153
68 5/8	21482	73 5/8	23402	78 5/8	25280	83 5/8	27098	88 5/8	28839	93 5/8	30482	98 5/8	32006	103 5/8	33383	108 5/8	34577	113 5/8	35538	118 5/8	36162
68 3/4	21530	73 3/4	23450	78 3/4	25326	83 3/4	27143	88 3/4	28881	93 3/4	30522	98 3/4	32043	103 3/4	33415	108 3/4	34604	113 3/4	35558	118 3/4	36171
68 7/8	21579	73 7/8	23497	78 7/8	25372	83 7/8	27187	88 7/8	28924	93 7/8	30562	98 7/8	32079	103 7/8	33447	108 7/8	34631	113 7/8	35578	118 7/8	36180
69	21627	74	23545	79	25419	84	27232	89	28966	94	30601	99	32115	104	33479	109	34658	114	35598	119	36188
69 1/8	21675	74 1/8	23592	79 1/8	25465	84 1/8	27276	89 1/8	29008	94 1/8	30641	99 1/8	32151	104 1/8	33511	109 1/8	34685	114 1/8	35618	119 1/8	36196
69 1/4	21724	74 1/4	23640	79 1/4	25511	84 1/4	27320	89 1/4	29050	94 1/4	30680	99 1/4	32187	104 1/4	33543	109 1/4	34711	114 1/4	35638	119 1/4	36203
69 3/8	21772	74 3/8	23687	79 3/8	25557	84 3/8	27365	89 3/8	29092	94 3/8	30719	99 3/8	32223	104 3/8	33575	109 3/8	34738	114 3/8	35657	119 3/8	36210
69 1/2	21820	74 1/2	23734	79 1/2	25603	84 1/2	27409	89 1/2	29134	94 1/2	30758	99 1/2	32259	104 1/2	33606	109 1/2	34764	114 1/2	35676	119 1/2	36216
69 5/8	21869	74 5/8	23782	79 5/8	25649	84 5/8	27453	89 5/8	29176	94 5/8	30798	99 5/8	32294	104 5/8	33638	109 5/8	34790	114 5/8	35695	119 5/8	36221
69 3/4	21917	74 3/4	23829	79 3/4	25695	84 3/4	27497	89 3/4	29218	94 3/4	30837	99 3/4	32330	104 3/4	33669	109 3/4	34816	114 3/4	35714	119 3/4	36226
69 7/8	21965	74 7/8	23876	79 7/8	25741	84 7/8	27541	89 7/8	29260	94 7/8	30876	99 7/8	32365	104 7/8	33700	109 7/8	34842	114 7/8	35732	119 7/8	36229
70	22013	75	23924	80	25787	85	27585	90	29301	95	30915	100	32401	105	33731	110	34868	115	35750		
70 1/8	22062	75 1/8	23971	80 1/8	25832	85 1/8	27629	90 1/8	29343	95 1/8	30953	100 1/8	32436	105 1/8	33762	110 1/8	34893	115 1/8	35768		
70 1/4	22110	75 1/4	24018	80 1/4	25878	85 1/4	27673	90 1/4	29385	95 1/4	30992	100 1/4	32471	105 1/4	33793	110 1/4	34918	115 1/4	35786		
70 3/8	22158	75 3/8	24065	80 3/8	25924	85 3/8	27717	90 3/8	29426	95 3/8	31031	100 3/8	32506	105 3/8	33824	110 3/8	34944	115 3/8	35804		
70 1/2	22206	75 1/2	24112	80 1/2	25970	85 1/2	27761	90 1/2	29468	95 1/2	31069	100 1/2	32541	105 1/2	33854	110 1/2	34969	115 1/2	35821		
70 5/8	22254	75 5/8	24159	80 5/8	26015	85 5/8	27805	90 5/8	29509	95 5/8	31108	100 5/8	32576	105 5/8	33885	110 5/8	34993	115 5/8	35838		
70 3/4	22302	75 3/4	24206	80 3/4	26061	85 3/4	27849	90 3/4	29551	95 3/4	31146	100 3/4	32611	105 3/4	33915	110 3/4	35018	115 3/4	35855		
70 7/8	22350	75 7/8	24253	80 7/8	26106	85 7/8	27892	90 7/8	29592	95 7/8	31184	100 7/8	32646	105 7/8	33945	110 7/8	35043	115 7/8	35871		

** PRECISION IS ABOUT +/- 1%